

## Autumn 2017

# General Assignment Rooms

Building	Lab	Facility ID	Capacity	Room Characteristics						Notes
<a href="#">140 West Nineteenth Avenue</a>										Building Number: 145
	<a href="#">KL0131</a>		40	30	34	35	39	43	52	
	<a href="#">KL0136</a>		40	30	34	35	39	43	52	
	<a href="#">KL0205</a>		45	30	34	35	39	43	52	
	<a href="#">KL0207</a>		95	31	34	35	36	37	39	43 52
	<a href="#">KL0330</a>		36	30	34	35	39	43	52	
<a href="#">209 West Eighteenth Avenue</a>										Building Number: 004
	<a href="#">EA0160</a>		203	31	34	35	36	37	40	42 45 48 52
	<a href="#">EA0170</a>		140	31	34	35	36	37	40	42 45 48 52
<a href="#">Agricultural Administration</a>										Building Number: 003
	<a href="#">AA0108</a>		56	32	34	35	36	39	43	52
	<a href="#">AA0246</a>		49	30	34	35	36	39	43	52
	<a href="#">AA0247</a>		30	32	34	35	36	39	43	52
<a href="#">Agricultural Engineering Bldg</a>										Building Number: 298
	<a href="#">AE0100</a>		94	33	35	36	37	40	42 43	48 49 52
	<a href="#">AE0103</a>		50	32	34	35	36	40	42 43	49 52
	<a href="#">AE0104</a>		48	32	34	35	36	40	42 43	49 52
<a href="#">Animal Science Building</a>										Building Number: 156
	<a href="#">AS0202</a>		49	30	34	35	39	43	52	
	<a href="#">AS0210</a>		50	30	34	35	39	43	47 49 50 52	
<a href="#">Arps Hall</a>										Building Number: 011
	<a href="#">AP0012</a>		63	30	34	35	39	43	52	
	<a href="#">AP0386</a>		20	30	34	35	39	43	52	
	<a href="#">AP0388</a>		49	30	34	35	39	43	52	
<a href="#">Baker Systems Engineering</a>										Building Number: 280

### Room Characteristics List

30	Moveable Tablet Arm Chairs	31	Stationary Tablet Arm Chairs	32	Moveable Tables/Chairs	33	Stationary Tables/Chairs	34	Instructor Table/Chair
35	Air Conditioned	36	Carpeted	37	Sloped/Tiered Floors	38	Elevated Stage	39	Windows
40	No Windows	41	Black Out Shade	42	Variable Intensity Lighting	43	Chalkboards	44	Whiteboards
45	Vertical Sliding Chalkboards	46	Vertical Sliding Whiteboards	47	2+ LCD Projectors	48	Symposium	49	Document Camera
50	Video Conferencing Set-Up	51	Laptop Required	52	Computer Provided	53	Computer Lab		

Building	Lab	Facility ID	Capacity	Room Characteristics	Notes
		<a href="#">BE0120</a>	98	33 34 35 36 37 40 42 43 52	
		<a href="#">BE0128</a>	25	30 34 35 36 39 43 52	
		<a href="#">BE0130</a>	32	30 34 35 36 40 43 52	
		<a href="#">BE0136</a>	40	30 34 35 36 40 43 52	
		<a href="#">BE0140</a>	40	30 34 35 36 43 52	
		<a href="#">BE0144</a>	70	30 34 35 36 43 52	
		<a href="#">BE0180</a>	49	30 34 35 36 40 43 52	
		<a href="#">BE0184</a>	30	30 34 35 36 40 43 52	
		<a href="#">BE0188</a>	56	30 34 35 36 40 43 47 52	
		<a href="#">BE0198</a>	49	30 34 35 36 40 43 52	
		<a href="#">BE0260</a>	30	30 34 35 39 43 52	
		<a href="#">BE0272</a>	20	30 34 35 39 43 52	
Computer Lab		<a href="#">BE0285</a>	48	32 34 35 36 40 43 44 47 52 53	
		<a href="#">BE0394</a>	36	32 34 35 39 43 52	

**Biological Sciences Building** Building Number: 276

<a href="#">BI0668</a>	38	30 34 35 39 43 52
<a href="#">BI0676</a>	35	30 34 35 39 43 52

**Bolz Hall** Building Number: 146

<a href="#">BQ0124</a>	35	30 34 35 39 43 52
<a href="#">BQ0128</a>	30	30 34 35 39 43 52
<a href="#">BQ0311</a>	40	30 34 35 39 43 52
<a href="#">BQ0313</a>	43	30 34 35 39 43 52
<a href="#">BQ0314</a>	45	30 34 35 39 43 52
<a href="#">BQ0316</a>	42	30 34 35 39 43 52
<a href="#">BQ0317</a>	42	30 34 35 39 43 52
<a href="#">BQ0318</a>	44	30 34 35 39 43 52
<a href="#">BQ0412</a>	42	30 34 35 39 43 52
<a href="#">BQ0422</a>	42	30 34 35 39 43 52
<a href="#">BQ0428</a>	49	32 34 35 39 43 52
<a href="#">BQ0432</a>	30	30 34 35 39 43 52
<a href="#">BQ0434</a>	30	30 34 35 39 43 52
<a href="#">BQ0436</a>	64	30 34 35 39 43 52
<a href="#">BQ0439</a>	28	30 34 35 39 43 52

Formerly Bolz Hall 437

## Room Characteristics List

30 Moveable Tablet Arm Chairs	31 Stationary Tablet Arm Chairs	32 Moveable Tables/Chairs	33 Stationary Tables/Chairs	34 Instructor Table/Chair
35 Air Conditioned	36 Carpeted	37 Sloped/Tiered Floors	38 Elevated Stage	39 Windows
40 No Windows	41 Black Out Shade	42 Variable Intensity Lighting	43 Chalkboards	44 Whiteboards
45 Vertical Sliding Chalkboards	46 Vertical Sliding Whiteboards	47 2+ LCD Projectors	48 Symposium	49 Document Camera
50 Video Conferencing Set-Up	51 Laptop Required	52 Computer Provided	53 Computer Lab	

Building	Lab	Facility ID	Capacity	Room Characteristics							Notes			
<u>Caldwell Laboratory</u>										Building Number: 026				
		<a href="#">CL0102</a>	24	30	34	35	39	43	52					
		<a href="#">CL0109</a>	36	30	34	35	39	43	52					
		<a href="#">CL0115</a>	36	30	34	35	39	43	52					
		<a href="#">CL0119</a>	24	30	34	35	39	43	52					
		<a href="#">CL0120</a>	70	32	34	35	39	43	52					
		<a href="#">CL0133</a>	48	30	34	35	39	43	52					
		<a href="#">CL0135</a>	39	30	34	35	40	43	52					
		<a href="#">CL0137</a>	46	30	34	35	40	43	52					
		<a href="#">CL0171</a>	44	30	34	35	39	43	52					
		<a href="#">CL0177</a>	48	30	34	35	39	43	52					
		<a href="#">CL0183</a>	15	30	34	35	39	43	52					
<u>Campbell Hall</u>										Building Number: 018				
		<a href="#">CM0100</a>	65	30	34	35	36	39	42	44	52	Active Learning Classroom		
Computer Lab		<a href="#">CM0119</a>	20	33	35	36	39	44	53					
		<a href="#">CM0200</a>	299	31	34	35	36	37	38	40	43	52		
		<a href="#">CM0209</a>	49	30	34	35	36	39	43	52				
		<a href="#">CM0213</a>	48	30	34	35	36	39	43	52				
		<a href="#">CM0243</a>	35	30	34	35	39	44	52					
		<a href="#">CM0251</a>	42	32	34	35	39	43	49	52				
		<a href="#">CM0271</a>	30	30	34	35	36	39	43	52				
		<a href="#">CM0309</a>	49	30	34	35	36	39	43	52				
		<a href="#">CM0335</a>	49	30	34	35	36	39	43	52				
<u>Chem &amp; Biomolecular Eng &amp; Chem</u>										Building Number: 248				
		<a href="#">CB0130</a>	117	33	34	35	36	37	40	42	45	48	49	52
<u>Cockins Hall</u>										Building Number: 063				
		<a href="#">CH0218</a>	47	30	34	35	39	43	52					
		<a href="#">CH0228</a>	24	32	34	35	39	43	52					
		<a href="#">CH0232</a>	40	32	34	35	39	43	52					
		<a href="#">CH0312</a>	49	30	34	35	39	43	52					
<u>Cunz Hall</u>										Building Number: 293				
		<a href="#">CZ0140</a>	62	32	34	35	36	40	44	47	48	49	52	
		<a href="#">CZ0150</a>	80	32	35	36	39	44	47	48	49	52		

## Room Characteristics List

30	Moveable Tablet Arm Chairs	31	Stationary Tablet Arm Chairs	32	Moveable Tables/Chairs	33	Stationary Tables/Chairs	34	Instructor Table/Chair
35	Air Conditioned	36	Carpeted	37	Sloped/Tiered Floors	38	Elevated Stage	39	Windows
40	No Windows	41	Black Out Shade	42	Variable Intensity Lighting	43	Chalkboards	44	Whiteboards
45	Vertical Sliding Chalkboards	46	Vertical Sliding Whiteboards	47	2+ LCD Projectors	48	Symposium	49	Document Camera
50	Video Conferencing Set-Up	51	Laptop Required	52	Computer Provided	53	Computer Lab		

Building	Lab	Facility ID	Capacity	Room Characteristics										Notes
		<a href="#">CZ0160</a>	42	32	34	35	36	40	44	48	52			
		<a href="#">CZ0180</a>	30	32	34	35	36	40	44	47	48	49	52	
<a href="#">Denney Hall</a>													Building Number: 030	
		<a href="#">DE0202</a>	24	30	34	35	36	39	43	52				
		<a href="#">DE0206</a>	40	30	34	35	36	39	43	52				
		<a href="#">DE0207</a>	24	32	34	35	36	39	43	52				
		<a href="#">DE0209</a>	24	30	34	35	36	39	43	52				
		<a href="#">DE0213</a>	24	32	34	35	36	39	43	52				
		<a href="#">DE0214</a>	50	30	34	35	36	39	43	49	52			
		<a href="#">DE0238</a>	50	30	34	35	36	39	43	52				
		<a href="#">DE0245</a>	24	32	34	35	36	39	42	43	52			
		<a href="#">DE0250</a>	45	30	34	35	36	39	43	49	52			
		<a href="#">DE0253</a>	55	30	34	35	36	39	43	52				
		<a href="#">DE0262</a>	24	32	34	35	36	39	43	52				
		<a href="#">DE0265</a>	24	32	34	35	36	39	43	52				
		<a href="#">DE0268</a>	24	30	34	35	36	39	43	52				
<a href="#">Derby Hall</a>													Building Number: 025	
		<a href="#">DB0024</a>	22	30	34	35	39	43	52					
Computer Lab		<a href="#">DB0029</a>	34	32	34	35	36	40	44	47	50	53		
		<a href="#">DB0030</a>	28	30	34	35	39	43	52					
		<a href="#">DB0038</a>	12	32	34	35	36	40	43	52				
		<a href="#">DB0047</a>	11	32	35	40	43	52						
		<a href="#">DB0048</a>	30	32	34	35	39	43	52					
		<a href="#">DB0049</a>	28	32	34	35	40	43	52					
		<a href="#">DB0060</a>	18	30	34	35	39	43	52					
		<a href="#">DB0062</a>	23	30	34	35	39	43	52					
		<a href="#">DB0080</a>	54	32	34	35	39	43	52					
<a href="#">Dreese Laboratories</a>													Building Number: 279	
		<a href="#">DL0113</a>	180	33	34	35	37	38	40	42	45	48	52	
		<a href="#">DL0264</a>	40	32	34	35	40	43	52					
		<a href="#">DL0266</a>	40	32	34	35	40	43	52					
		<a href="#">DL0305</a>	42	32	34	35	39	43	52					
		<a href="#">DL0317</a>	36	32	34	35	40	43	52					

## Room Characteristics List

30	Moveable Tablet Arm Chairs	31	Stationary Tablet Arm Chairs	32	Moveable Tables/Chairs	33	Stationary Tables/Chairs	34	Instructor Table/Chair
35	Air Conditioned	36	Carpeted	37	Sloped/Tiered Floors	38	Elevated Stage	39	Windows
40	No Windows	41	Black Out Shade	42	Variable Intensity Lighting	43	Chalkboards	44	Whiteboards
45	Vertical Sliding Chalkboards	46	Vertical Sliding Whiteboards	47	2+ LCD Projectors	48	Symposium	49	Document Camera
50	Video Conferencing Set-Up	51	Laptop Required	52	Computer Provided	53	Computer Lab		

Building	Lab	Facility ID	Capacity	Room Characteristics						Notes
		<a href="#">DL0357</a>	45	32	34	35	40	43	52	
		<a href="#">DL0369</a>	48	32	34	35	39	43	52	
<b>Dulles Hall</b>										
		<a href="#">DU0012</a>	25	30	34	35	36	40	43	52
		<a href="#">DU0016</a>	20	30	34	35	36	40	43	52
		<a href="#">DU0020</a>	22	30	34	35	36	40	43	52
		<a href="#">DU0024</a>	20	30	34	35	36	40	43	52
		<a href="#">DU0027</a>	24	30	34	35	36	40	43	52
<b>Enarson Classroom Building</b>										
		<a href="#">EC0014</a>	30	32	34	35	36	40	42	44 49 50 52
		<a href="#">EC0015</a>	26	30	34	35	36	40	42	44 49 50 52
		<a href="#">EC0017</a>	26	30	34	35	36	40	42	44 49 50 52
		<a href="#">EC0018</a>	36	32	34	35	36	40	42	44 49 50 52
		<a href="#">EC0202</a>	25	30	34	35	39	43	52	
		<a href="#">EC0204</a>	24	30	34	35	39	43	52	
		<a href="#">EC0206</a>	25	30	34	35	39	43	52	
		<a href="#">EC0209</a>	35	30	34	35	40	43	48	52
		<a href="#">EC0211</a>	35	30	34	35	40	44	52	
		<a href="#">EC0212</a>	24	30	34	35	39	43	52	
		<a href="#">EC0214</a>	25	30	34	35	39	43	52	
		<a href="#">EC0218</a>	25	30	34	35	39	43	52	
		<a href="#">EC0222</a>	36	30	34	35	39	43	52	
		<a href="#">EC0226</a>	40	30	34	35	39	43	52	
		<a href="#">EC0230</a>	35	30	34	35	39	43	52	
		<a href="#">EC0238</a>	22	30	34	35	39	43	52	
		<a href="#">EC0240</a>	25	30	34	35	39	43	52	
		<a href="#">EC0243</a>	38	30	34	35	40	43	50	52
		<a href="#">EC0245</a>	38	30	34	35	40	43	50	52
		<a href="#">EC0246</a>	25	30	34	35	39	43	52	
		<a href="#">EC0248</a>	22	30	34	35	39	43	52	
		<a href="#">EC0254</a>	34	30	34	35	39	43	52	
		<a href="#">EC0258</a>	35	30	34	35	39	43	52	
		<a href="#">EC0304</a>	24	30	34	35	39	43	52	

## Room Characteristics List

30	Moveable Tablet Arm Chairs	31	Stationary Tablet Arm Chairs	32	Moveable Tables/Chairs	33	Stationary Tables/Chairs	34	Instructor Table/Chair
35	Air Conditioned	36	Carpeted	37	Sloped/Tiered Floors	38	Elevated Stage	39	Windows
40	No Windows	41	Black Out Shade	42	Variable Intensity Lighting	43	Chalkboards	44	Whiteboards
45	Vertical Sliding Chalkboards	46	Vertical Sliding Whiteboards	47	2+ LCD Projectors	48	Symposium	49	Document Camera
50	Video Conferencing Set-Up	51	Laptop Required	52	Computer Provided	53	Computer Lab		

Building	Lab	Facility ID	Capacity	Room Characteristics						Notes		
Computer Lab		<a href="#">EC0306</a>	23	30	34	35	39	43	52			
		<a href="#">EC0311</a>	72	32	34	35	36	40	44	48	53	
		<a href="#">EC0312</a>	25	30	34	35	39	43	52			
		<a href="#">EC0314</a>	23	30	34	35	39	43	52			
		<a href="#">EC0318</a>	23	30	34	35	39	43	52			
		<a href="#">EC0322</a>	34	30	34	35	39	43	52			
		<a href="#">EC0326</a>	40	30	34	35	39	43	52			
		<a href="#">EC0330</a>	34	30	34	35	39	43	52			
		<a href="#">EC0338</a>	14	32	35	39	44	52		Conference Style Classroom		
		<a href="#">EC0340</a>	28	30	34	35	39	43	52			
		<a href="#">EC0346</a>	27	30	34	35	39	43	52			
		<a href="#">EC0348</a>	14	33	35	39	44	49	52	Conference Style Classroom		
		<a href="#">EC0354</a>	33	30	34	35	39	43	52			
	<a href="#">EC0358</a>	35	30	34	35	39	43	52				
<b>Evans Laboratory</b> Building Number: 150												
		<a href="#">EL1008</a>	227	31	34	35	36	37	40	45	47	52
		<a href="#">EL2001</a>	40	30	34	35	40	43	52			
		<a href="#">EL2002</a>	32	32	34	35	39	43	52			
		<a href="#">EL2003</a>	40	30	34	35	40	43	52			
		<a href="#">EL2004</a>	73	30	34	35	39	43	52			
<b>Fontana Laboratories</b> Building Number: 151												
		<a href="#">FL0142</a>	40	30	34	35	40	43	52			
<b>Gateway Film Center</b> Building Number: 865												
		<a href="#">GW HOUSE 1</a>	282	31	35	36	37	40	42	52	Film Center	
		<a href="#">GW HOUSE 2</a>	136	31	35	36	37	40	42	52	Film Center	
		<a href="#">GW HOUSE 3</a>	111	31	35	36	37	40	42	52	Film Center	
		<a href="#">GW HOUSE 4</a>	111	31	35	36	37	40	42	52	Film Center	
<b>Hagerty Hall</b> Building Number: 037												
		<a href="#">HH0042</a>	35	30	34	35	39	42	43	52		
		<a href="#">HH0045</a>	20	30	34	35	40	42	43	52		
		<a href="#">HH0046</a>	42	30	34	35	39	42	43	52		
		<a href="#">HH0050</a>	35	30	34	35	39	42	43	52		
		<a href="#">HH0056</a>	35	30	34	35	39	42	43	52		

## Room Characteristics List

30	Moveable Tablet Arm Chairs	31	Stationary Tablet Arm Chairs	32	Moveable Tables/Chairs	33	Stationary Tables/Chairs	34	Instructor Table/Chair
35	Air Conditioned	36	Carpeted	37	Sloped/Tiered Floors	38	Elevated Stage	39	Windows
40	No Windows	41	Black Out Shade	42	Variable Intensity Lighting	43	Chalkboards	44	Whiteboards
45	Vertical Sliding Chalkboards	46	Vertical Sliding Whiteboards	47	2+ LCD Projectors	48	Symposium	49	Document Camera
50	Video Conferencing Set-Up	51	Laptop Required	52	Computer Provided	53	Computer Lab		

Building	Lab	Facility ID	Capacity	Room Characteristics							Notes			
Computer Lab		<a href="#">HH0062</a>	40	30	34	35	39	42	43	52				
		<a href="#">HH0071</a>	20	30	34	35	40	42	43	52				
		<a href="#">HH0180</a>	242	31	34	35	36	37	40	43	45	46	52	
		<a href="#">HH0186</a>	24	33	34	35	36	39	44	50	53			
		<a href="#">HH0251</a>	32	30	34	35	40	42	43	52				
		<a href="#">HH0259</a>	32	30	34	35	40	42	43	52				
		<a href="#">HH0351</a>	32	30	34	35	40	42	43	52				
	<a href="#">HH0359</a>	32	30	34	35	40	42	43	52					
<b>Hamilton Hall</b>											Building Number: 038			
		<a href="#">HM0107</a>	142	31	34	35	37	39	43	48	49	52		
<b>Hayes Hall</b>											Building Number: 039			
		<a href="#">HA0005</a>	40	30	34	35	39	43	52					
		<a href="#">HA0006</a>	40	30	34	35	39	43	52					
		<a href="#">HA0012</a>	24	30	34	35	39	43	52					
		<a href="#">HA0024</a>	42	30	34	35	39	43	52					
		<a href="#">HA0025</a>	42	30	34	35	39	43	52					
<b>Hitchcock Hall</b>											Building Number: 274			
		<a href="#">HI0030</a>	42	30	34	35	40	43	52					
		<a href="#">HI0031</a>	118	31	34	35	37	40	42	43	49	52		
		<a href="#">HI0035</a>	118	31	34	35	37	40	42	43	49	52		
		<a href="#">HI0131</a>	640	31	34	35	36	37	38	40	42	48	49	52
		<a href="#">HI0446</a>	36	30	34	35	40	43	52					
<b>Hopkins Hall</b>											Building Number: 149			
		<a href="#">HC0246</a>	46	30	34	35	39	42	43	52				
		<a href="#">HC0250</a>	70	30	34	35	36	39	42	43	52			
<b>Independence Hall</b>											Building Number: 338			
		<a href="#">IH0100</a>	727	31	34	35	37	38	40	42	48	49	52	
<b>Jennings Hall</b>											Building Number: 014			
		<a href="#">JE0001</a>	250	31	34	35	36	37	39	42	43	49	52	
		<a href="#">JE0040</a>	60	32	34	35	39	43	48	52				
		<a href="#">JE0050</a>	18	30	35	36	39	44						
		<a href="#">JE0060</a>	60	32	34	35	39	43	52					

## Room Characteristics List

30	Moveable Tablet Arm Chairs	31	Stationary Tablet Arm Chairs	32	Moveable Tables/Chairs	33	Stationary Tables/Chairs	34	Instructor Table/Chair
35	Air Conditioned	36	Carpeted	37	Sloped/Tiered Floors	38	Elevated Stage	39	Windows
40	No Windows	41	Black Out Shade	42	Variable Intensity Lighting	43	Chalkboards	44	Whiteboards
45	Vertical Sliding Chalkboards	46	Vertical Sliding Whiteboards	47	2+ LCD Projectors	48	Symposium	49	Document Camera
50	Video Conferencing Set-Up	51	Laptop Required	52	Computer Provided	53	Computer Lab		

Building	Lab	Facility ID	Capacity	Room Characteristics						Notes				
		<a href="#">JE0136</a>	35	30	34	35	39	43	52					
		<a href="#">JE0140</a>	40	32	34	35	39	43	52					
		<a href="#">JE0155</a>	151	31	34	35	36	37	40	42	43	49	52	
		<a href="#">JE0160</a>	40	32	34	35	39	43	52					
		<a href="#">JE0164</a>	35	30	34	35	39	43	52					
<b>Journalism Building</b>										Building Number: 046				
		<a href="#">JR0139</a>	30	30	34	35	40	43	52					
		<a href="#">JR0143</a>	28	30	34	35	40	43	52					
		<a href="#">JR0221</a>	26	30	34	35	40	43	52					
		<a href="#">JR0239</a>	54	30	34	35	40	43	52					
		<a href="#">JR0251</a>	91	30	34	35	39	43	47	52				
		<a href="#">JR0270</a>	72	30	34	35	36	40	43	47	48	52		
		<a href="#">JR0274</a>	35	30	34	35	36	40	44	52				
		<a href="#">JR0291</a>	17	32	34	35	39	44	52					
		<a href="#">JR0295</a>	18	32	34	35	39	43	52					
		<a href="#">JR0300</a>	114	31	34	35	36	37	40	43	48	52		
		<a href="#">JR0304</a>	39	30	34	35	40	43	52					
		<a href="#">JR0353</a>	30	32	34	35	36	39	43	52				
		<a href="#">JR0371</a>	49	30	34	35	36	40	43	52				
		<a href="#">JR0375</a>	45	30	34	35	40	43	52					
		<a href="#">JR0387</a>	18	32	34	35	39	43	52					
<b>Knowlton Hall</b>										Building Number: 017				
		<a href="#">KN0190</a>	60	30	34	35	36	39	41	43	52			
		<a href="#">KN0195</a>	48	30	34	35	36	39	41	43	52			
		<a href="#">KN0250</a>	213	31	34	35	37	39	41	42	43	48	49	52
<b>Kottman Hall</b>										Building Number: 340				
		<a href="#">KH0102</a>	48	33	34	35	36	37	40	43	49	52		
		<a href="#">KH0103</a>	272	31	34	35	36	37	40	43	47	48	50	52
		<a href="#">KH0104</a>	71	31	34	35	36	37	40	43	49	52		
		<a href="#">KH0116</a>	30	30	34	35	36	39	41	43	49	52		
<b>Lazenby Hall</b>										Building Number: 041				
		<a href="#">LZ0001</a>	32	30	34	35	39	43	52					
		<a href="#">LZ0002</a>	60	30	34	35	39	43	52					

## Room Characteristics List

30	Moveable Tablet Arm Chairs	31	Stationary Tablet Arm Chairs	32	Moveable Tables/Chairs	33	Stationary Tables/Chairs	34	Instructor Table/Chair
35	Air Conditioned	36	Carpeted	37	Sloped/Tiered Floors	38	Elevated Stage	39	Windows
40	No Windows	41	Black Out Shade	42	Variable Intensity Lighting	43	Chalkboards	44	Whiteboards
45	Vertical Sliding Chalkboards	46	Vertical Sliding Whiteboards	47	2+ LCD Projectors	48	Symposium	49	Document Camera
50	Video Conferencing Set-Up	51	Laptop Required	52	Computer Provided	53	Computer Lab		



Building	Lab	Facility ID	Capacity	Room Characteristics							Notes			
		<a href="#">LZ0018</a>	14	32	34	35	39	43	52					
		<a href="#">LZ0021</a>	198	31	34	35	36	37	39	43	47	48	49	52
		<a href="#">LZ0034</a>	54	30	34	35	39	43	52					
<b>Macquigg Laboratory</b>											Building Number: 265			
		<a href="#">MQ0155</a>	25	30	34	35	39	43	52					
		<a href="#">MQ0159</a>	40	30	34	35	39	43	52					
		<a href="#">MQ0160</a>	60	30	34	35	36	39	43	52				
		<a href="#">MQ0161</a>	34	32	34	35	39	43	52					
		<a href="#">MQ0162</a>	49	30	34	35	39	43	52					
		<a href="#">MQ0264</a>	155	31	34	35	36	37	39	43	52			
<b>McPherson Chemical Lab</b>											Building Number: 053			
		<a href="#">MP1000</a>	356	31	34	35	37	40	45	47	52			
		<a href="#">MP1005</a>	36	30	34	35	39	43	52					
		<a href="#">MP1008</a>	35	30	34	35	39	43	52					
		<a href="#">MP1015</a>	112	31	34	35	40	45	48	52				
		<a href="#">MP1021</a>	40	30	34	35	39	43	52					
		<a href="#">MP1035</a>	46	30	34	35	39	43	52					
		<a href="#">MP1040</a>	47	30	34	35	39	43	52					
		<a href="#">MP1041</a>	45	30	34	35	39	43	52					
		<a href="#">MP1045</a>	39	30	34	35	39	43	52					
		<a href="#">MP1046</a>	49	30	34	35	39	43	52					
		<a href="#">MP2015</a>	48	32	34	35	36	39	42	44	52			
		<a href="#">MP2017</a>	49	30	34	35	36	39	44	52				
		<a href="#">MP2019</a>	56	30	34	35	36	39	44	52				
<b>Mendenhall Laboratory</b>											Building Number: 054			
		<a href="#">ML0100</a>	221	31	34	35	36	37	40	45	47	48	49	52
		<a href="#">ML0115</a>	60	30	34	35	39	43	48	49	52			
		<a href="#">ML0125</a>	49	30	34	35	39	43	52					
		<a href="#">ML0129</a>	42	30	34	35	39	43	52					
		<a href="#">ML0131</a>	42	30	34	35	39	43	52					
		<a href="#">ML0173</a>	42	30	34	35	39	43	52					
		<a href="#">ML0174</a>	36	30	34	35	40	43	52					
		<a href="#">ML0175</a>	42	30	34	35	39	43	52					

## Room Characteristics List

30	Moveable Tablet Arm Chairs	31	Stationary Tablet Arm Chairs	32	Moveable Tables/Chairs	33	Stationary Tables/Chairs	34	Instructor Table/Chair
35	Air Conditioned	36	Carpeted	37	Sloped/Tiered Floors	38	Elevated Stage	39	Windows
40	No Windows	41	Black Out Shade	42	Variable Intensity Lighting	43	Chalkboards	44	Whiteboards
45	Vertical Sliding Chalkboards	46	Vertical Sliding Whiteboards	47	2+ LCD Projectors	48	Symposium	49	Document Camera
50	Video Conferencing Set-Up	51	Laptop Required	52	Computer Provided	53	Computer Lab		

Building	Lab	Facility ID	Capacity	Room Characteristics							Notes		
		<a href="#">ML0185</a>	45	30	34	35	39	43	52				
		<a href="#">ML0191</a>	60	30	34	35	39	43	52				
<b>Orton Hall</b>										Building Number: 060			
		<a href="#">OR0110</a>	70	32	34	35	39	43	52				
<b>Page Hall</b>										Building Number: 061			
		<a href="#">PA0010</a>	90	33	34	35	37	39	41	42	43	49	52
		<a href="#">PA0020</a>	90	33	34	35	37	39	41	42	43	49	52
		<a href="#">PA0060</a>	48	30	34	35	39	41	43	52			
<b>Phys Activ &amp; Educ Srvs Bldg</b>										Building Number: 245			
		<a href="#">PEA0103</a>	30	32	35	39	43	52					
		<a href="#">PEA0105</a>	30	32	35	39	43	52					
		<a href="#">PEA0109</a>	36	32	35	39	43	52					
		<a href="#">PEA0111</a>	34	32	35	39	43	52					
<b>Psychology Building</b>										Building Number: 144			
		<a href="#">PS0006</a>	120	31	34	35	36	37	39	43	52	Formerly Psych. Room 002	
		<a href="#">PS0010</a>	60	31	34	35	36	37	40	43	52		
		<a href="#">PS0014</a>	60	31	34	35	36	37	40	43	52		
<b>Ramseyer Hall</b>										Building Number: 090			
		<a href="#">RA0009</a>	50	30	34	35	36	39	43	47	52		
		<a href="#">RA0059</a>	120	30	34	35	36	39	43	47	49	52	
		<a href="#">RA0100</a>	79	33	34	35	36	37	39	43	48	52	
		<a href="#">RA0110</a>	49	30	34	35	39	43	52				
		<a href="#">RA0115</a>	60	30	34	35	39	43	52				
		<a href="#">RA0166</a>	32	30	34	35	39	43	52				
<b>Schoenbaum Hall</b>										Building Number: 251			
		<a href="#">SB0105</a>	250	31	34	35	36	37	40	42	44	46	52
		<a href="#">SB0200</a>	50	30	34	35	36	39	42	44	46	52	
		<a href="#">SB0205</a>	50	33	34	35	36	37	39	42	44	46	52
		<a href="#">SB0210</a>	40	32	34	35	36	39	42	44	46	52	
		<a href="#">SB0215</a>	50	33	34	35	36	37	39	42	44	46	52
		<a href="#">SB0220</a>	70	33	34	35	36	37	39	42	44	46	52
		<a href="#">SB0230</a>	70	33	34	35	36	37	39	42	44	46	52

## Room Characteristics List

30	Moveable Tablet Arm Chairs	31	Stationary Tablet Arm Chairs	32	Moveable Tables/Chairs	33	Stationary Tables/Chairs	34	Instructor Table/Chair
35	Air Conditioned	36	Carpeted	37	Sloped/Tiered Floors	38	Elevated Stage	39	Windows
40	No Windows	41	Black Out Shade	42	Variable Intensity Lighting	43	Chalkboards	44	Whiteboards
45	Vertical Sliding Chalkboards	46	Vertical Sliding Whiteboards	47	2+ LCD Projectors	48	Symposium	49	Document Camera
50	Video Conferencing Set-Up	51	Laptop Required	52	Computer Provided	53	Computer Lab		

Building	Lab	Facility ID	Capacity	Room Characteristics	Notes
		<a href="#">SB0300</a>	50	30 34 35 36 39 42 44 46 52	
		<a href="#">SB0305</a>	50	33 34 35 36 37 39 42 44 46 52	
		<a href="#">SB0310</a>	40	32 34 35 36 39 42 44 46 52	
		<a href="#">SB0315</a>	50	33 34 35 36 37 39 42 44 46 52	
		<a href="#">SB0320</a>	82	33 34 35 36 37 39 42 44 46 52	
		<a href="#">SB0330</a>	82	33 34 35 36 37 39 42 44 46 52	

[Scott Lab](#) Building Number: 148

		<a href="#">SOE0001</a>	154	31 34 35 36 37 40 42 43 52	
		<a href="#">SOE0004</a>	85	33 34 35 37 40 42 43 52	
		<a href="#">SOE0024</a>	85	33 34 35 37 40 42 43 52	
		<a href="#">SOE0040</a>	85	33 34 35 37 40 42 43 52	
		<a href="#">SOE0103</a>	24	32 34 35 40 42 43 52	
		<a href="#">SOE0105</a>	30	32 34 35 40 42 43 52	
		<a href="#">SOE0125</a>	72	33 34 35 37 40 42 43 52	
		<a href="#">SOE0241</a>	22	32 34 35 40 43 52	
		<a href="#">SOE0245</a>	24	32 34 35 39 43 52	
		<a href="#">SON0044</a>	18	32 34 35 40 43 52	
		<a href="#">SON0048</a>	50	33 34 35 37 40 42 43 52	
		<a href="#">SON0050</a>	50	33 34 35 37 40 42 43 52	
		<a href="#">SON0054</a>	50	33 34 35 37 40 42 43 52	
		<a href="#">SON0056</a>	36	32 34 35 40 42 43 52	

[Smith Laboratory](#) Building Number: 065

		<a href="#">SM1005</a>	100	31 34 35 37 40 45 47 52	
		<a href="#">SM1009</a>	100	31 34 35 37 40 45 47 52	
		<a href="#">SM1042</a>	30	32 34 35 39 43 44 52	
		<a href="#">SM1048</a>	54	30 34 35 39 43 52	
		<a href="#">SM1064</a>	30	32 34 35 39 43 52	
		<a href="#">SM1076</a>	30	32 34 35 39 43 52	
		<a href="#">SM1138</a>	40	30 34 35 39 43 52	
		<a href="#">SM1149</a>	9	30 35 36 39 44 51	LearnLounge
		<a href="#">SM1150</a>	11	32 35 36 39 44 51	
		<a href="#">SM1153</a>	221	31 34 35 37 40 45 47 52	
		<a href="#">SM1180</a>	34	32 34 35 36 39 43 52	

## Room Characteristics List

- |                                 |                                 |                                |                             |                           |
|---------------------------------|---------------------------------|--------------------------------|-----------------------------|---------------------------|
| 30 Moveable Tablet Arm Chairs   | 31 Stationary Tablet Arm Chairs | 32 Moveable Tables/Chairs      | 33 Stationary Tables/Chairs | 34 Instructor Table/Chair |
| 35 Air Conditioned              | 36 Carpeted                     | 37 Sloped/Tiered Floors        | 38 Elevated Stage           | 39 Windows                |
| 40 No Windows                   | 41 Black Out Shade              | 42 Variable Intensity Lighting | 43 Chalkboards              | 44 Whiteboards            |
| 45 Vertical Sliding Chalkboards | 46 Vertical Sliding Whiteboards | 47 2+ LCD Projectors           | 48 Symposium                | 49 Document Camera        |
| 50 Video Conferencing Set-Up    | 51 Laptop Required              | 52 Computer Provided           | 53 Computer Lab             |                           |

Building	Lab	Facility ID	Capacity	Room Characteristics						Notes				
		<a href="#">SM1186</a>	15	30	35	36	39	44	51	LearnLounge				
		<a href="#">SM2006</a>	30	30	34	35	39	43	52					
		<a href="#">SM2144</a>	36	32	34	35	39	43	52					
		<a href="#">SM2150</a>	50	30	34	35	39	43	52					
		<a href="#">SM2180</a>	35	30	34	35	39	43	52					
		<a href="#">SM2186</a>	25	30	34	35	39	43	52					
		<a href="#">SM3082</a>	30	32	34	35	39	43	52					
		<a href="#">SM3094</a>	40	32	34	35	36	39	43	52				
<b>Stillman Hall</b>														
		<a href="#">SH0100</a>	221	31	34	35	36	37	39	43	48	49	52	
		<a href="#">SH0131</a>	30	30	34	35	39	43	52					
		<a href="#">SH0135</a>	30	30	35	36	39	44	52			Pad Active Learning Classroom		
		<a href="#">SH0235</a>	65	30	34	35	36	39	44	52				
		<a href="#">SH0240</a>	44	30	34	35	39	43	52					
		<a href="#">SH0245</a>	49	30	34	35	39	43	52					
<b>Sullivant Hall</b>														
		<a href="#">SU0220</a>	300	31	34	35	36	37	38	40	47	48	49	52
<b>Townshend Hall</b>														
		<a href="#">TO0247</a>	60	30	34	35	39	43	52					
		<a href="#">TO0255</a>	84	30	34	35	39	43	50	52				
<b>University Hall</b>														
		<a href="#">UH0014</a>	159	31	34	35	36	37	40	43	52			
		<a href="#">UH0024</a>	20	30	34	35	36	40	43	52				
		<a href="#">UH0028</a>	20	30	34	35	36	40	43	52				
		<a href="#">UH0038</a>	49	30	34	35	36	40	43	52				
		<a href="#">UH0043</a>	35	30	34	35	36	40	43	52				
		<a href="#">UH0047</a>	35	30	34	35	36	40	43	52				
		<a href="#">UH0051</a>	35	30	34	35	36	40	43	52				
		<a href="#">UH0056</a>	40	32	34	35	36	40	43	52				
		<a href="#">UH0066</a>	20	30	34	35	36	40	43	52				
		<a href="#">UH0074</a>	20	30	34	35	36	40	43	52				
		<a href="#">UH0082</a>	49	30	34	35	36	40	43	52				
		<a href="#">UH0086</a>	36	30	34	35	36	40	43	52				

## Room Characteristics List

30	Moveable Tablet Arm Chairs	31	Stationary Tablet Arm Chairs	32	Moveable Tables/Chairs	33	Stationary Tables/Chairs	34	Instructor Table/Chair
35	Air Conditioned	36	Carpeted	37	Sloped/Tiered Floors	38	Elevated Stage	39	Windows
40	No Windows	41	Black Out Shade	42	Variable Intensity Lighting	43	Chalkboards	44	Whiteboards
45	Vertical Sliding Chalkboards	46	Vertical Sliding Whiteboards	47	2+ LCD Projectors	48	Symposium	49	Document Camera
50	Video Conferencing Set-Up	51	Laptop Required	52	Computer Provided	53	Computer Lab		

Building	Lab	Facility ID	Capacity	Room Characteristics						Notes	
		<a href="#">UH0090</a>	35	30	34	35	36	40	43	52	
<a href="#">Watts Hall</a>											Building Number: 107
		<a href="#">WA0379</a>	24	32	34	35	36	40	43	52	
		<a href="#">WA0389</a>	23	30	34	35	36	39	43	52	
		<a href="#">WA0395</a>	57	30	34	35	36	39	43	52	

## Room Characteristics List

30	Moveable Tablet Arm Chairs	31	Stationary Tablet Arm Chairs	32	Moveable Tables/Chairs	33	Stationary Tables/Chairs	34	Instructor Table/Chair
35	Air Conditioned	36	Carpeted	37	Sloped/Tiered Floors	38	Elevated Stage	39	Windows
40	No Windows	41	Black Out Shade	42	Variable Intensity Lighting	43	Chalkboards	44	Whiteboards
45	Vertical Sliding Chalkboards	46	Vertical Sliding Whiteboards	47	2+ LCD Projectors	48	Symposium	49	Document Camera
50	Video Conferencing Set-Up	51	Laptop Required	52	Computer Provided	53	Computer Lab		