

Autumn 2018 General Assignment Rooms

| Building | Lab | Facility ID | Capacity | Room Characteristics | | | | | | | | | | Notes |
|---|-----|------------------------|----------|----------------------|----|----|----|----|----|----|----|----|----------------------|-------|
| 209 West Eighteenth Avenue | | | | | | | | | | | | | Building Number: 004 | |
| | | EA0160 | 203 | 31 | 34 | 35 | 36 | 37 | 40 | 42 | 45 | 48 | 52 | |
| | | EA0170 | 140 | 31 | 34 | 35 | 36 | 37 | 40 | 42 | 45 | 48 | 52 | |
| Agricultural Administration | | | | | | | | | | | | | Building Number: 003 | |
| | | AA0108 | 56 | 32 | 34 | 35 | 36 | 39 | 43 | | | 52 | | |
| | | AA0246 | 49 | 30 | 34 | 35 | 36 | 39 | 43 | | | 52 | | |
| | | AA0247 | 30 | 32 | 34 | 35 | 36 | 39 | 43 | | | 52 | | |
| Agricultural Engineering Bldg | | | | | | | | | | | | | Building Number: 298 | |
| | | AE0100 | 94 | 33 | 35 | 36 | 37 | 40 | 42 | 43 | 48 | 49 | 52 | |
| | | AE0103 | 50 | 32 | 34 | 35 | 36 | 40 | 42 | 43 | | 49 | 52 | |
| | | AE0104 | 50 | 32 | 34 | 35 | 36 | 40 | 42 | 43 | | 49 | 52 | |
| Animal Science Building | | | | | | | | | | | | | Building Number: 156 | |
| | | AS0202 | 49 | 30 | 34 | 35 | | 39 | 43 | | | 52 | | |
| | | AS0210 | 50 | 30 | 34 | 35 | | 39 | 43 | 47 | 49 | 50 | 52 | |
| Arps Hall | | | | | | | | | | | | | Building Number: 011 | |
| | | AP0012 | 63 | 30 | 34 | 35 | | 39 | 43 | | | 52 | | |
| | | AP0386 | 20 | 30 | 34 | 35 | | 39 | 43 | | | 52 | | |
| | | AP0388 | 49 | 30 | 34 | 35 | | 39 | 43 | | | 52 | | |
| Baker Systems Engineering | | | | | | | | | | | | | Building Number: 280 | |
| | | BE0120 | 98 | 33 | 34 | 35 | 36 | 37 | 40 | 42 | 43 | | 52 | |
| | | BE0128 | 20 | 30 | 34 | 35 | 36 | 39 | 43 | | | 52 | | |
| | | BE0130 | 32 | 30 | 34 | 35 | 36 | 40 | 43 | | | 52 | | |
| | | BE0136 | 40 | 30 | 34 | 35 | 36 | 40 | 43 | | | 52 | | |
| | | BE0140 | 40 | 30 | 34 | 35 | 36 | | 43 | | | 52 | | |
| | | BE0144 | 70 | 30 | 34 | 35 | 36 | | 43 | | | 52 | | |

Room Characteristics List

| | | | | | | | | | |
|----|------------------------------|----|------------------------------|----|-----------------------------|----|--------------------------|----|------------------------|
| 30 | Moveable Tablet Arm Chairs | 31 | Stationary Tablet Arm Chairs | 32 | Moveable Tables/Chairs | 33 | Stationary Tables/Chairs | 34 | Instructor Table/Chair |
| 35 | Air Conditioned | 36 | Carpeted | 37 | Sloped/Tiered Floors | 38 | Elevated Stage | 39 | Windows |
| 40 | No Windows | 41 | Black Out Shade | 42 | Variable Intensity Lighting | 43 | Chalkboards | 44 | Whiteboards |
| 45 | Vertical Sliding Chalkboards | 46 | Vertical Sliding Whiteboards | 47 | 2+ LCD Projectors | 48 | Symposium | 49 | Document Camera |
| 50 | Video Conferencing Set-Up | 51 | Laptop Required | 52 | Computer Provided | 53 | Computer Lab | | |

| Building | Lab | Facility ID | Capacity | Room Characteristics | | | | | | | Notes | | |
|-------------------------------------|------------------------|------------------------|----------|----------------------|----|----|----|----|----|----------------------|-------|----|----|
| Computer Lab | | BE0180 | 49 | 30 | 34 | 35 | 36 | 40 | 43 | 52 | | | |
| | | BE0184 | 30 | 30 | 34 | 35 | 36 | 40 | 43 | 52 | | | |
| | | BE0188 | 56 | 30 | 34 | 35 | 36 | 40 | 43 | 47 | 52 | | |
| | | BE0198 | 49 | 30 | 34 | 35 | 36 | 40 | 43 | 52 | | | |
| | | BE0260 | 30 | 30 | 34 | 35 | 39 | 43 | 52 | | | | |
| | | BE0272 | 20 | 30 | 34 | 35 | 39 | 43 | 52 | | | | |
| | | BE0285 | 48 | 32 | 34 | 35 | 36 | 40 | 43 | 44 | 47 | 52 | 53 |
| | BE0394 | 36 | 32 | 34 | 35 | 39 | 43 | 52 | | | | | |
| Biological Sciences Building | | | | | | | | | | Building Number: 276 | | | |
| | | BI0668 | 38 | 30 | 34 | 35 | 39 | 43 | 52 | | | | |
| | | BI0676 | 35 | 30 | 34 | 35 | 39 | 43 | 52 | | | | |
| Bolz Hall | | | | | | | | | | Building Number: 146 | | | |
| | | BO0116 | 36 | 30 | 34 | 35 | 36 | 39 | 43 | 52 | | | |
| | | BO0118 | 45 | 30 | 34 | 35 | 36 | 39 | 43 | 52 | | | |
| | | BO0120 | 25 | 30 | 34 | 35 | 36 | 39 | 43 | 52 | | | |
| | | BO0124 | 35 | 30 | 34 | 35 | 39 | 43 | 52 | | | | |
| | | BO0128 | 25 | 30 | 34 | 35 | 39 | 43 | 52 | | | | |
| | | BO0311 | 34 | 30 | 34 | 35 | 39 | 43 | 52 | | | | |
| | | BO0313 | 34 | 30 | 34 | 35 | 39 | 43 | 52 | | | | |
| | | BO0314 | 38 | 30 | 34 | 35 | 39 | 43 | 52 | | | | |
| | | BO0316 | 34 | 30 | 34 | 35 | 39 | 43 | 52 | | | | |
| | | BO0317 | 34 | 30 | 34 | 35 | 39 | 43 | 52 | | | | |
| | | BO0318 | 34 | 30 | 34 | 35 | 39 | 43 | 52 | | | | |
| | | BO0412 | 42 | 30 | 34 | 35 | 39 | 43 | 52 | | | | |
| | | BO0422 | 42 | 30 | 34 | 35 | 39 | 43 | 52 | | | | |
| Caldwell Laboratory | | | | | | | | | | Building Number: 026 | | | |
| | | CL0102 | 24 | 30 | 34 | 35 | 39 | 43 | 52 | | | | |
| | | CL0109 | 36 | 30 | 34 | 35 | 39 | 43 | 52 | | | | |
| | | CL0115 | 36 | 30 | 34 | 35 | 39 | 43 | 52 | | | | |
| | | CL0119 | 24 | 30 | 34 | 35 | 39 | 43 | 52 | | | | |
| | | CL0120 | 70 | 32 | 34 | 35 | 39 | 43 | 52 | | | | |
| | | CL0133 | 48 | 30 | 34 | 35 | 39 | 43 | 52 | | | | |
| | | CL0135 | 34 | 30 | 34 | 35 | 40 | 43 | 52 | | | | |

Room Characteristics List

| | | | | | | | | | |
|----|------------------------------|----|------------------------------|----|-----------------------------|----|--------------------------|----|------------------------|
| 30 | Moveable Tablet Arm Chairs | 31 | Stationary Tablet Arm Chairs | 32 | Moveable Tables/Chairs | 33 | Stationary Tables/Chairs | 34 | Instructor Table/Chair |
| 35 | Air Conditioned | 36 | Carpeted | 37 | Sloped/Tiered Floors | 38 | Elevated Stage | 39 | Windows |
| 40 | No Windows | 41 | Black Out Shade | 42 | Variable Intensity Lighting | 43 | Chalkboards | 44 | Whiteboards |
| 45 | Vertical Sliding Chalkboards | 46 | Vertical Sliding Whiteboards | 47 | 2+ LCD Projectors | 48 | Symposium | 49 | Document Camera |
| 50 | Video Conferencing Set-Up | 51 | Laptop Required | 52 | Computer Provided | 53 | Computer Lab | | |

| Building | Lab | Facility ID | Capacity | Room Characteristics | | | | | | Notes | | | | | |
|---|-----|------------------------|----------|----------------------|----|----|----|----|----|-------|---------------------------|----------------------|----|----------------------|----------------------|
| | | CL0137 | 46 | 30 | 34 | 35 | 40 | 43 | 52 | | | | | | |
| | | CL0171 | 44 | 30 | 34 | 35 | 39 | 43 | 52 | | | | | | |
| | | CL0177 | 48 | 30 | 34 | 35 | 39 | 43 | 52 | | | | | | |
| | | CL0183 | 15 | 30 | 34 | 35 | 39 | 43 | 52 | | | | | | |
| Campbell Hall | | | | | | | | | | | | | | | |
| | | CM0100 | 65 | 30 | 34 | 35 | 36 | 39 | 42 | 44 | 52 | Building Number: 018 | | | |
| | | CM0119 | 30 | 30 | 34 | 35 | 36 | 39 | 44 | 52 | Active Learning Classroom | | | | |
| | | CM0200 | 299 | 31 | 34 | 35 | 36 | 37 | 38 | 40 | 43 | 52 | | | |
| | | CM0209 | 49 | 30 | 34 | 35 | 36 | 39 | 43 | 52 | | | | | |
| | | CM0213 | 40 | 30 | 34 | 35 | 36 | 39 | 43 | 52 | | | | | |
| | | CM0243 | 35 | 30 | 34 | 35 | 39 | 44 | 52 | | | | | | |
| | | CM0251 | 42 | 32 | 34 | 35 | 39 | 43 | 49 | 52 | | | | | |
| | | CM0271 | 30 | 30 | 34 | 35 | 36 | 39 | 43 | 52 | | | | | |
| | | CM0309 | 49 | 30 | 34 | 35 | 36 | 39 | 43 | 52 | | | | | |
| | | CM0335 | 49 | 30 | 34 | 35 | 36 | 39 | 43 | 52 | | | | | |
| Chem & Biomolecular Eng & Chem | | | | | | | | | | | | | | | |
| | | CB0130 | 117 | 33 | 34 | 35 | 36 | 37 | 40 | 42 | 45 | 48 | 49 | 52 | Building Number: 248 |
| Cockins Hall | | | | | | | | | | | | | | | |
| | | CH0218 | 47 | 30 | 34 | 35 | 39 | 43 | 52 | | | | | | |
| | | CH0228 | 24 | 32 | 34 | 35 | 39 | 43 | 52 | | | | | | |
| | | CH0232 | 40 | 32 | 34 | 35 | 39 | 43 | 52 | | | | | | |
| | | CH0312 | 49 | 30 | 34 | 35 | 39 | 43 | 52 | | | | | | |
| Cunz Hall | | | | | | | | | | | | | | | |
| | | CZ0140 | 62 | 32 | 34 | 35 | 36 | 40 | 44 | 47 | 48 | 49 | 52 | Building Number: 293 | |
| | | CZ0150 | 80 | 32 | 35 | 36 | 39 | 44 | 47 | 48 | 49 | 52 | | | |
| | | CZ0160 | 42 | 32 | 34 | 35 | 36 | 40 | 44 | 48 | 52 | | | | |
| | | CZ0180 | 30 | 32 | 34 | 35 | 36 | 40 | 44 | 47 | 48 | 49 | 52 | | |
| Denney Hall | | | | | | | | | | | | | | | |
| | | DE0202 | 24 | 30 | 34 | 35 | 36 | 39 | 43 | 52 | | | | | |
| | | DE0206 | 40 | 30 | 34 | 35 | 36 | 39 | 43 | 52 | | | | | |
| | | DE0207 | 24 | 32 | 34 | 35 | 36 | 39 | 43 | 52 | | | | | |
| | | DE0209 | 24 | 30 | 34 | 35 | 36 | 39 | 43 | 52 | | | | | |
| | | DE0213 | 24 | 32 | 34 | 35 | 36 | 39 | 43 | 52 | | | | | |

Room Characteristics List

| | | | | | | | | | |
|----|------------------------------|----|------------------------------|----|-----------------------------|----|--------------------------|----|------------------------|
| 30 | Moveable Tablet Arm Chairs | 31 | Stationary Tablet Arm Chairs | 32 | Moveable Tables/Chairs | 33 | Stationary Tables/Chairs | 34 | Instructor Table/Chair |
| 35 | Air Conditioned | 36 | Carpeted | 37 | Sloped/Tiered Floors | 38 | Elevated Stage | 39 | Windows |
| 40 | No Windows | 41 | Black Out Shade | 42 | Variable Intensity Lighting | 43 | Chalkboards | 44 | Whiteboards |
| 45 | Vertical Sliding Chalkboards | 46 | Vertical Sliding Whiteboards | 47 | 2+ LCD Projectors | 48 | Symposium | 49 | Document Camera |
| 50 | Video Conferencing Set-Up | 51 | Laptop Required | 52 | Computer Provided | 53 | Computer Lab | | |

| Building | Lab | Facility ID | Capacity | Room Characteristics | | | | | | | | Notes | |
|----------------------------|-----|------------------------|----------|----------------------|----|----|----|----|----|----|----|----------------------|--------------|
| | | DE0214 | 50 | 30 | 34 | 35 | 36 | 39 | 43 | 49 | 52 | | |
| | | DE0238 | 50 | 30 | 34 | 35 | 36 | 39 | 43 | 52 | | | |
| | | DE0245 | 24 | 32 | 34 | 35 | 36 | 39 | 42 | 43 | 52 | | |
| | | DE0250 | 45 | 30 | 34 | 35 | 36 | 39 | 43 | 49 | 52 | | |
| | | DE0253 | 55 | 30 | 34 | 35 | 36 | 39 | 43 | 52 | | | |
| | | DE0262 | 24 | 32 | 34 | 35 | 36 | 39 | 43 | 52 | | | |
| | | DE0265 | 24 | 32 | 34 | 35 | 36 | 39 | 43 | 52 | | | |
| | | DE0268 | 24 | 30 | 34 | 35 | 36 | 39 | 43 | 52 | | | |
| Derby Hall | | | | | | | | | | | | Building Number: 025 | |
| | | DB0024 | 22 | 30 | 34 | 35 | 39 | 43 | 52 | | | | |
| Computer Lab | | DB0029 | 34 | 32 | 34 | 35 | 36 | 40 | 44 | 47 | 50 | 53 | Computer Lab |
| | | DB0030 | 28 | 30 | 34 | 35 | 39 | 43 | 52 | | | | |
| | | DB0038 | 12 | 32 | 34 | 35 | 36 | 40 | 43 | 52 | | | |
| | | DB0047 | 11 | 32 | 35 | 40 | 43 | 52 | | | | | |
| | | DB0048 | 30 | 32 | 34 | 35 | 39 | 43 | 52 | | | | |
| | | DB0049 | 28 | 32 | 34 | 35 | 40 | 43 | 52 | | | | |
| | | DB0060 | 18 | 30 | 34 | 35 | 39 | 43 | 52 | | | | |
| | | DB0062 | 23 | 30 | 34 | 35 | 39 | 43 | 52 | | | | |
| | | DB0080 | 54 | 32 | 34 | 35 | 39 | 43 | 52 | | | | |
| Dreese Laboratories | | | | | | | | | | | | Building Number: 279 | |
| | | DL0113 | 180 | 33 | 34 | 35 | 37 | 38 | 40 | 42 | 45 | 48 | 52 |
| | | DL0264 | 40 | 32 | 34 | 35 | 40 | 43 | 52 | | | | |
| | | DL0266 | 40 | 32 | 34 | 35 | 40 | 43 | 52 | | | | |
| | | DL0305 | 42 | 32 | 34 | 35 | 39 | 43 | 52 | | | | |
| | | DL0317 | 36 | 32 | 34 | 35 | 40 | 43 | 52 | | | | |
| | | DL0357 | 45 | 32 | 34 | 35 | 40 | 43 | 52 | | | | |
| | | DL0369 | 40 | 32 | 34 | 35 | 39 | 43 | 52 | | | | |
| Dulles Hall | | | | | | | | | | | | Building Number: 337 | |
| | | DU0012 | 25 | 30 | 34 | 35 | 36 | 40 | 43 | 52 | | | |
| | | DU0016 | 20 | 30 | 34 | 35 | 36 | 40 | 43 | 52 | | | |
| | | DU0020 | 22 | 30 | 34 | 35 | 36 | 40 | 43 | 52 | | | |
| | | DU0024 | 20 | 30 | 34 | 35 | 36 | 40 | 43 | 52 | | | |
| | | DU0027 | 24 | 30 | 34 | 35 | 36 | 40 | 43 | 52 | | | |

Room Characteristics List

| | | | | | | | | | |
|----|------------------------------|----|------------------------------|----|-----------------------------|----|--------------------------|----|------------------------|
| 30 | Moveable Tablet Arm Chairs | 31 | Stationary Tablet Arm Chairs | 32 | Moveable Tables/Chairs | 33 | Stationary Tables/Chairs | 34 | Instructor Table/Chair |
| 35 | Air Conditioned | 36 | Carpeted | 37 | Sloped/Tiered Floors | 38 | Elevated Stage | 39 | Windows |
| 40 | No Windows | 41 | Black Out Shade | 42 | Variable Intensity Lighting | 43 | Chalkboards | 44 | Whiteboards |
| 45 | Vertical Sliding Chalkboards | 46 | Vertical Sliding Whiteboards | 47 | 2+ LCD Projectors | 48 | Symposium | 49 | Document Camera |
| 50 | Video Conferencing Set-Up | 51 | Laptop Required | 52 | Computer Provided | 53 | Computer Lab | | |

| Building | Lab | Facility ID | Capacity | Room Characteristics | | | | | | | | | | | Notes | |
|--|-----|------------------------|----------|----------------------|----|----|----|----|----|----|----|----|----------------------|----------------------------|-------|--|
| Enarson Classroom Building | | | | | | | | | | | | | Building Number: 072 | | | |
| | | EC0014 | 30 | 32 | 34 | 35 | 36 | 40 | 42 | 44 | 49 | 50 | 52 | | | |
| | | EC0015 | 26 | 30 | 34 | 35 | 36 | 40 | 42 | 44 | 49 | 50 | 52 | | | |
| | | EC0017 | 26 | 30 | 34 | 35 | 36 | 40 | 42 | 44 | 49 | 50 | 52 | | | |
| | | EC0018 | 36 | 32 | 34 | 35 | 36 | 40 | 42 | 44 | 49 | 50 | 52 | | | |
| | | EC0202 | 25 | 30 | 34 | 35 | 39 | 43 | 52 | | | | | | | |
| | | EC0204 | 24 | 30 | 34 | 35 | 39 | 43 | 52 | | | | | | | |
| | | EC0206 | 25 | 30 | 34 | 35 | 39 | 43 | 52 | | | | | | | |
| | | EC0209 | 29 | 30 | 34 | 35 | 40 | 43 | 48 | 52 | | | | | | |
| | | EC0211 | 29 | 30 | 34 | 35 | 40 | 44 | 52 | | | | | | | |
| | | EC0212 | 24 | 30 | 34 | 35 | 39 | 43 | 52 | | | | | | | |
| | | EC0214 | 25 | 30 | 34 | 35 | 39 | 43 | 52 | | | | | | | |
| | | EC0218 | 25 | 30 | 34 | 35 | 39 | 43 | 52 | | | | | | | |
| | | EC0222 | 36 | 30 | 34 | 35 | 39 | 43 | 52 | | | | | | | |
| | | EC0226 | 35 | 30 | 34 | 35 | 39 | 43 | 52 | | | | | | | |
| | | EC0230 | 35 | 30 | 34 | 35 | 39 | 43 | 52 | | | | | | | |
| | | EC0238 | 22 | 30 | 34 | 35 | 39 | 43 | 52 | | | | | | | |
| | | EC0240 | 25 | 30 | 34 | 35 | 39 | 43 | 52 | | | | | | | |
| | | EC0243 | 33 | 30 | 34 | 35 | 40 | 43 | 50 | 52 | | | | | | |
| | | EC0245 | 33 | 30 | 34 | 35 | 40 | 43 | 50 | 52 | | | | | | |
| | | EC0246 | 25 | 30 | 34 | 35 | 39 | 43 | 52 | | | | | | | |
| | | EC0248 | 22 | 30 | 34 | 35 | 39 | 43 | 52 | | | | | | | |
| | | EC0254 | 33 | 30 | 34 | 35 | 39 | 43 | 52 | | | | | | | |
| | | EC0258 | 35 | 30 | 34 | 35 | 39 | 43 | 52 | | | | | | | |
| | | EC0304 | 24 | 30 | 34 | 35 | 39 | 43 | 52 | | | | | | | |
| | | EC0306 | 23 | 30 | 34 | 35 | 39 | 43 | 52 | | | | | | | |
| | | EC0311 | 72 | 32 | 34 | 35 | 36 | 40 | 44 | 48 | | | | Active Learning Classroom | | |
| | | EC0312 | 25 | 30 | 34 | 35 | 39 | 43 | 52 | | | | | | | |
| | | EC0314 | 23 | 30 | 34 | 35 | 39 | 43 | 52 | | | | | | | |
| | | EC0318 | 23 | 30 | 34 | 35 | 39 | 43 | 52 | | | | | | | |
| | | EC0322 | 34 | 30 | 34 | 35 | 39 | 43 | 52 | | | | | | | |
| | | EC0326 | 35 | 30 | 34 | 35 | 39 | 43 | 52 | | | | | | | |
| | | EC0330 | 35 | 30 | 34 | 35 | 39 | 43 | 52 | | | | | | | |
| | | EC0338 | 14 | 32 | 35 | 39 | 44 | 52 | | | | | | Conference Style Classroom | | |

Room Characteristics List

| | | | | | | | | | |
|----|------------------------------|----|------------------------------|----|-----------------------------|----|--------------------------|----|------------------------|
| 30 | Moveable Tablet Arm Chairs | 31 | Stationary Tablet Arm Chairs | 32 | Moveable Tables/Chairs | 33 | Stationary Tables/Chairs | 34 | Instructor Table/Chair |
| 35 | Air Conditioned | 36 | Carpeted | 37 | Sloped/Tiered Floors | 38 | Elevated Stage | 39 | Windows |
| 40 | No Windows | 41 | Black Out Shade | 42 | Variable Intensity Lighting | 43 | Chalkboards | 44 | Whiteboards |
| 45 | Vertical Sliding Chalkboards | 46 | Vertical Sliding Whiteboards | 47 | 2+ LCD Projectors | 48 | Symposium | 49 | Document Camera |
| 50 | Video Conferencing Set-Up | 51 | Laptop Required | 52 | Computer Provided | 53 | Computer Lab | | |

| Building | Lab | Facility ID | Capacity | Room Characteristics | | | | | | Notes | | | |
|---|-----|----------------------------|----------|----------------------|----|----|----|----|----|----------------------------|-------------|--------------|----|
| | | EC0340 | 25 | 30 | 34 | 35 | 39 | 43 | 52 | | | | |
| | | EC0346 | 25 | 30 | 34 | 35 | 39 | 43 | 52 | | | | |
| | | EC0348 | 14 | 33 | 35 | 39 | 44 | 49 | 52 | Conference Style Classroom | | | |
| | | EC0354 | 33 | 30 | 34 | 35 | 39 | 43 | 52 | | | | |
| | | EC0358 | 35 | 30 | 34 | 35 | 39 | 43 | 52 | | | | |
| Evans Laboratory Building Number: 150 | | | | | | | | | | | | | |
| | | EL1008 | 227 | 31 | 34 | 35 | 36 | 37 | 40 | 45 | 47 | 52 | |
| | | EL2001 | 40 | 30 | 34 | 35 | 40 | 43 | 52 | | | | |
| | | EL2002 | 32 | 32 | 34 | 35 | 39 | 43 | 52 | | | | |
| | | EL2003 | 40 | 30 | 34 | 35 | 40 | 43 | 52 | | | | |
| | | EL2004 | 73 | 30 | 34 | 35 | 39 | 43 | 52 | | | | |
| Gateway Film Center Building Number: 865 | | | | | | | | | | | | | |
| | | GW HOUSE 1 | 282 | 31 | 35 | 36 | 37 | 40 | 42 | 52 | Film Center | | |
| | | GW HOUSE 2 | 136 | 31 | 35 | 36 | 37 | 40 | 42 | 52 | Film Center | | |
| Hagerty Hall Building Number: 037 | | | | | | | | | | | | | |
| | | HH0042 | 35 | 30 | 34 | 35 | 39 | 42 | 43 | 52 | | | |
| | | HH0045 | 20 | 30 | 34 | 35 | 40 | 42 | 43 | 52 | | | |
| | | HH0046 | 42 | 30 | 34 | 35 | 39 | 42 | 43 | 52 | | | |
| | | HH0050 | 35 | 30 | 34 | 35 | 39 | 42 | 43 | 52 | | | |
| | | HH0056 | 35 | 30 | 34 | 35 | 39 | 42 | 43 | 52 | | | |
| | | HH0062 | 40 | 30 | 34 | 35 | 39 | 42 | 43 | 52 | | | |
| | | HH0071 | 20 | 30 | 34 | 35 | 40 | 42 | 43 | 52 | | | |
| | | HH0180 | 242 | 31 | 34 | 35 | 36 | 37 | 40 | 43 | 45 | 46 | 52 |
| Computer Lab | | HH0186 | 24 | 33 | 34 | 35 | 36 | 39 | 44 | 50 | 53 | Computer Lab | |
| | | HH0251 | 32 | 30 | 34 | 35 | 40 | 42 | 43 | 52 | | | |
| | | HH0259 | 32 | 30 | 34 | 35 | 40 | 42 | 43 | 52 | | | |
| | | HH0351 | 32 | 30 | 34 | 35 | 40 | 42 | 43 | 52 | | | |
| | | HH0359 | 32 | 30 | 34 | 35 | 40 | 42 | 43 | 52 | | | |
| Hamilton Hall Building Number: 038 | | | | | | | | | | | | | |
| | | HM0107 | 142 | 31 | 34 | 35 | 37 | 39 | 43 | 48 | 49 | 52 | |
| Hayes Hall Building Number: 039 | | | | | | | | | | | | | |
| | | HA0005 | 40 | 30 | 34 | 35 | 39 | 43 | 52 | | | | |
| | | HA0006 | 40 | 30 | 34 | 35 | 39 | 43 | 52 | | | | |

Room Characteristics List

| | | | | | | | | | |
|----|------------------------------|----|------------------------------|----|-----------------------------|----|--------------------------|----|------------------------|
| 30 | Moveable Tablet Arm Chairs | 31 | Stationary Tablet Arm Chairs | 32 | Moveable Tables/Chairs | 33 | Stationary Tables/Chairs | 34 | Instructor Table/Chair |
| 35 | Air Conditioned | 36 | Carpeted | 37 | Sloped/Tiered Floors | 38 | Elevated Stage | 39 | Windows |
| 40 | No Windows | 41 | Black Out Shade | 42 | Variable Intensity Lighting | 43 | Chalkboards | 44 | Whiteboards |
| 45 | Vertical Sliding Chalkboards | 46 | Vertical Sliding Whiteboards | 47 | 2+ LCD Projectors | 48 | Symposium | 49 | Document Camera |
| 50 | Video Conferencing Set-Up | 51 | Laptop Required | 52 | Computer Provided | 53 | Computer Lab | | |

| Building | Lab | Facility ID | Capacity | Room Characteristics | | | | | | | Notes | | | |
|----------------------------|-----|------------------------|----------|----------------------|----|----|----|----|----|----------------------|-------|----|----|----|
| | | HA0012 | 24 | 30 | 34 | 35 | 39 | 43 | 52 | | | | | |
| | | HA0024 | 42 | 30 | 34 | 35 | 39 | 43 | 52 | | | | | |
| | | HA0025 | 42 | 30 | 34 | 35 | 39 | 43 | 52 | | | | | |
| Hitchcock Hall | | | | | | | | | | Building Number: 274 | | | | |
| | | HI0030 | 37 | 30 | 34 | 35 | 40 | 43 | 52 | | | | | |
| | | HI0031 | 118 | 31 | 34 | 35 | 37 | 40 | 42 | 43 | 49 | 52 | | |
| | | HI0035 | 118 | 31 | 34 | 35 | 37 | 40 | 42 | 43 | 49 | 52 | | |
| | | HI0131 | 640 | 31 | 34 | 35 | 36 | 37 | 38 | 40 | 42 | 48 | 49 | 52 |
| | | HI0446 | 30 | 30 | 34 | 35 | 40 | 43 | 52 | | | | | |
| Hopkins Hall | | | | | | | | | | Building Number: 149 | | | | |
| | | HC0246 | 46 | 30 | 34 | 35 | 39 | 42 | 43 | 52 | | | | |
| | | HC0250 | 70 | 30 | 34 | 35 | 36 | 39 | 42 | 43 | 52 | | | |
| Independence Hall | | | | | | | | | | Building Number: 338 | | | | |
| | | IH0100 | 727 | 31 | 34 | 35 | 37 | 38 | 40 | 42 | 48 | 49 | 52 | |
| Jennings Hall | | | | | | | | | | Building Number: 014 | | | | |
| | | JE0001 | 250 | 31 | 34 | 35 | 36 | 37 | 39 | 42 | 43 | 49 | 52 | |
| | | JE0040 | 60 | 32 | 34 | 35 | 39 | 43 | 48 | 52 | | | | |
| | | JE0050 | 18 | 30 | 35 | 36 | 39 | 44 | | | | | | |
| | | JE0060 | 60 | 32 | 34 | 35 | 39 | 43 | 52 | | | | | |
| | | JE0136 | 35 | 30 | 34 | 35 | 39 | 43 | 52 | | | | | |
| | | JE0140 | 40 | 32 | 34 | 35 | 39 | 43 | 52 | | | | | |
| | | JE0155 | 151 | 31 | 34 | 35 | 36 | 37 | 40 | 42 | 43 | 49 | 52 | |
| | | JE0160 | 40 | 32 | 34 | 35 | 39 | 43 | 52 | | | | | |
| | | JE0164 | 35 | 30 | 34 | 35 | 39 | 43 | 52 | | | | | |
| Journalism Building | | | | | | | | | | Building Number: 046 | | | | |
| | | JR0139 | 30 | 30 | 34 | 35 | 40 | 43 | 52 | | | | | |
| | | JR0143 | 28 | 30 | 34 | 35 | 40 | 43 | 52 | | | | | |
| | | JR0221 | 26 | 30 | 34 | 35 | 40 | 43 | 52 | | | | | |
| | | JR0239 | 54 | 30 | 34 | 35 | 40 | 43 | 52 | | | | | |
| | | JR0251 | 91 | 30 | 34 | 35 | 39 | 43 | 47 | 52 | | | | |
| | | JR0270 | 72 | 30 | 34 | 35 | 36 | 40 | 43 | 47 | 48 | 52 | | |
| | | JR0274 | 35 | 30 | 34 | 35 | 36 | 40 | 44 | 52 | | | | |
| | | JR0291 | 17 | 32 | 34 | 35 | 39 | 44 | 52 | | | | | |

Room Characteristics List

| | | | | | | | | | |
|----|------------------------------|----|------------------------------|----|-----------------------------|----|--------------------------|----|------------------------|
| 30 | Moveable Tablet Arm Chairs | 31 | Stationary Tablet Arm Chairs | 32 | Moveable Tables/Chairs | 33 | Stationary Tables/Chairs | 34 | Instructor Table/Chair |
| 35 | Air Conditioned | 36 | Carpeted | 37 | Sloped/Tiered Floors | 38 | Elevated Stage | 39 | Windows |
| 40 | No Windows | 41 | Black Out Shade | 42 | Variable Intensity Lighting | 43 | Chalkboards | 44 | Whiteboards |
| 45 | Vertical Sliding Chalkboards | 46 | Vertical Sliding Whiteboards | 47 | 2+ LCD Projectors | 48 | Symposium | 49 | Document Camera |
| 50 | Video Conferencing Set-Up | 51 | Laptop Required | 52 | Computer Provided | 53 | Computer Lab | | |

| Building | Lab | Facility ID | Capacity | Room Characteristics | | | | | | | Notes | | | |
|-------------------------------|-----|------------------------|----------|----------------------|----|----|----|----|----|----|----------------------|----|----|----|
| | | JR0295 | 18 | 32 | 34 | 35 | 39 | 43 | 52 | | | | | |
| | | JR0300 | 114 | 31 | 34 | 35 | 36 | 37 | 40 | 43 | 48 | 52 | | |
| | | JR0304 | 39 | 30 | 34 | 35 | 40 | 43 | 52 | | | | | |
| | | JR0353 | 30 | 32 | 34 | 35 | 36 | 39 | 43 | 52 | | | | |
| | | JR0371 | 49 | 30 | 34 | 35 | 36 | 40 | 43 | 52 | | | | |
| | | JR0375 | 45 | 30 | 34 | 35 | 40 | 43 | 52 | | | | | |
| | | JR0387 | 18 | 32 | 34 | 35 | 39 | 43 | 52 | | | | | |
| Knowlton Hall | | | | | | | | | | | Building Number: 017 | | | |
| | | KN0190 | 60 | 30 | 34 | 35 | 36 | 39 | 41 | 43 | 52 | | | |
| | | KN0195 | 48 | 30 | 34 | 35 | 36 | 39 | 41 | 43 | 52 | | | |
| | | KN0250 | 213 | 31 | 34 | 35 | 37 | 39 | 41 | 42 | 43 | 48 | 49 | 52 |
| Kottman Hall | | | | | | | | | | | Building Number: 340 | | | |
| | | KH0102 | 48 | 33 | 34 | 35 | 36 | 37 | 40 | 43 | 49 | 52 | | |
| | | KH0103 | 272 | 31 | 34 | 35 | 36 | 37 | 40 | 43 | 47 | 48 | 50 | 52 |
| | | KH0104 | 71 | 31 | 34 | 35 | 36 | 37 | 40 | 43 | 49 | 52 | | |
| | | KH0116 | 30 | 30 | 34 | 35 | 36 | 39 | 41 | 43 | 49 | 52 | | |
| Lazenby Hall | | | | | | | | | | | Building Number: 041 | | | |
| | | LZ0001 | 32 | 30 | 34 | 35 | 39 | 43 | 52 | | | | | |
| | | LZ0002 | 60 | 30 | 34 | 35 | 39 | 43 | 52 | | | | | |
| | | LZ0018 | 14 | 32 | 34 | 35 | 39 | 43 | 52 | | | | | |
| | | LZ0021 | 198 | 31 | 34 | 35 | 36 | 37 | 39 | 43 | 47 | 48 | 49 | 52 |
| | | LZ0034 | 54 | 30 | 34 | 35 | 39 | 43 | 52 | | | | | |
| Macquigg Laboratory | | | | | | | | | | | Building Number: 265 | | | |
| | | MQ0155 | 25 | 30 | 34 | 35 | 39 | 43 | 52 | | | | | |
| | | MQ0159 | 40 | 30 | 34 | 35 | 39 | 43 | 52 | | | | | |
| | | MQ0160 | 60 | 30 | 34 | 35 | 36 | 39 | 43 | 52 | | | | |
| | | MQ0161 | 34 | 32 | 34 | 35 | 39 | 43 | 52 | | | | | |
| | | MQ0162 | 42 | 30 | 34 | 35 | 39 | 43 | 52 | | | | | |
| | | MQ0264 | 155 | 31 | 34 | 35 | 36 | 37 | 39 | 43 | 52 | | | |
| McPherson Chemical Lab | | | | | | | | | | | Building Number: 053 | | | |
| | | MP1000 | 356 | 31 | 34 | 35 | 37 | 40 | 45 | 47 | 52 | | | |
| | | MP1005 | 30 | 30 | 34 | 35 | 39 | 43 | 52 | | | | | |
| | | MP1008 | 35 | 30 | 34 | 35 | 39 | 43 | 52 | | | | | |

Room Characteristics List

| | | | | | | | | | |
|----|------------------------------|----|------------------------------|----|-----------------------------|----|--------------------------|----|------------------------|
| 30 | Moveable Tablet Arm Chairs | 31 | Stationary Tablet Arm Chairs | 32 | Moveable Tables/Chairs | 33 | Stationary Tables/Chairs | 34 | Instructor Table/Chair |
| 35 | Air Conditioned | 36 | Carpeted | 37 | Sloped/Tiered Floors | 38 | Elevated Stage | 39 | Windows |
| 40 | No Windows | 41 | Black Out Shade | 42 | Variable Intensity Lighting | 43 | Chalkboards | 44 | Whiteboards |
| 45 | Vertical Sliding Chalkboards | 46 | Vertical Sliding Whiteboards | 47 | 2+ LCD Projectors | 48 | Symposium | 49 | Document Camera |
| 50 | Video Conferencing Set-Up | 51 | Laptop Required | 52 | Computer Provided | 53 | Computer Lab | | |

| Building | Lab | Facility ID | Capacity | Room Characteristics | | | | | | | Notes |
|----------|-----|------------------------|----------|----------------------|----|----|----|----|----|----|-------|
| | | MP1015 | 101 | 31 | 34 | 35 | 40 | 45 | 48 | 52 | |
| | | MP1021 | 40 | 30 | 34 | 35 | 39 | 43 | 52 | | |
| | | MP1035 | 46 | 30 | 34 | 35 | 39 | 43 | 52 | | |
| | | MP1040 | 42 | 30 | 34 | 35 | 39 | 43 | 52 | | |
| | | MP1041 | 45 | 30 | 34 | 35 | 39 | 43 | 52 | | |
| | | MP1045 | 39 | 30 | 34 | 35 | 39 | 43 | 52 | | |
| | | MP1046 | 42 | 30 | 34 | 35 | 39 | 43 | 52 | | |
| | | MP2015 | 48 | 32 | 34 | 35 | 36 | 39 | 42 | 44 | 52 |
| | | MP2017 | 49 | 30 | 34 | 35 | 36 | 39 | 44 | 52 | |
| | | MP2019 | 56 | 30 | 34 | 35 | 36 | 39 | 44 | 52 | |

Mendenhall Laboratory

Building Number: 054

| | | | | | | | | | | | | |
|------------------------|-----|----|----|----|----|----|----|----|----|----|----|----|
| ML0100 | 221 | 31 | 34 | 35 | 36 | 37 | 40 | 45 | 47 | 48 | 49 | 52 |
| ML0115 | 60 | 30 | 34 | 35 | 39 | 43 | 48 | 49 | 52 | | | |
| ML0125 | 49 | 30 | 34 | 35 | 39 | 43 | 52 | | | | | |
| ML0129 | 42 | 30 | 34 | 35 | 39 | 43 | 52 | | | | | |
| ML0131 | 42 | 30 | 34 | 35 | 39 | 43 | 52 | | | | | |
| ML0173 | 42 | 30 | 34 | 35 | 39 | 43 | 52 | | | | | |
| ML0174 | 36 | 30 | 34 | 35 | 40 | 43 | 52 | | | | | |
| ML0175 | 42 | 30 | 34 | 35 | 39 | 43 | 52 | | | | | |
| ML0185 | 45 | 30 | 34 | 35 | 39 | 43 | 52 | | | | | |
| ML0191 | 60 | 30 | 34 | 35 | 39 | 43 | 52 | | | | | |

Orton Hall

Building Number: 060

| | | | | | | | | | | | | |
|------------------------|----|----|----|----|----|----|----|--|--|--|--|--|
| OR0110 | 70 | 32 | 34 | 35 | 39 | 43 | 52 | | | | | |
|------------------------|----|----|----|----|----|----|----|--|--|--|--|--|

Page Hall

Building Number: 061

| | | | | | | | | | | | | |
|------------------------|----|----|----|----|----|----|----|----|----|----|----|--|
| PA0010 | 90 | 33 | 34 | 35 | 37 | 39 | 41 | 42 | 43 | 49 | 52 | |
| PA0020 | 90 | 33 | 34 | 35 | 37 | 39 | 41 | 42 | 43 | 49 | 52 | |
| PA0060 | 48 | 30 | 34 | 35 | 39 | 41 | 43 | 52 | | | | |

Phys Activ & Educ Srvs Bldg

Building Number: 245

| | | | | | | | | | | | | |
|-------------------------|----|----|----|----|----|----|--|--|--|--|--|--|
| PEA0103 | 30 | 32 | 35 | 39 | 43 | 52 | | | | | | |
| PEA0105 | 30 | 32 | 35 | 39 | 43 | 52 | | | | | | |
| PEA0109 | 36 | 32 | 35 | 39 | 43 | 52 | | | | | | |
| PEA0111 | 34 | 32 | 35 | 39 | 43 | 52 | | | | | | |

Pomerene Hall

Building Number: 067

Room Characteristics List

| | | | | | | | | | |
|----|------------------------------|----|------------------------------|----|-----------------------------|----|--------------------------|----|------------------------|
| 30 | Moveable Tablet Arm Chairs | 31 | Stationary Tablet Arm Chairs | 32 | Moveable Tables/Chairs | 33 | Stationary Tables/Chairs | 34 | Instructor Table/Chair |
| 35 | Air Conditioned | 36 | Carpeted | 37 | Sloped/Tiered Floors | 38 | Elevated Stage | 39 | Windows |
| 40 | No Windows | 41 | Black Out Shade | 42 | Variable Intensity Lighting | 43 | Chalkboards | 44 | Whiteboards |
| 45 | Vertical Sliding Chalkboards | 46 | Vertical Sliding Whiteboards | 47 | 2+ LCD Projectors | 48 | Symposium | 49 | Document Camera |
| 50 | Video Conferencing Set-Up | 51 | Laptop Required | 52 | Computer Provided | 53 | Computer Lab | | |

| Building | Lab | Facility ID | Capacity | Room Characteristics | | | | | Notes | | | | |
|----------------------------|-----|-------------------------|----------|----------------------|----|----|----|----|----------------------|----|----|----|----|
| | | PO0150 | 52 | 33 | 34 | 35 | 37 | 52 | | | | | |
| | | PO0160 | 148 | 31 | 34 | 35 | 37 | 52 | | | | | |
| | | PO0250 | 58 | 33 | 34 | 35 | 37 | 52 | | | | | |
| | | PO0260 | 105 | 33 | 34 | 35 | 37 | 52 | | | | | |
| Psychology Building | | | | | | | | | Building Number: 144 | | | | |
| | | PS0006 | 120 | 31 | 34 | 35 | 36 | 37 | 39 | 43 | 52 | | |
| | | PS0010 | 60 | 31 | 34 | 35 | 36 | 37 | 40 | 43 | 52 | | |
| | | PS0014 | 60 | 31 | 34 | 35 | 36 | 37 | 40 | 43 | 52 | | |
| Ramseyer Hall | | | | | | | | | Building Number: 090 | | | | |
| | | RA0009 | 50 | 30 | 34 | 35 | 36 | 39 | 43 | 47 | 52 | | |
| | | RA0059 | 120 | 30 | 34 | 35 | 36 | 39 | 43 | 47 | 49 | 52 | |
| | | RA0100 | 79 | 33 | 34 | 35 | 36 | 37 | 39 | 43 | 48 | 52 | |
| | | RA0110 | 49 | 30 | 34 | 35 | 39 | 43 | 52 | | | | |
| | | RA0115 | 49 | 30 | 34 | 35 | 39 | 43 | 52 | | | | |
| | | RA0166 | 32 | 30 | 34 | 35 | 39 | 43 | 52 | | | | |
| Schoenbaum Hall | | | | | | | | | Building Number: 251 | | | | |
| | | SB0105 | 259 | 31 | 34 | 35 | 36 | 37 | 40 | 42 | 44 | 46 | 52 |
| | | SB0200 | 50 | 30 | 34 | 35 | 36 | 39 | 42 | 44 | 46 | 52 | |
| | | SB0205 | 50 | 33 | 34 | 35 | 36 | 37 | 39 | 42 | 44 | 46 | 52 |
| | | SB0210 | 40 | 32 | 34 | 35 | 36 | 39 | 42 | 44 | 46 | 52 | |
| | | SB0215 | 50 | 33 | 34 | 35 | 36 | 37 | 39 | 42 | 44 | 46 | 52 |
| | | SB0220 | 70 | 33 | 34 | 35 | 36 | 37 | 39 | 42 | 44 | 46 | 52 |
| | | SB0230 | 70 | 33 | 34 | 35 | 36 | 37 | 39 | 42 | 44 | 46 | 52 |
| | | SB0300 | 50 | 30 | 34 | 35 | 36 | 39 | 42 | 44 | 46 | 52 | |
| | | SB0305 | 50 | 33 | 34 | 35 | 36 | 37 | 39 | 42 | 44 | 46 | 52 |
| | | SB0310 | 40 | 32 | 34 | 35 | 36 | 39 | 42 | 44 | 46 | 52 | |
| | | SB0315 | 50 | 33 | 34 | 35 | 36 | 37 | 39 | 42 | 44 | 46 | 52 |
| | | SB0320 | 82 | 33 | 34 | 35 | 36 | 37 | 39 | 42 | 44 | 46 | 52 |
| | | SB0330 | 82 | 33 | 34 | 35 | 36 | 37 | 39 | 42 | 44 | 46 | 52 |
| Scott Lab | | | | | | | | | Building Number: 148 | | | | |
| | | SOE0001 | 154 | 31 | 34 | 35 | 36 | 37 | 40 | 42 | 43 | 52 | |
| | | SOE0004 | 85 | 33 | 34 | 35 | 37 | 40 | 42 | 43 | 52 | | |
| | | SOE0024 | 85 | 33 | 34 | 35 | 37 | 40 | 42 | 43 | 52 | | |

Room Characteristics List

| | | | | | | | | | |
|----|------------------------------|----|------------------------------|----|-----------------------------|----|--------------------------|----|------------------------|
| 30 | Moveable Tablet Arm Chairs | 31 | Stationary Tablet Arm Chairs | 32 | Moveable Tables/Chairs | 33 | Stationary Tables/Chairs | 34 | Instructor Table/Chair |
| 35 | Air Conditioned | 36 | Carpeted | 37 | Sloped/Tiered Floors | 38 | Elevated Stage | 39 | Windows |
| 40 | No Windows | 41 | Black Out Shade | 42 | Variable Intensity Lighting | 43 | Chalkboards | 44 | Whiteboards |
| 45 | Vertical Sliding Chalkboards | 46 | Vertical Sliding Whiteboards | 47 | 2+ LCD Projectors | 48 | Symposium | 49 | Document Camera |
| 50 | Video Conferencing Set-Up | 51 | Laptop Required | 52 | Computer Provided | 53 | Computer Lab | | |

| Building | Lab | Facility ID | Capacity | Room Characteristics | Notes |
|----------|-----|-------------------------|----------|-------------------------|-------|
| | | SOE0040 | 85 | 33 34 35 37 40 42 43 52 | |
| | | SOE0103 | 24 | 32 34 35 40 42 43 52 | |
| | | SOE0105 | 30 | 32 34 35 40 42 43 52 | |
| | | SOE0125 | 72 | 33 34 35 37 40 42 43 52 | |
| | | SOE0241 | 22 | 32 34 35 40 43 52 | |
| | | SOE0245 | 24 | 32 34 35 39 43 52 | |
| | | SON0044 | 18 | 32 34 35 40 43 52 | |
| | | SON0048 | 50 | 33 34 35 37 40 42 43 52 | |
| | | SON0050 | 50 | 33 34 35 37 40 42 43 52 | |
| | | SON0054 | 50 | 33 34 35 37 40 42 43 52 | |
| | | SON0056 | 36 | 32 34 35 40 42 43 52 | |

[Smith Laboratory](#)

Building Number: 065

| | | |
|------------------------|-----|-------------------------|
| SM1005 | 100 | 31 34 35 37 40 45 47 52 |
| SM1009 | 100 | 31 34 35 37 40 45 47 52 |
| SM1042 | 30 | 32 34 35 39 43 44 52 |
| SM1048 | 45 | 30 34 35 39 43 52 |
| SM1064 | 30 | 32 34 35 39 43 52 |
| SM1076 | 30 | 32 34 35 39 43 52 |
| SM1138 | 40 | 30 34 35 39 43 52 |
| SM1149 | 9 | 30 35 36 39 44 51 |
| SM1150 | 11 | 32 35 36 39 44 51 |
| SM1153 | 221 | 31 34 35 37 40 45 47 52 |
| SM1180 | 34 | 32 34 35 36 39 43 52 |
| SM1186 | 15 | 30 35 36 39 44 51 |
| SM2006 | 30 | 30 34 35 39 43 52 |
| SM2144 | 36 | 32 34 35 39 43 52 |
| SM2150 | 42 | 30 34 35 39 43 52 |
| SM2180 | 28 | 30 34 35 39 43 52 |
| SM2186 | 25 | 30 34 35 39 43 52 |
| SM3082 | 30 | 32 34 35 39 43 52 |
| SM3094 | 40 | 32 34 35 36 39 43 52 |

LearnLounge

LearnLounge

[Stillman Hall](#)

Building Number: 084

| | | |
|------------------------|-----|-------------------------------|
| SH0100 | 221 | 31 34 35 36 37 39 43 48 49 52 |
|------------------------|-----|-------------------------------|

Room Characteristics List

| | | | | |
|---------------------------------|---------------------------------|--------------------------------|-----------------------------|---------------------------|
| 30 Moveable Tablet Arm Chairs | 31 Stationary Tablet Arm Chairs | 32 Moveable Tables/Chairs | 33 Stationary Tables/Chairs | 34 Instructor Table/Chair |
| 35 Air Conditioned | 36 Carpeted | 37 Sloped/Tiered Floors | 38 Elevated Stage | 39 Windows |
| 40 No Windows | 41 Black Out Shade | 42 Variable Intensity Lighting | 43 Chalkboards | 44 Whiteboards |
| 45 Vertical Sliding Chalkboards | 46 Vertical Sliding Whiteboards | 47 2+ LCD Projectors | 48 Symposium | 49 Document Camera |
| 50 Video Conferencing Set-Up | 51 Laptop Required | 52 Computer Provided | 53 Computer Lab | |

| Building | Lab | Facility ID | Capacity | Room Characteristics | | | | | Notes | |
|---|-----|------------------------|----------|----------------------|----|----|----|----|-------|-------------------------------|
| | | SH0131 | 30 | 30 | 34 | 35 | 39 | 43 | 52 | |
| | | SH0135 | 30 | 30 | 35 | 36 | 39 | 44 | 52 | Pad Active Learning Classroom |
| | | SH0235 | 65 | 30 | 34 | 35 | 36 | 39 | 44 | 52 |
| | | SH0240 | 38 | 30 | 34 | 35 | 39 | 43 | 52 | |
| | | SH0245 | 42 | 30 | 34 | 35 | 39 | 43 | 52 | |
| Sullivant Hall Building Number: 106 | | | | | | | | | | |
| | | SU0220 | 300 | 31 | 34 | 35 | 36 | 37 | 38 | 40 47 48 49 52 |
| Townshend Hall Building Number: 087 | | | | | | | | | | |
| | | TO0247 | 60 | 30 | 34 | 35 | 36 | 39 | 43 | 52 |
| | | TO0255 | 84 | 30 | 34 | 35 | 36 | 39 | 43 | 50 52 |
| University Hall Building Number: 339 | | | | | | | | | | |
| | | UH0014 | 159 | 31 | 34 | 35 | 36 | 37 | 40 | 43 52 |
| | | UH0024 | 20 | 30 | 34 | 35 | 36 | 40 | 43 | 52 |
| | | UH0028 | 20 | 30 | 34 | 35 | 36 | 40 | 43 | 52 |
| | | UH0038 | 49 | 30 | 34 | 35 | 36 | 40 | 43 | 52 |
| | | UH0043 | 35 | 30 | 34 | 35 | 36 | 40 | 43 | 52 |
| | | UH0047 | 35 | 30 | 34 | 35 | 36 | 40 | 43 | 52 |
| | | UH0051 | 35 | 30 | 34 | 35 | 36 | 40 | 43 | 52 |
| | | UH0056 | 40 | 32 | 34 | 35 | 36 | 40 | 43 | 52 |
| | | UH0066 | 20 | 30 | 34 | 35 | 36 | 40 | 43 | 52 |
| | | UH0074 | 20 | 30 | 34 | 35 | 36 | 40 | 43 | 52 |
| | | UH0082 | 42 | 30 | 34 | 35 | 36 | 40 | 43 | 52 |
| | | UH0086 | 36 | 30 | 34 | 35 | 36 | 40 | 43 | 52 |
| | | UH0090 | 35 | 30 | 34 | 35 | 36 | 40 | 43 | 52 |
| Watts Hall Building Number: 107 | | | | | | | | | | |
| | | WA0379 | 24 | 32 | 34 | 35 | 36 | 40 | 43 | 52 |
| | | WA0389 | 23 | 30 | 34 | 35 | 36 | 39 | 43 | 52 |
| | | WA0395 | 57 | 30 | 34 | 35 | 36 | 39 | 43 | 52 |

Room Characteristics List

| | | | | | | | | | |
|----|------------------------------|----|------------------------------|----|-----------------------------|----|--------------------------|----|------------------------|
| 30 | Moveable Tablet Arm Chairs | 31 | Stationary Tablet Arm Chairs | 32 | Moveable Tables/Chairs | 33 | Stationary Tables/Chairs | 34 | Instructor Table/Chair |
| 35 | Air Conditioned | 36 | Carpeted | 37 | Sloped/Tiered Floors | 38 | Elevated Stage | 39 | Windows |
| 40 | No Windows | 41 | Black Out Shade | 42 | Variable Intensity Lighting | 43 | Chalkboards | 44 | Whiteboards |
| 45 | Vertical Sliding Chalkboards | 46 | Vertical Sliding Whiteboards | 47 | 2+ LCD Projectors | 48 | Symposium | 49 | Document Camera |
| 50 | Video Conferencing Set-Up | 51 | Laptop Required | 52 | Computer Provided | 53 | Computer Lab | | |