



Spring 2018

General Assignment Rooms

Building	Lab	Facility ID	Capacity	Room Characteristics	Notes
<u>140 West Nineteenth Avenue</u>					Building Number: 145
		KL0131	40	30 34 35 39 43 52	
		KL0136	40	30 34 35 39 43 52	
		KL0205	40	30 34 35 39 43 52	
		KL0207	95	31 34 35 36 37 39 43 52	
		KL0330	33	30 34 35 39 43 52	
<u>209 West Eighteenth Avenue</u>					Building Number: 004
		EA0160	203	31 34 35 36 37 40 42 45 48 52	
		EA0170	140	31 34 35 36 37 40 42 45 48 52	
<u>Agricultural Administration</u>					Building Number: 003
		AA0108	56	32 34 35 36 39 43 52	
		AA0246	49	30 34 35 36 39 43 52	
		AA0247	30	32 34 35 36 39 43 52	
<u>Agricultural Engineering Bldg</u>					Building Number: 298
		AE0100	94	33 35 36 37 40 42 43 48 49 52	
		AE0103	50	32 34 35 36 40 42 43 49 52	
		AE0104	48	32 34 35 36 40 42 43 49 52	
<u>Animal Science Building</u>					Building Number: 156
		AS0202	49	30 34 35 39 43 52	
		AS0210	50	30 34 35 39 43 47 49 50 52	
<u>Arps Hall</u>					Building Number: 011
		AP0012	63	30 34 35 39 43 52	
		AP0386	20	30 34 35 39 43 52	
		AP0388	49	30 34 35 39 43 52	
<u>Baker Systems Engineering</u>					Building Number: 280

Room Characteristics List

30	Moveable Tablet Arm Chairs	31	Stationary Tablet Arm Chairs	32	Moveable Tables/Chairs	33	Stationary Tables/Chairs	34	Instructor Table/Chair
35	Air Conditioned	36	Carpeted	37	Sloped/Tiered Floors	38	Elevated Stage	39	Windows
40	No Windows	41	Black Out Shade	42	Variable Intensity Lighting	43	Chalkboards	44	Whiteboards
45	Vertical Sliding Chalkboards	46	Vertical Sliding Whiteboards	47	2+ LCD Projectors	48	Symposium	49	Document Camera
50	Video Conferencing Set-Up	51	Laptop Required	52	Computer Provided	53	Computer Lab		

Building	Lab	Facility ID	Capacity	Room Characteristics	Notes
		BE0120	98	33 34 35 36 37 40 42 43 52	
		BE0128	25	30 34 35 36 39 43 52	
		BE0130	32	30 34 35 36 40 43 52	
		BE0136	40	30 34 35 36 40 43 52	
		BE0140	40	30 34 35 36 43 52	
		BE0144	70	30 34 35 36 43 52	
		BE0180	49	30 34 35 36 40 43 52	
		BE0184	30	30 34 35 36 40 43 52	
		BE0188	56	30 34 35 36 40 43 47 52	
		BE0198	49	30 34 35 36 40 43 52	
		BE0260	30	30 34 35 39 43 52	
		BE0272	20	30 34 35 39 43 52	
Computer Lab		BE0285	48	32 34 35 36 40 43 44 47 52 53	
		BE0394	36	32 34 35 39 43 52	

[Biological Sciences Building](#) Building Number: 276

		BI0668	38	30 34 35 39 43 52	
		BI0676	35	30 34 35 39 43 52	

[Bolz Hall](#) Building Number: 146

		BQ0124	35	30 34 35 39 43 52	
		BQ0128	30	30 34 35 39 43 52	
		BQ0311	40	30 34 35 39 43 52	
		BQ0313	43	30 34 35 39 43 52	
		BQ0314	45	30 34 35 39 43 52	
		BQ0316	42	30 34 35 39 43 52	
		BQ0317	42	30 34 35 39 43 52	
		BQ0318	44	30 34 35 39 43 52	
		BQ0412	42	30 34 35 39 43 52	
		BQ0422	42	30 34 35 39 43 52	
		BQ0428	49	32 34 35 39 43 52	
		BQ0432	30	30 34 35 39 43 52	
		BQ0434	30	30 34 35 39 43 52	
		BQ0436	64	30 34 35 39 43 52	
		BQ0439	28	30 34 35 39 43 52	

Formerly Bolz Hall 437

Room Characteristics List

30	Moveable Tablet Arm Chairs	31	Stationary Tablet Arm Chairs	32	Moveable Tables/Chairs	33	Stationary Tables/Chairs	34	Instructor Table/Chair
35	Air Conditioned	36	Carpeted	37	Sloped/Tiered Floors	38	Elevated Stage	39	Windows
40	No Windows	41	Black Out Shade	42	Variable Intensity Lighting	43	Chalkboards	44	Whiteboards
45	Vertical Sliding Chalkboards	46	Vertical Sliding Whiteboards	47	2+ LCD Projectors	48	Symposium	49	Document Camera
50	Video Conferencing Set-Up	51	Laptop Required	52	Computer Provided	53	Computer Lab		

Building	Lab	Facility ID	Capacity	Room Characteristics							Notes			
<u>Caldwell Laboratory</u>										Building Number: 026				
		CL0102	24	30	34	35	39	43	52					
		CL0109	36	30	34	35	39	43	52					
		CL0115	36	30	34	35	39	43	52					
		CL0119	24	30	34	35	39	43	52					
		CL0120	70	32	34	35	39	43	52					
		CL0133	48	30	34	35	39	43	52					
		CL0135	34	30	34	35	40	43	52					
		CL0137	46	30	34	35	40	43	52					
		CL0171	44	30	34	35	39	43	52					
		CL0177	48	30	34	35	39	43	52					
		CL0183	15	30	34	35	39	43	52					
<u>Campbell Hall</u>										Building Number: 018				
		CM0100	65	30	34	35	36	39	42	44	52	Active Learning Classroom		
Computer Lab		CM0119	20	33	35	36	39	44	53					
		CM0200	299	31	34	35	36	37	38	40	43	52		
		CM0209	49	30	34	35	36	39	43	52				
		CM0213	40	30	34	35	36	39	43	52				
		CM0243	35	30	34	35	39	44	52					
		CM0251	42	32	34	35	39	43	49	52				
		CM0271	30	30	34	35	36	39	43	52				
		CM0309	49	30	34	35	36	39	43	52				
		CM0335	49	30	34	35	36	39	43	52				
<u>Chem & Biomolecular Eng & Chem</u>										Building Number: 248				
		CB0130	117	33	34	35	36	37	40	42	45	48	49	52
<u>Cockins Hall</u>										Building Number: 063				
		CH0218	47	30	34	35	39	43	52					
		CH0228	24	32	34	35	39	43	52					
		CH0232	40	32	34	35	39	43	52					
		CH0312	49	30	34	35	39	43	52					
<u>Cunz Hall</u>										Building Number: 293				
		CZ0140	62	32	34	35	36	40	44	47	48	49	52	
		CZ0150	80	32	35	36	39	44	47	48	49	52		

Room Characteristics List

30	Moveable Tablet Arm Chairs	31	Stationary Tablet Arm Chairs	32	Moveable Tables/Chairs	33	Stationary Tables/Chairs	34	Instructor Table/Chair
35	Air Conditioned	36	Carpeted	37	Sloped/Tiered Floors	38	Elevated Stage	39	Windows
40	No Windows	41	Black Out Shade	42	Variable Intensity Lighting	43	Chalkboards	44	Whiteboards
45	Vertical Sliding Chalkboards	46	Vertical Sliding Whiteboards	47	2+ LCD Projectors	48	Symposium	49	Document Camera
50	Video Conferencing Set-Up	51	Laptop Required	52	Computer Provided	53	Computer Lab		

Building	Lab	Facility ID	Capacity	Room Characteristics										Notes
		CZ0160	42	32	34	35	36	40	44	48	52			
		CZ0180	30	32	34	35	36	40	44	47	48	49	52	
Denney Hall													Building Number: 030	
		DE0202	24	30	34	35	36	39	43	52				
		DE0206	40	30	34	35	36	39	43	52				
		DE0207	24	32	34	35	36	39	43	52				
		DE0209	24	30	34	35	36	39	43	52				
		DE0213	24	32	34	35	36	39	43	52				
		DE0214	50	30	34	35	36	39	43	49	52			
		DE0238	50	30	34	35	36	39	43	52				
		DE0245	24	32	34	35	36	39	42	43	52			
		DE0250	45	30	34	35	36	39	43	49	52			
		DE0253	55	30	34	35	36	39	43	52				
		DE0262	24	32	34	35	36	39	43	52				
		DE0265	24	32	34	35	36	39	43	52				
		DE0268	24	30	34	35	36	39	43	52				
Derby Hall													Building Number: 025	
		DB0024	22	30	34	35	39	43	52					
Computer Lab		DB0029	34	32	34	35	36	40	44	47	50	53		
		DB0030	28	30	34	35	39	43	52					
		DB0038	12	32	34	35	36	40	43	52				
		DB0047	11	32	35	40	43	52						
		DB0048	30	32	34	35	39	43	52					
		DB0049	28	32	34	35	40	43	52					
		DB0060	18	30	34	35	39	43	52					
		DB0062	23	30	34	35	39	43	52					
		DB0080	54	32	34	35	39	43	52					
Dreese Laboratories													Building Number: 279	
		DL0113	180	33	34	35	37	38	40	42	45	48	52	
		DL0264	40	32	34	35	40	43	52					
		DL0266	40	32	34	35	40	43	52					
		DL0305	42	32	34	35	39	43	52					
		DL0317	36	32	34	35	40	43	52					

Room Characteristics List

30	Moveable Tablet Arm Chairs	31	Stationary Tablet Arm Chairs	32	Moveable Tables/Chairs	33	Stationary Tables/Chairs	34	Instructor Table/Chair
35	Air Conditioned	36	Carpeted	37	Sloped/Tiered Floors	38	Elevated Stage	39	Windows
40	No Windows	41	Black Out Shade	42	Variable Intensity Lighting	43	Chalkboards	44	Whiteboards
45	Vertical Sliding Chalkboards	46	Vertical Sliding Whiteboards	47	2+ LCD Projectors	48	Symposium	49	Document Camera
50	Video Conferencing Set-Up	51	Laptop Required	52	Computer Provided	53	Computer Lab		

Building	Lab	Facility ID	Capacity	Room Characteristics						Notes
		DL0357	45	32	34	35	40	43	52	
		DL0369	48	32	34	35	39	43	52	
Dulles Hall Building Number: 337										
		DU0012	25	30	34	35	36	40	43	52
		DU0016	20	30	34	35	36	40	43	52
		DU0020	22	30	34	35	36	40	43	52
		DU0024	20	30	34	35	36	40	43	52
		DU0027	24	30	34	35	36	40	43	52
Enarson Classroom Building Building Number: 072										
		EC0014	30	32	34	35	36	40	42	44 49 50 52
		EC0015	26	30	34	35	36	40	42	44 49 50 52
		EC0017	26	30	34	35	36	40	42	44 49 50 52
		EC0018	36	32	34	35	36	40	42	44 49 50 52
		EC0202	25	30	34	35	39	43	52	
		EC0204	24	30	34	35	39	43	52	
		EC0206	25	30	34	35	39	43	52	
		EC0209	35	30	34	35	40	43	48	52
		EC0211	35	30	34	35	40	44	52	
		EC0212	24	30	34	35	39	43	52	
		EC0214	25	30	34	35	39	43	52	
		EC0218	25	30	34	35	39	43	52	
		EC0222	36	30	34	35	39	43	52	
		EC0226	35	30	34	35	39	43	52	
		EC0230	35	30	34	35	39	43	52	
		EC0238	22	30	34	35	39	43	52	
		EC0240	25	30	34	35	39	43	52	
		EC0243	33	30	34	35	40	43	50	52
		EC0245	33	30	34	35	40	43	50	52
		EC0246	25	30	34	35	39	43	52	
		EC0248	22	30	34	35	39	43	52	
		EC0254	33	30	34	35	39	43	52	
		EC0258	35	30	34	35	39	43	52	
		EC0304	24	30	34	35	39	43	52	

Room Characteristics List

30	Moveable Tablet Arm Chairs	31	Stationary Tablet Arm Chairs	32	Moveable Tables/Chairs	33	Stationary Tables/Chairs	34	Instructor Table/Chair
35	Air Conditioned	36	Carpeted	37	Sloped/Tiered Floors	38	Elevated Stage	39	Windows
40	No Windows	41	Black Out Shade	42	Variable Intensity Lighting	43	Chalkboards	44	Whiteboards
45	Vertical Sliding Chalkboards	46	Vertical Sliding Whiteboards	47	2+ LCD Projectors	48	Symposium	49	Document Camera
50	Video Conferencing Set-Up	51	Laptop Required	52	Computer Provided	53	Computer Lab		

Building	Lab	Facility ID	Capacity	Room Characteristics						Notes		
Computer Lab		EC0306	23	30	34	35	39	43	52			
		EC0311	72	32	34	35	36	40	44	48	53	
		EC0312	25	30	34	35	39	43	52			
		EC0314	23	30	34	35	39	43	52			
		EC0318	23	30	34	35	39	43	52			
		EC0322	34	30	34	35	39	43	52			
		EC0326	35	30	34	35	39	43	52			
		EC0330	35	30	34	35	39	43	52			
		EC0338	14	32	35	39	44	52		Conference Style Classroom		
		EC0340	25	30	34	35	39	43	52			
		EC0346	25	30	34	35	39	43	52			
		EC0348	14	33	35	39	44	49	52	Conference Style Classroom		
		EC0354	33	30	34	35	39	43	52			
	EC0358	35	30	34	35	39	43	52				
Evans Laboratory Building Number: 150												
		EL1008	227	31	34	35	36	37	40	45	47	52
		EL2001	40	30	34	35	40	43	52			
		EL2002	32	32	34	35	39	43	52			
		EL2003	40	30	34	35	40	43	52			
		EL2004	73	30	34	35	39	43	52			
Fontana Laboratories Building Number: 151												
		FL0142	40	30	34	35	40	43	52			
Gateway Film Center Building Number: 865												
		GW HOUSE 1	282	31	35	36	37	40	42	52	Film Center	
		GW HOUSE 2	136	31	35	36	37	40	42	52	Film Center	
		GW HOUSE 3	111	31	35	36	37	40	42	52	Film Center	
		GW HOUSE 4	111	31	35	36	37	40	42	52	Film Center	
Hagerty Hall Building Number: 037												
		HH0042	35	30	34	35	39	42	43	52		
		HH0045	20	30	34	35	40	42	43	52		
		HH0046	42	30	34	35	39	42	43	52		
		HH0050	35	30	34	35	39	42	43	52		
		HH0056	35	30	34	35	39	42	43	52		

Room Characteristics List

30	Moveable Tablet Arm Chairs	31	Stationary Tablet Arm Chairs	32	Moveable Tables/Chairs	33	Stationary Tables/Chairs	34	Instructor Table/Chair
35	Air Conditioned	36	Carpeted	37	Sloped/Tiered Floors	38	Elevated Stage	39	Windows
40	No Windows	41	Black Out Shade	42	Variable Intensity Lighting	43	Chalkboards	44	Whiteboards
45	Vertical Sliding Chalkboards	46	Vertical Sliding Whiteboards	47	2+ LCD Projectors	48	Symposium	49	Document Camera
50	Video Conferencing Set-Up	51	Laptop Required	52	Computer Provided	53	Computer Lab		

Building	Lab	Facility ID	Capacity	Room Characteristics							Notes			
Computer Lab		HH0062	40	30	34	35	39	42	43	52				
		HH0071	20	30	34	35	40	42	43	52				
		HH0180	242	31	34	35	36	37	40	43	45	46	52	
		HH0186	24	33	34	35	36	39	44	50	53			
		HH0251	32	30	34	35	40	42	43	52				
		HH0259	32	30	34	35	40	42	43	52				
		HH0351	32	30	34	35	40	42	43	52				
		HH0359	32	30	34	35	40	42	43	52				
Hamilton Hall											Building Number: 038			
		HM0107	142	31	34	35	37	39	43	48	49	52		
Hayes Hall											Building Number: 039			
		HA0005	40	30	34	35	39	43	52					
		HA0006	40	30	34	35	39	43	52					
		HA0012	24	30	34	35	39	43	52					
		HA0024	42	30	34	35	39	43	52					
		HA0025	42	30	34	35	39	43	52					
Hitchcock Hall											Building Number: 274			
		HI0030	37	30	34	35	40	43	52					
		HI0031	118	31	34	35	37	40	42	43	49	52		
		HI0035	118	31	34	35	37	40	42	43	49	52		
		HI0131	640	31	34	35	36	37	38	40	42	48	49	52
		HI0446	30	30	34	35	40	43	52					
Hopkins Hall											Building Number: 149			
		HC0246	46	30	34	35	39	42	43	52				
		HC0250	70	30	34	35	36	39	42	43	52			
Independence Hall											Building Number: 338			
		IH0100	727	31	34	35	37	38	40	42	48	49	52	
Jennings Hall											Building Number: 014			
		JE0001	250	31	34	35	36	37	39	42	43	49	52	
		JE0040	60	32	34	35	39	43	48	52				
		JE0050	18	30	35	36	39	44						
		JE0060	60	32	34	35	39	43	52					

Room Characteristics List

30	Moveable Tablet Arm Chairs	31	Stationary Tablet Arm Chairs	32	Moveable Tables/Chairs	33	Stationary Tables/Chairs	34	Instructor Table/Chair
35	Air Conditioned	36	Carpeted	37	Sloped/Tiered Floors	38	Elevated Stage	39	Windows
40	No Windows	41	Black Out Shade	42	Variable Intensity Lighting	43	Chalkboards	44	Whiteboards
45	Vertical Sliding Chalkboards	46	Vertical Sliding Whiteboards	47	2+ LCD Projectors	48	Symposium	49	Document Camera
50	Video Conferencing Set-Up	51	Laptop Required	52	Computer Provided	53	Computer Lab		

Building	Lab	Facility ID	Capacity	Room Characteristics						Notes				
		JE0136	35	30	34	35	39	43	52					
		JE0140	40	32	34	35	39	43	52					
		JE0155	151	31	34	35	36	37	40	42	43	49	52	
		JE0160	40	32	34	35	39	43	52					
		JE0164	35	30	34	35	39	43	52					
Journalism Building										Building Number: 046				
		JR0139	30	30	34	35	40	43	52					
		JR0143	28	30	34	35	40	43	52					
		JR0221	26	30	34	35	40	43	52					
		JR0239	54	30	34	35	40	43	52					
		JR0251	91	30	34	35	39	43	47	52				
		JR0270	72	30	34	35	36	40	43	47	48	52		
		JR0274	35	30	34	35	36	40	44	52				
		JR0291	17	32	34	35	39	44	52					
		JR0295	18	32	34	35	39	43	52					
		JR0300	114	31	34	35	36	37	40	43	48	52		
		JR0304	39	30	34	35	40	43	52					
		JR0353	30	32	34	35	36	39	43	52				
		JR0371	49	30	34	35	36	40	43	52				
		JR0375	45	30	34	35	40	43	52					
		JR0387	18	32	34	35	39	43	52					
Knowlton Hall										Building Number: 017				
		KN0190	60	30	34	35	36	39	41	43	52			
		KN0195	48	30	34	35	36	39	41	43	52			
		KN0250	213	31	34	35	37	39	41	42	43	48	49	52
Kottman Hall										Building Number: 340				
		KH0102	48	33	34	35	36	37	40	43	49	52		
		KH0103	272	31	34	35	36	37	40	43	47	48	50	52
		KH0104	71	31	34	35	36	37	40	43	49	52		
		KH0116	30	30	34	35	36	39	41	43	49	52		
Lazenby Hall										Building Number: 041				
		LZ0001	32	30	34	35	39	43	52					
		LZ0002	60	30	34	35	39	43	52					

Room Characteristics List

30	Moveable Tablet Arm Chairs	31	Stationary Tablet Arm Chairs	32	Moveable Tables/Chairs	33	Stationary Tables/Chairs	34	Instructor Table/Chair
35	Air Conditioned	36	Carpeted	37	Sloped/Tiered Floors	38	Elevated Stage	39	Windows
40	No Windows	41	Black Out Shade	42	Variable Intensity Lighting	43	Chalkboards	44	Whiteboards
45	Vertical Sliding Chalkboards	46	Vertical Sliding Whiteboards	47	2+ LCD Projectors	48	Symposium	49	Document Camera
50	Video Conferencing Set-Up	51	Laptop Required	52	Computer Provided	53	Computer Lab		

Building	Lab	Facility ID	Capacity	Room Characteristics							Notes			
		LZ0018	14	32	34	35	39	43	52					
		LZ0021	198	31	34	35	36	37	39	43	47	48	49	52
		LZ0034	54	30	34	35	39	43	52					
Macquigg Laboratory											Building Number: 265			
		MQ0155	25	30	34	35	39	43	52					
		MQ0159	40	30	34	35	39	43	52					
		MQ0160	60	30	34	35	36	39	43	52				
		MQ0161	34	32	34	35	39	43	52					
		MQ0162	42	30	34	35	39	43	52					
		MQ0264	155	31	34	35	36	37	39	43	52			
McPherson Chemical Lab											Building Number: 053			
		MP1000	356	31	34	35	37	40	45	47	52			
		MP1005	36	30	34	35	39	43	52					
		MP1008	35	30	34	35	39	43	52					
		MP1015	112	31	34	35	40	45	48	52				
		MP1021	40	30	34	35	39	43	52					
		MP1035	46	30	34	35	39	43	52					
		MP1040	47	30	34	35	39	43	52					
		MP1041	45	30	34	35	39	43	52					
		MP1045	39	30	34	35	39	43	52					
		MP1046	49	30	34	35	39	43	52					
		MP2015	48	32	34	35	36	39	42	44	52			
		MP2017	49	30	34	35	36	39	44	52				
		MP2019	56	30	34	35	36	39	44	52				
Mendenhall Laboratory											Building Number: 054			
		ML0100	221	31	34	35	36	37	40	45	47	48	49	52
		ML0115	60	30	34	35	39	43	48	49	52			
		ML0125	49	30	34	35	39	43	52					
		ML0129	42	30	34	35	39	43	52					
		ML0131	42	30	34	35	39	43	52					
		ML0173	42	30	34	35	39	43	52					
		ML0174	36	30	34	35	40	43	52					
		ML0175	42	30	34	35	39	43	52					

Room Characteristics List

30	Moveable Tablet Arm Chairs	31	Stationary Tablet Arm Chairs	32	Moveable Tables/Chairs	33	Stationary Tables/Chairs	34	Instructor Table/Chair
35	Air Conditioned	36	Carpeted	37	Sloped/Tiered Floors	38	Elevated Stage	39	Windows
40	No Windows	41	Black Out Shade	42	Variable Intensity Lighting	43	Chalkboards	44	Whiteboards
45	Vertical Sliding Chalkboards	46	Vertical Sliding Whiteboards	47	2+ LCD Projectors	48	Symposium	49	Document Camera
50	Video Conferencing Set-Up	51	Laptop Required	52	Computer Provided	53	Computer Lab		

Building	Lab	Facility ID	Capacity	Room Characteristics							Notes		
		ML0185	45	30	34	35	39	43	52				
		ML0191	60	30	34	35	39	43	52				
Orton Hall										Building Number: 060			
		OR0110	70	32	34	35	39	43	52				
Page Hall										Building Number: 061			
		PA0010	90	33	34	35	37	39	41	42	43	49	52
		PA0020	90	33	34	35	37	39	41	42	43	49	52
		PA0060	48	30	34	35	39	41	43	52			
Phys Activ & Educ Srvs Bldg										Building Number: 245			
		PEA0103	30	32	35	39	43	52					
		PEA0105	30	32	35	39	43	52					
		PEA0109	36	32	35	39	43	52					
		PEA0111	34	32	35	39	43	52					
Psychology Building										Building Number: 144			
		PS0006	120	31	34	35	36	37	39	43	52	Formerly Psych. Room 002	
		PS0010	60	31	34	35	36	37	40	43	52		
		PS0014	60	31	34	35	36	37	40	43	52		
Ramseyer Hall										Building Number: 090			
		RA0009	50	30	34	35	36	39	43	47	52		
		RA0059	120	30	34	35	36	39	43	47	49	52	
		RA0100	79	33	34	35	36	37	39	43	48	52	
		RA0110	49	30	34	35	39	43	52				
		RA0115	49	30	34	35	39	43	52				
		RA0166	32	30	34	35	39	43	52				
Schoenbaum Hall										Building Number: 251			
		SB0105	250	31	34	35	36	37	40	42	44	46	52
		SB0200	50	30	34	35	36	39	42	44	46	52	
		SB0205	50	33	34	35	36	37	39	42	44	46	52
		SB0210	40	32	34	35	36	39	42	44	46	52	
		SB0215	50	33	34	35	36	37	39	42	44	46	52
		SB0220	70	33	34	35	36	37	39	42	44	46	52
		SB0230	70	33	34	35	36	37	39	42	44	46	52

Room Characteristics List

30	Moveable Tablet Arm Chairs	31	Stationary Tablet Arm Chairs	32	Moveable Tables/Chairs	33	Stationary Tables/Chairs	34	Instructor Table/Chair
35	Air Conditioned	36	Carpeted	37	Sloped/Tiered Floors	38	Elevated Stage	39	Windows
40	No Windows	41	Black Out Shade	42	Variable Intensity Lighting	43	Chalkboards	44	Whiteboards
45	Vertical Sliding Chalkboards	46	Vertical Sliding Whiteboards	47	2+ LCD Projectors	48	Symposium	49	Document Camera
50	Video Conferencing Set-Up	51	Laptop Required	52	Computer Provided	53	Computer Lab		

Building	Lab	Facility ID	Capacity	Room Characteristics	Notes
		SB0300	50	30 34 35 36 39 42 44 46 52	
		SB0305	50	33 34 35 36 37 39 42 44 46 52	
		SB0310	40	32 34 35 36 39 42 44 46 52	
		SB0315	50	33 34 35 36 37 39 42 44 46 52	
		SB0320	82	33 34 35 36 37 39 42 44 46 52	
		SB0330	82	33 34 35 36 37 39 42 44 46 52	

[Scott Lab](#) Building Number: 148

		SOE0001	154	31 34 35 36 37 40 42 43 52	
		SOE0004	85	33 34 35 37 40 42 43 52	
		SOE0024	85	33 34 35 37 40 42 43 52	
		SOE0040	85	33 34 35 37 40 42 43 52	
		SOE0103	24	32 34 35 40 42 43 52	
		SOE0105	30	32 34 35 40 42 43 52	
		SOE0125	72	33 34 35 37 40 42 43 52	
		SOE0241	22	32 34 35 40 43 52	
		SOE0245	24	32 34 35 39 43 52	
		SON0044	18	32 34 35 40 43 52	
		SON0048	50	33 34 35 37 40 42 43 52	
		SON0050	50	33 34 35 37 40 42 43 52	
		SON0054	50	33 34 35 37 40 42 43 52	
		SON0056	36	32 34 35 40 42 43 52	

[Smith Laboratory](#) Building Number: 065

		SM1005	100	31 34 35 37 40 45 47 52	
		SM1009	100	31 34 35 37 40 45 47 52	
		SM1042	30	32 34 35 39 43 44 52	
		SM1048	45	30 34 35 39 43 52	
		SM1064	30	32 34 35 39 43 52	
		SM1076	30	32 34 35 39 43 52	
		SM1138	40	30 34 35 39 43 52	
		SM1149	9	30 35 36 39 44 51	LearnLounge
		SM1150	11	32 35 36 39 44 51	
		SM1153	221	31 34 35 37 40 45 47 52	
		SM1180	34	32 34 35 36 39 43 52	

Room Characteristics List

- | | | | | |
|---------------------------------|---------------------------------|--------------------------------|-----------------------------|---------------------------|
| 30 Moveable Tablet Arm Chairs | 31 Stationary Tablet Arm Chairs | 32 Moveable Tables/Chairs | 33 Stationary Tables/Chairs | 34 Instructor Table/Chair |
| 35 Air Conditioned | 36 Carpeted | 37 Sloped/Tiered Floors | 38 Elevated Stage | 39 Windows |
| 40 No Windows | 41 Black Out Shade | 42 Variable Intensity Lighting | 43 Chalkboards | 44 Whiteboards |
| 45 Vertical Sliding Chalkboards | 46 Vertical Sliding Whiteboards | 47 2+ LCD Projectors | 48 Symposium | 49 Document Camera |
| 50 Video Conferencing Set-Up | 51 Laptop Required | 52 Computer Provided | 53 Computer Lab | |

Building	Lab	Facility ID	Capacity	Room Characteristics						Notes				
		SM1186	15	30	35	36	39	44	51	LearnLounge				
		SM2006	30	30	34	35	39	43	52					
		SM2144	36	32	34	35	39	43	52					
		SM2150	42	30	34	35	39	43	52					
		SM2180	35	30	34	35	39	43	52					
		SM2186	25	30	34	35	39	43	52					
		SM3082	30	32	34	35	39	43	52					
		SM3094	40	32	34	35	36	39	43		52			
Stillman Hall										Building Number: 084				
		SH0100	221	31	34	35	36	37	39	43	48	49	52	Pad Active Learning Classroom
		SH0131	30	30	34	35	39	43	52					
		SH0135	30	30	35	36	39	44	52					
		SH0235	65	30	34	35	36	39	44	52				
		SH0240	38	30	34	35	39	43	52					
		SH0245	49	30	34	35	39	43	52					
Sullivant Hall										Building Number: 106				
		SU0220	300	31	34	35	36	37	38	40	47	48	49	52
Townshend Hall										Building Number: 087				
		TO0247	60	30	34	35	39	43	52					
		TO0255	84	30	34	35	39	43	50	52				
University Hall										Building Number: 339				
		UH0014	159	31	34	35	36	37	40	43	52			
		UH0024	20	30	34	35	36	40	43	52				
		UH0028	20	30	34	35	36	40	43	52				
		UH0038	49	30	34	35	36	40	43	52				
		UH0043	35	30	34	35	36	40	43	52				
		UH0047	35	30	34	35	36	40	43	52				
		UH0051	35	30	34	35	36	40	43	52				
		UH0056	40	32	34	35	36	40	43	52				
		UH0066	20	30	34	35	36	40	43	52				
		UH0074	20	30	34	35	36	40	43	52				
		UH0082	49	30	34	35	36	40	43	52				
		UH0086	36	30	34	35	36	40	43	52				

Room Characteristics List

30	Moveable Tablet Arm Chairs	31	Stationary Tablet Arm Chairs	32	Moveable Tables/Chairs	33	Stationary Tables/Chairs	34	Instructor Table/Chair
35	Air Conditioned	36	Carpeted	37	Sloped/Tiered Floors	38	Elevated Stage	39	Windows
40	No Windows	41	Black Out Shade	42	Variable Intensity Lighting	43	Chalkboards	44	Whiteboards
45	Vertical Sliding Chalkboards	46	Vertical Sliding Whiteboards	47	2+ LCD Projectors	48	Symposium	49	Document Camera
50	Video Conferencing Set-Up	51	Laptop Required	52	Computer Provided	53	Computer Lab		

Building	Lab	Facility ID	Capacity	Room Characteristics						Notes	
		UH0090	35	30	34	35	36	40	43	52	
Watts Hall											Building Number: 107
		WA0379	24	32	34	35	36	40	43	52	
		WA0389	23	30	34	35	36	39	43	52	
		WA0395	57	30	34	35	36	39	43	52	

Room Characteristics List

30	Moveable Tablet Arm Chairs	31	Stationary Tablet Arm Chairs	32	Moveable Tables/Chairs	33	Stationary Tables/Chairs	34	Instructor Table/Chair
35	Air Conditioned	36	Carpeted	37	Sloped/Tiered Floors	38	Elevated Stage	39	Windows
40	No Windows	41	Black Out Shade	42	Variable Intensity Lighting	43	Chalkboards	44	Whiteboards
45	Vertical Sliding Chalkboards	46	Vertical Sliding Whiteboards	47	2+ LCD Projectors	48	Symposium	49	Document Camera
50	Video Conferencing Set-Up	51	Laptop Required	52	Computer Provided	53	Computer Lab		