



# Autumn 2021 General Assignment Rooms

Building	Lab	Facility ID	Capacity	Room Characteristics	Notes
<b><u>209 West Eighteenth Avenue</u></b>					Building Number: 004
		<a href="#">EA0160</a>	152	31 34 35 36 37 40 42 45 48 49 52	
		<a href="#">EA0170</a>	105	31 34 35 36 37 40 42 45 48 49 52	
<b><u>Agricultural Administration</u></b>					Building Number: 003
		<a href="#">AA0108</a>	49	32 34 35 36 39 41 43 52	
		<a href="#">AA0246</a>	49	30 34 35 36 39 41 44 49 52	
		<a href="#">AA0247</a>	30	32 34 35 36 39 41 44 49 52	
<b><u>Agricultural Engineering Bldg</u></b>					Building Number: 298
		<a href="#">AE0100</a>	71	33 34 35 36 37 40 42 43 48 49 52	
		<a href="#">AE0103</a>	48	32 34 35 36 40 42 43 49 52	
		<a href="#">AE0104</a>	53	32 34 35 36 40 42 43 49 52	
<b><u>Animal Science Building</u></b>					Building Number: 156
		<a href="#">AS0202</a>	49	30 34 35 39 43 52	
		<a href="#">AS0210</a>	49	30 34 35 39 43 47 49 50 52	
<b><u>Arps Hall</u></b>					Building Number: 011
		<a href="#">AP0012</a>	49	30 34 35 39 43 52	
		<a href="#">AP0386</a>	20	30 34 35 39 43 52	
		<a href="#">AP0388</a>	42	30 34 35 39 43 52	
<b><u>Baker Systems Engineering</u></b>					Building Number: 280
		<a href="#">BE0120</a>	74	33 34 35 36 37 40 42 43 49 52	
		<a href="#">BE0128</a>	20	30 34 35 36 39 43 52	
		<a href="#">BE0130</a>	32	30 34 35 36 40 43 49 52	
		<a href="#">BE0136</a>	40	30 34 35 36 39 43 47 49 52	
		<a href="#">BE0140</a>	40	30 34 35 36 39 43 47 49 52	
		<a href="#">BE0144</a>	53	30 34 35 36 40 43 47 49 52	

## Room Characteristics List

30	Moveable Tablet Arm Chairs	31	Stationary Tablet Arm Chairs	32	Moveable Tables/Chairs	33	Stationary Tables/Chairs	34	Instructor Table/Chair
35	Air Conditioned	36	Carpeted	37	Sloped/Tiered Floors	38	Elevated Stage	39	Windows
40	No Windows	41	Black Out Shade	42	Variable Intensity Lighting	43	Chalkboards	44	Whiteboards
45	Vertical Sliding Chalkboards	46	Vertical Sliding Whiteboards	47	2+ LCD Projectors	48	Symposium	49	Document Camera
50	Video Conferencing Set-Up	51	Laptop Required	52	Computer Provided	53	Computer Lab	54	Innovative Space

Building	Lab	Facility ID	Capacity	Room Characteristics						Notes			
		<a href="#">BE0148</a>	38	32	34	35	36	43	52				
		<a href="#">BE0180</a>	49	30	34	35	36	40	43	49	52		
		<a href="#">BE0184</a>	30	30	34	35	36	40	43	49	52		
		<a href="#">BE0188</a>	49	30	34	35	36	40	43	47	49	52	
		<a href="#">BE0198</a>	49	30	34	35	36	40	43	49	52		
		<a href="#">BE0260</a>	30	30	34	35	39	43	52				
		<a href="#">BE0272</a>	20	30	34	35	39	43	52				
Computer Lab		<a href="#">BE0285</a>	48	33	34	35	36	40	44	49	52	53	Computer Lab
		<a href="#">BE0394</a>	30	32	34	35	39	43	52				
<b><u>Biological Sciences Building</u></b>										Building Number: 276			
		<a href="#">BI0668</a>	38	30	34	35	39	43	49	52			
		<a href="#">BI0676</a>	35	30	34	35	39	43	49	52			
<b><u>Bolz Hall</u></b>										Building Number: 146			
		<a href="#">BO0116</a>	36	30	34	35	36	39	43	52			
		<a href="#">BO0118</a>	45	30	34	35	36	39	43	52			
		<a href="#">BO0120</a>	25	30	34	35	36	39	43	52			
		<a href="#">BO0124</a>	35	30	34	35	36	39	43	52			
		<a href="#">BO0128</a>	25	30	34	35	36	39	43	52			
		<a href="#">BO0311</a>	34	32	34	35	36	39	43	52			
		<a href="#">BO0313</a>	34	32	34	35	36	39	43	52			
		<a href="#">BO0314</a>	36	32	34	35	36	39	43	52			
		<a href="#">BO0316</a>	34	32	34	35	36	39	43	52			
		<a href="#">BO0317</a>	34	32	34	35	36	39	43	49	52		
		<a href="#">BO0318</a>	34	32	34	35	36	39	43	52			
<b><u>Caldwell Laboratory</u></b>										Building Number: 026			
		<a href="#">CL0102</a>	21	30	34	35	39	43	52				
		<a href="#">CL0109</a>	26	30	34	35	39	43	52				
		<a href="#">CL0115</a>	26	30	34	35	39	43	52				
		<a href="#">CL0119</a>	16	30	34	35	39	43	52				
		<a href="#">CL0120</a>	49	32	34	35	39	43	52				
		<a href="#">CL0133</a>	38	30	34	35	39	43	52				
		<a href="#">CL0135</a>	27	30	34	35	40	43	52				
		<a href="#">CL0137</a>	38	30	34	35	40	43	52				

## Room Characteristics List

30	Moveable Tablet Arm Chairs	31	Stationary Tablet Arm Chairs	32	Moveable Tables/Chairs	33	Stationary Tables/Chairs	34	Instructor Table/Chair
35	Air Conditioned	36	Carpeted	37	Sloped/Tiered Floors	38	Elevated Stage	39	Windows
40	No Windows	41	Black Out Shade	42	Variable Intensity Lighting	43	Chalkboards	44	Whiteboards
45	Vertical Sliding Chalkboards	46	Vertical Sliding Whiteboards	47	2+ LCD Projectors	48	Symposium	49	Document Camera
50	Video Conferencing Set-Up	51	Laptop Required	52	Computer Provided	53	Computer Lab	54	Innovative Space

Building	Lab	Facility ID	Capacity	Room Characteristics							Notes			
		<a href="#">CL0171</a>	34	30	34	35	39	43	52					
		<a href="#">CL0177</a>	41	30	34	35	39	43	52					
		<a href="#">CL0183</a>	15	30	34	35	39	43	52					
		<a href="#">CL0220</a>	40	32	34	35	36	39	43	52				
		<a href="#">CL0277</a>	30	32	34	35	36	39	43	52				
<b><u>Campbell Hall</u></b>										Building Number: 018				
		<a href="#">CM0100</a>	49	30	34	35	36	39	42	44	49	52	54	
		<a href="#">CM0119</a>	30	30	34	35	36	39	44	52				
		<a href="#">CM0200</a>	221	31	34	35	36	37	38	40	43	52		
		<a href="#">CM0209</a>	49	30	34	35	36	39	43	52				
		<a href="#">CM0213</a>	40	30	34	35	36	39	43	52				
		<a href="#">CM0243</a>	35	30	34	35	39	43	52					
		<a href="#">CM0251</a>	42	32	34	35	39	43	52					
		<a href="#">CM0271</a>	30	30	34	35	36	39	43	52				
		<a href="#">CM0309</a>	49	30	34	35	36	39	43	52				
		<a href="#">CM0335</a>	49	30	34	35	36	39	43	52				
<b><u>Chem &amp; Biomolecular Eng &amp; Chem</u></b>										Building Number: 248				
		<a href="#">CB0130</a>	88	33	34	35	36	37	40	42	45	48	49	52
<b><u>Cockins Hall</u></b>										Building Number: 063				
		<a href="#">CH0218</a>	47	30	34	35	39	43	49	52				
		<a href="#">CH0228</a>	24	32	34	35	39	43	52					
		<a href="#">CH0232</a>	40	32	34	35	39	43	52					
		<a href="#">CH0312</a>	49	30	34	35	39	43	49	52				
<b><u>Cunz Hall</u></b>										Building Number: 293				
		<a href="#">CZ0140</a>	49	32	34	35	36	40	44	47	48	49	52	
		<a href="#">CZ0150</a>	60	32	34	35	36	39	44	47	48	49	52	
		<a href="#">CZ0160</a>	42	32	34	35	36	40	44	48	52			
		<a href="#">CZ0180</a>	30	32	34	35	36	40	44	47	48	49	52	
<b><u>Denney Hall</u></b>										Building Number: 030				
		<a href="#">DE0202</a>	24	30	34	35	36	39	43	52				
		<a href="#">DE0206</a>	40	30	34	35	36	39	43	52				
		<a href="#">DE0207</a>	24	32	34	35	36	39	43	52				
		<a href="#">DE0209</a>	24	30	34	35	36	39	43	52				

## Room Characteristics List

30	Moveable Tablet Arm Chairs	31	Stationary Tablet Arm Chairs	32	Moveable Tables/Chairs	33	Stationary Tables/Chairs	34	Instructor Table/Chair
35	Air Conditioned	36	Carpeted	37	Sloped/Tiered Floors	38	Elevated Stage	39	Windows
40	No Windows	41	Black Out Shade	42	Variable Intensity Lighting	43	Chalkboards	44	Whiteboards
45	Vertical Sliding Chalkboards	46	Vertical Sliding Whiteboards	47	2+ LCD Projectors	48	Symposium	49	Document Camera
50	Video Conferencing Set-Up	51	Laptop Required	52	Computer Provided	53	Computer Lab	54	Innovative Space

Building	Lab	Facility ID	Capacity	Room Characteristics	Notes
		<a href="#">DE0213</a>	24	32 34 35 36 39 43 52	
		<a href="#">DE0214</a>	49	30 34 35 36 39 43 49 52	
		<a href="#">DE0238</a>	49	30 34 35 36 39 43 52	
		<a href="#">DE0245</a>	24	32 34 35 36 39 42 43 52	
		<a href="#">DE0250</a>	45	30 34 35 36 39 43 49 52	
		<a href="#">DE0253</a>	49	30 34 35 36 39 43 52	
		<a href="#">DE0262</a>	24	32 34 35 36 39 43 52	
		<a href="#">DE0265</a>	24	32 34 35 36 39 43 52	
		<a href="#">DE0268</a>	24	30 34 35 36 39 43 52	

**Derby Hall** Building Number: 025

<a href="#">DB0024</a>	22	30 34 35 39 43 52
<a href="#">DB0029</a>	42	32 34 35 36 40 44 47 52 54
<a href="#">DB0030</a>	28	30 34 35 39 43 52
<a href="#">DB0047</a>	11	32 35 40 43 52
<a href="#">DB0048</a>	30	32 34 35 39 43 52
<a href="#">DB0049</a>	28	32 34 35 40 43 52
<a href="#">DB0060</a>	18	30 34 35 39 43 52
<a href="#">DB0062</a>	22	30 34 35 39 43 52
<a href="#">DB0080</a>	49	32 34 35 39 43 49 52

**Dreese Laboratories** Building Number: 279

<a href="#">DL0113</a>	135	33 34 35 37 38 40 42 45 48 49 52
<a href="#">DL0264</a>	40	32 34 35 36 40 43 52
<a href="#">DL0266</a>	40	32 34 35 36 40 43 52
<a href="#">DL0305</a>	42	32 34 35 36 39 43 52
<a href="#">DL0317</a>	36	32 34 35 36 40 43 52
<a href="#">DL0357</a>	46	32 34 35 36 40 43 52
<a href="#">DL0369</a>	44	32 34 35 36 39 43 52

**Dulles Hall** Building Number: 337

<a href="#">DU0012</a>	25	30 34 35 36 40 43 52
<a href="#">DU0016</a>	20	30 34 35 36 40 43 52
<a href="#">DU0020</a>	22	30 34 35 36 40 43 52
<a href="#">DU0024</a>	20	30 34 35 36 40 43 52
<a href="#">DU0027</a>	24	30 34 35 36 40 43 52

## Room Characteristics List

30	Moveable Tablet Arm Chairs	31	Stationary Tablet Arm Chairs	32	Moveable Tables/Chairs	33	Stationary Tables/Chairs	34	Instructor Table/Chair
35	Air Conditioned	36	Carpeted	37	Sloped/Tiered Floors	38	Elevated Stage	39	Windows
40	No Windows	41	Black Out Shade	42	Variable Intensity Lighting	43	Chalkboards	44	Whiteboards
45	Vertical Sliding Chalkboards	46	Vertical Sliding Whiteboards	47	2+ LCD Projectors	48	Symposium	49	Document Camera
50	Video Conferencing Set-Up	51	Laptop Required	52	Computer Provided	53	Computer Lab	54	Innovative Space

Building	Lab	Facility ID	Capacity	Room Characteristics											Notes		
<a href="#">Enarson Classroom Building</a>													Building Number: 072				
		<a href="#">EC0014</a>	30	32	34	35	36	40	42	44	49	52	54				
		<a href="#">EC0015</a>	26	30	34	35	36	40	42	44	49	52					
		<a href="#">EC0017</a>	26	30	34	35	36	40	42	44	52						
		<a href="#">EC0018</a>	36	32	34	35	36	40	42	44	49	52	54				
		<a href="#">EC0202</a>	25	30	34	35	39	43	52								
		<a href="#">EC0204</a>	24	30	34	35	39	43	49	52							
		<a href="#">EC0206</a>	25	30	34	35	39	43	52								
		<a href="#">EC0209</a>	29	30	34	35	40	43	48	52							
		<a href="#">EC0211</a>	29	30	34	35	40	44	52								
		<a href="#">EC0212</a>	24	30	34	35	39	43	52								
		<a href="#">EC0214</a>	25	30	34	35	39	43	49	52							
		<a href="#">EC0218</a>	25	30	34	35	39	43	52								
		<a href="#">EC0222</a>	34	30	34	35	39	43	52								
		<a href="#">EC0226</a>	32	30	34	35	39	43	52								
		<a href="#">EC0230</a>	30	30	34	35	39	43	52								
		<a href="#">EC0238</a>	22	30	34	35	39	43	49	52							
		<a href="#">EC0240</a>	25	30	34	35	39	43	52								
		<a href="#">EC0243</a>	30	30	34	35	40	43	49	50	52						
		<a href="#">EC0245</a>	30	30	34	35	40	43	49	50	52						
		<a href="#">EC0246</a>	25	30	34	35	39	43	52								
		<a href="#">EC0248</a>	22	30	34	35	39	43	52								
		<a href="#">EC0254</a>	30	30	34	35	39	43	52								
		<a href="#">EC0258</a>	32	30	34	35	39	43	52								
		<a href="#">EC0304</a>	24	30	34	35	39	43	52								
		<a href="#">EC0306</a>	23	30	34	35	39	43	52								
		<a href="#">EC0311</a>	54	32	34	35	36	40	44	48	54						
		<a href="#">EC0312</a>	25	30	34	35	39	43	52								
		<a href="#">EC0314</a>	23	30	34	35	39	43	52								
		<a href="#">EC0318</a>	23	30	34	35	39	43	52								
		<a href="#">EC0322</a>	34	30	34	35	39	43	52								
		<a href="#">EC0326</a>	32	30	34	35	39	43	52								
		<a href="#">EC0330</a>	30	30	34	35	39	43	49	52							
		<a href="#">EC0338</a>	14	33	35	39	44	52							Conference Style Classroom		

## Room Characteristics List

30	Moveable Tablet Arm Chairs	31	Stationary Tablet Arm Chairs	32	Moveable Tables/Chairs	33	Stationary Tables/Chairs	34	Instructor Table/Chair
35	Air Conditioned	36	Carpeted	37	Sloped/Tiered Floors	38	Elevated Stage	39	Windows
40	No Windows	41	Black Out Shade	42	Variable Intensity Lighting	43	Chalkboards	44	Whiteboards
45	Vertical Sliding Chalkboards	46	Vertical Sliding Whiteboards	47	2+ LCD Projectors	48	Symposium	49	Document Camera
50	Video Conferencing Set-Up	51	Laptop Required	52	Computer Provided	53	Computer Lab	54	Innovative Space

Building	Lab	Facility ID	Capacity	Room Characteristics							Notes		
		<a href="#">EC0340</a>	25	30	34	35	39	43	52				
		<a href="#">EC0346</a>	25	30	34	35	39	43	52				
		<a href="#">EC0348</a>	14	33	35	39	44	52		Conference Style Classroom			
		<a href="#">EC0354</a>	30	30	34	35	39	43	52				
		<a href="#">EC0358</a>	32	30	34	35	39	43	52				
<b>Evans Laboratory</b>										Building Number: 150			
		<a href="#">EL1008</a>	170	31	34	35	36	37	40	45	47	52	
		<a href="#">EL2001</a>	35	30	34	35	40	43	52				
		<a href="#">EL2002</a>	32	32	34	35	39	43	52				
		<a href="#">EL2003</a>	35	30	34	35	40	43	52				
		<a href="#">EL2004</a>	55	30	34	35	36	39	43	52			
<b>Fontana Laboratories</b>										Building Number: 1018			
		<a href="#">FL1000</a>	113	33	34	35	44	52					
		<a href="#">FL2020</a>	60	32	34	35	44	52					
		<a href="#">FL2040</a>	60	32	34	35	44	52					
		<a href="#">FL2100</a>	30	32	34	35	44	52					
		<a href="#">FL2110</a>	30	32	34	35	44	52					
<b>Hagerty Hall</b>										Building Number: 037			
		<a href="#">HH0042</a>	35	30	34	35	39	42	43	49	52		
		<a href="#">HH0045</a>	20	30	34	35	40	42	43	49	52		
		<a href="#">HH0046</a>	36	30	34	35	39	42	43	49	52		
		<a href="#">HH0050</a>	40	30	34	35	39	42	43	49	52		
		<a href="#">HH0056</a>	35	30	34	35	39	42	43	49	52		
		<a href="#">HH0062</a>	35	30	34	35	39	42	43	49	52		
		<a href="#">HH0071</a>	20	30	34	35	40	42	43	49	52		
		<a href="#">HH0159</a>	30	30	34	35	36	40	43	52			
		<a href="#">HH0180</a>	182	31	34	35	36	37	40	45	46	49	52
		<a href="#">HH0186</a>	32	33	34	35	36	39	44	50	52		
		<a href="#">HH0251</a>	32	30	34	35	40	42	43	49	52		
		<a href="#">HH0259</a>	32	30	34	35	40	42	43	49	52		
		<a href="#">HH0351</a>	32	30	34	35	40	42	43	49	52		
		<a href="#">HH0359</a>	32	30	34	35	40	42	43	49	52		
<b>Hayes Hall</b>										Building Number: 039			

## Room Characteristics List

30	Moveable Tablet Arm Chairs	31	Stationary Tablet Arm Chairs	32	Moveable Tables/Chairs	33	Stationary Tables/Chairs	34	Instructor Table/Chair
35	Air Conditioned	36	Carpeted	37	Sloped/Tiered Floors	38	Elevated Stage	39	Windows
40	No Windows	41	Black Out Shade	42	Variable Intensity Lighting	43	Chalkboards	44	Whiteboards
45	Vertical Sliding Chalkboards	46	Vertical Sliding Whiteboards	47	2+ LCD Projectors	48	Symposium	49	Document Camera
50	Video Conferencing Set-Up	51	Laptop Required	52	Computer Provided	53	Computer Lab	54	Innovative Space

Building	Lab	Facility ID	Capacity	Room Characteristics							Notes			
		<a href="#">HA0005</a>	40	30	34	35	39	43	52					
		<a href="#">HA0006</a>	40	30	34	35	39	43	52					
		<a href="#">HA0012</a>	24	30	34	35	39	43	52					
		<a href="#">HA0024</a>	42	30	34	35	39	43	52					
		<a href="#">HA0025</a>	42	30	34	35	39	43	52					
<b><a href="#">Hitchcock Hall</a></b>										Building Number: 274				
		<a href="#">HI0030</a>	37	30	34	35	40	43	52					
		<a href="#">HI0031</a>	89	31	34	35	37	40	42	43	49	52		
		<a href="#">HI0035</a>	89	31	34	35	37	40	42	43	49	52		
		<a href="#">HI0131</a>	480	31	34	35	36	37	38	40	42	48	49	52
		<a href="#">HI0306</a>	48	32	34	35	36	40	43	47	52			
		<a href="#">HI0324</a>	95	32	34	35	36	40	43	47	52			
<b><a href="#">Hopkins Hall</a></b>										Building Number: 149				
		<a href="#">HC0246</a>	46	30	34	35	39	42	43	52				
		<a href="#">HC0250</a>	53	30	34	35	36	39	42	43	52			
<b><a href="#">Independence Hall</a></b>										Building Number: 338				
		<a href="#">IH0100</a>	545	31	34	35	37	38	40	42	48	49	52	
<b><a href="#">Jennings Hall</a></b>										Building Number: 014				
		<a href="#">JE0001</a>	188	31	34	35	36	37	39	42	43	49	52	
		<a href="#">JE0040</a>	49	32	34	35	39	43	48	52				
		<a href="#">JE0050</a>	35	30	34	35	36	39	44	52				
		<a href="#">JE0060</a>	49	32	34	35	39	43	49	52				
		<a href="#">JE0136</a>	35	30	34	35	39	43	49	52				
		<a href="#">JE0140</a>	40	32	34	35	39	43	49	52				
		<a href="#">JE0155</a>	113	31	34	35	36	37	40	42	43	49	52	
		<a href="#">JE0160</a>	40	32	34	35	39	43	49	52				
		<a href="#">JE0164</a>	35	30	34	35	39	43	49	52				
<b><a href="#">Journalism Building</a></b>										Building Number: 046				
		<a href="#">JR0139</a>	30	30	34	35	40	43	52					
		<a href="#">JR0143</a>	28	32	34	35	40	43	52					
		<a href="#">JR0221</a>	26	30	34	35	40	43	52					
		<a href="#">JR0239</a>	49	30	34	35	40	43	52					
		<a href="#">JR0251</a>	68	30	34	35	39	43	47	52				

## Room Characteristics List

30	Moveable Tablet Arm Chairs	31	Stationary Tablet Arm Chairs	32	Moveable Tables/Chairs	33	Stationary Tables/Chairs	34	Instructor Table/Chair
35	Air Conditioned	36	Carpeted	37	Sloped/Tiered Floors	38	Elevated Stage	39	Windows
40	No Windows	41	Black Out Shade	42	Variable Intensity Lighting	43	Chalkboards	44	Whiteboards
45	Vertical Sliding Chalkboards	46	Vertical Sliding Whiteboards	47	2+ LCD Projectors	48	Symposium	49	Document Camera
50	Video Conferencing Set-Up	51	Laptop Required	52	Computer Provided	53	Computer Lab	54	Innovative Space

Building	Lab	Facility ID	Capacity	Room Characteristics										Notes		
		<a href="#">JR0270</a>	54	30	34	35	36	40	43	47	48	52				
		<a href="#">JR0274</a>	35	30	34	35	36	40	44	52						
		<a href="#">JR0291</a>	17	32	34	35	39	44	52							
		<a href="#">JR0295</a>	18	32	34	35	39	43	52							
		<a href="#">JR0300</a>	86	31	34	35	36	37	40	43	48	52				
		<a href="#">JR0304</a>	39	30	34	35	40	43	52							
		<a href="#">JR0353</a>	30	32	34	35	36	39	43	52						
		<a href="#">JR0371</a>	49	30	34	35	36	40	43	52						
		<a href="#">JR0375</a>	40	30	34	35	40	43	52							
		<a href="#">JR0387</a>	18	32	34	35	39	43	52							
<b><u>Knowlton Hall</u></b>													Building Number: 017			
		<a href="#">KN0190</a>	49	30	34	35	36	39	41	43	49	52				
		<a href="#">KN0195</a>	48	30	34	35	36	39	41	43	49	52				
		<a href="#">KN0250</a>	160	31	34	35	37	39	41	42	43	48	49	52		
<b><u>Kottman Hall</u></b>													Building Number: 340			
		<a href="#">KH0102</a>	48	33	34	35	36	37	40	43	49	52				
		<a href="#">KH0103</a>	204	31	34	35	36	37	40	43	47	48	49	50	52	
		<a href="#">KH0104</a>	53	31	34	35	36	37	40	43	49	52				
		<a href="#">KH0116</a>	30	30	34	35	36	39	41	43	49	52				
<b><u>Lazenby Hall</u></b>													Building Number: 041			
		<a href="#">LZ0001</a>	28	30	34	35	39	43	52							
		<a href="#">LZ0002</a>	49	30	34	35	39	43	52							
		<a href="#">LZ0018</a>	14	32	34	35	39	43	52							
		<a href="#">LZ0021</a>	149	31	34	35	36	37	39	43	47	48	49	52		
		<a href="#">LZ0034</a>	49	30	34	35	39	43	52							
<b><u>Macquigg Laboratory</u></b>													Building Number: 265			
		<a href="#">MQ0155</a>	25	30	34	35	39	43	52							
		<a href="#">MQ0159</a>	40	30	34	35	39	43	52							
		<a href="#">MQ0160</a>	49	30	34	35	36	39	43	52						
		<a href="#">MQ0161</a>	34	32	34	35	39	43	52							
		<a href="#">MQ0162</a>	42	30	34	35	39	43	52							
		<a href="#">MQ0264</a>	116	31	34	35	36	37	39	43	52					
<b><u>McPherson Chemical Lab</u></b>													Building Number: 053			

## Room Characteristics List

30	Moveable Tablet Arm Chairs	31	Stationary Tablet Arm Chairs	32	Moveable Tables/Chairs	33	Stationary Tables/Chairs	34	Instructor Table/Chair
35	Air Conditioned	36	Carpeted	37	Sloped/Tiered Floors	38	Elevated Stage	39	Windows
40	No Windows	41	Black Out Shade	42	Variable Intensity Lighting	43	Chalkboards	44	Whiteboards
45	Vertical Sliding Chalkboards	46	Vertical Sliding Whiteboards	47	2+ LCD Projectors	48	Symposium	49	Document Camera
50	Video Conferencing Set-Up	51	Laptop Required	52	Computer Provided	53	Computer Lab	54	Innovative Space



Building	Lab	Facility ID	Capacity	Room Characteristics										Notes	
		<a href="#">MP1000</a>	285	31	34	35	37	40	45	47	49	52			
		<a href="#">MP1005</a>	30	30	34	35	39	43	49	52					
		<a href="#">MP1008</a>	35	30	34	35	39	43	49	52					
		<a href="#">MP1015</a>	75	31	34	35	37	40	45	48	52				
		<a href="#">MP1021</a>	40	30	34	35	39	43	49	52					
		<a href="#">MP1035</a>	46	30	34	35	39	43	49	52					
		<a href="#">MP1040</a>	42	30	34	35	39	43	49	52					
		<a href="#">MP1041</a>	45	30	34	35	39	43	49	52					
		<a href="#">MP1045</a>	39	30	34	35	39	43	49	52					
		<a href="#">MP1046</a>	42	30	34	35	39	43	49	52					
		<a href="#">MP2015</a>	48	32	34	35	36	39	42	44	52				
		<a href="#">MP2017</a>	49	30	34	35	36	39	44	52					
		<a href="#">MP2019</a>	49	30	34	35	36	39	44	52					
<b><u>Mendenhall Laboratory</u></b>												Building Number: 054			
		<a href="#">ML0100</a>	166	31	34	35	36	37	40	45	47	48	49	52	
		<a href="#">ML0115</a>	49	30	34	35	39	43	48	49	52				
		<a href="#">ML0125</a>	45	30	34	35	39	43	52						
		<a href="#">ML0129</a>	42	30	34	35	39	43	52						
		<a href="#">ML0131</a>	42	30	34	35	39	43	52						
		<a href="#">ML0173</a>	42	30	34	35	39	43	52						
		<a href="#">ML0174</a>	36	30	34	35	40	43	52						
		<a href="#">ML0175</a>	42	30	34	35	39	43	52						
		<a href="#">ML0185</a>	45	30	34	35	39	43	52						
		<a href="#">ML0191</a>	49	30	34	35	39	43	52						
<b><u>Orton Hall</u></b>												Building Number: 060			
		<a href="#">OR0110</a>	53	32	34	35	39	43	52						
<b><u>Page Hall</u></b>												Building Number: 061			
		<a href="#">PA0010</a>	68	33	34	35	37	39	41	42	43	49	52		
		<a href="#">PA0020</a>	68	33	34	35	37	39	41	42	43	49	52		
		<a href="#">PA0060</a>	48	30	34	35	39	41	43	49	52				
<b><u>Phys Activ &amp; Educ Srvs Bldg</u></b>												Building Number: 245			
		<a href="#">PEA0103</a>	30	32	34	35	39	43	52						
		<a href="#">PEA0105</a>	30	32	34	35	39	43	52						

## Room Characteristics List

30	Moveable Tablet Arm Chairs	31	Stationary Tablet Arm Chairs	32	Moveable Tables/Chairs	33	Stationary Tables/Chairs	34	Instructor Table/Chair
35	Air Conditioned	36	Carpeted	37	Sloped/Tiered Floors	38	Elevated Stage	39	Windows
40	No Windows	41	Black Out Shade	42	Variable Intensity Lighting	43	Chalkboards	44	Whiteboards
45	Vertical Sliding Chalkboards	46	Vertical Sliding Whiteboards	47	2+ LCD Projectors	48	Symposium	49	Document Camera
50	Video Conferencing Set-Up	51	Laptop Required	52	Computer Provided	53	Computer Lab	54	Innovative Space

Building	Lab	Facility ID	Capacity	Room Characteristics						Notes			
		<a href="#">PEA0109</a>	36	32	34	35	39	43	52				
		<a href="#">PEA0111</a>	34	32	34	35	39	43	52				
<b><u>Pomerene Hall</u></b> <span style="float: right;">Building Number: 067</span>													
		<a href="#">PO0150</a>	49	33	34	35	36	37	40	44	52		
		<a href="#">PO0160</a>	120	31	34	35	36	37	39	44	52		
		<a href="#">PO0250</a>	49	33	34	35	36	37	40	44	52		
		<a href="#">PO0260</a>	79	33	34	35	36	37	39	44	52		
		<a href="#">PO0280</a>	63	32	34	35	39	44	52	54			
<b><u>Psychology Building</u></b> <span style="float: right;">Building Number: 144</span>													
		<a href="#">PS0006</a>	90	31	34	35	36	37	39	43	49	52	
		<a href="#">PS0010</a>	49	31	34	35	36	37	40	43	49	52	
		<a href="#">PS0014</a>	49	31	34	35	36	37	40	43	49	52	
<b><u>Ramseyer Hall</u></b> <span style="float: right;">Building Number: 090</span>													
		<a href="#">RA0009</a>	49	30	34	35	36	39	43	47	52		
		<a href="#">RA0059</a>	90	30	34	35	36	39	43	47	49	52	
		<a href="#">RA0100</a>	59	33	34	35	36	37	39	43	48	52	
		<a href="#">RA0110</a>	49	30	34	35	39	43	52				
		<a href="#">RA0115</a>	49	30	34	35	39	43	52				
		<a href="#">RA0166</a>	32	30	34	35	39	43	49	52			
<b><u>Schoenbaum Hall</u></b> <span style="float: right;">Building Number: 251</span>													
		<a href="#">SB0105</a>	201	31	34	35	36	37	40	42	44	46	52
		<a href="#">SB0200</a>	49	30	34	35	36	39	42	44	46	52	
		<a href="#">SB0205</a>	49	33	34	35	36	37	39	42	44	46	52
		<a href="#">SB0210</a>	40	32	34	35	36	39	42	44	46	52	
		<a href="#">SB0215</a>	49	33	34	35	36	37	39	42	44	46	52
		<a href="#">SB0220</a>	53	33	34	35	36	37	39	42	44	46	52
		<a href="#">SB0230</a>	53	33	34	35	36	37	39	42	44	46	52
		<a href="#">SB0300</a>	49	30	34	35	36	39	42	44	46	52	
		<a href="#">SB0305</a>	49	33	34	35	36	37	39	42	44	46	52
		<a href="#">SB0310</a>	40	32	34	35	36	39	42	44	46	52	
		<a href="#">SB0315</a>	49	33	34	35	36	37	39	42	44	46	52
		<a href="#">SB0320</a>	62	33	34	35	36	37	39	42	44	46	52
		<a href="#">SB0330</a>	62	33	34	35	36	37	39	42	44	46	52

## Room Characteristics List

30	Moveable Tablet Arm Chairs	31	Stationary Tablet Arm Chairs	32	Moveable Tables/Chairs	33	Stationary Tables/Chairs	34	Instructor Table/Chair
35	Air Conditioned	36	Carpeted	37	Sloped/Tiered Floors	38	Elevated Stage	39	Windows
40	No Windows	41	Black Out Shade	42	Variable Intensity Lighting	43	Chalkboards	44	Whiteboards
45	Vertical Sliding Chalkboards	46	Vertical Sliding Whiteboards	47	2+ LCD Projectors	48	Symposium	49	Document Camera
50	Video Conferencing Set-Up	51	Laptop Required	52	Computer Provided	53	Computer Lab	54	Innovative Space

Building	Lab	Facility ID	Capacity	Room Characteristics										Notes			
<b>Scott Lab</b>												Building Number: 148					
		<a href="#">SOE0001</a>	116	31	34	35	36	37	40	42	43	49	52				
		<a href="#">SOE0004</a>	64	33	34	35	37	40	42	43	49	52					
		<a href="#">SOE0024</a>	64	33	34	35	37	40	42	43	49	52					
		<a href="#">SOE0040</a>	64	33	34	35	37	40	42	43	49	52					
		<a href="#">SOE0103</a>	30	32	34	35	40	42	43	49	52						
		<a href="#">SOE0105</a>	30	32	34	35	40	42	43	49	52						
		<a href="#">SOE0125</a>	54	33	34	35	37	40	42	43	52						
		<a href="#">SOE0241</a>	28	32	34	35	40	43	49	52							
		<a href="#">SOE0245</a>	30	32	34	35	39	43	49	52							
		<a href="#">SON0044</a>	20	32	34	35	40	43	49	52							
		<a href="#">SON0048</a>	49	33	34	35	37	40	42	43	49	52					
		<a href="#">SON0050</a>	49	33	34	35	37	40	42	43	49	52					
		<a href="#">SON0054</a>	49	33	34	35	37	40	42	43	49	52					
		<a href="#">SON0056</a>	36	32	34	35	40	42	43	49	52						
<b>Smith Laboratory</b>												Building Number: 065					
		<a href="#">SM1005</a>	75	31	34	35	37	40	45	47	52						
		<a href="#">SM1009</a>	75	31	34	35	37	40	45	47	52						
		<a href="#">SM1042</a>	28	32	34	35	39	43	44	52							
		<a href="#">SM1048</a>	40	30	34	35	39	43	52								
		<a href="#">SM1064</a>	30	32	34	35	39	43	52								
		<a href="#">SM1076</a>	30	32	34	35	39	43	52								
		<a href="#">SM1138</a>	35	30	34	35	39	43	52								
		<a href="#">SM1153</a>	166	31	34	35	37	40	45	47	52						
		<a href="#">SM1180</a>	30	32	34	35	36	39	43	52							
		<a href="#">SM2006</a>	30	30	34	35	39	43	52								
		<a href="#">SM2144</a>	32	32	34	35	39	43	52								
		<a href="#">SM2150</a>	35	30	34	35	39	43	52								
		<a href="#">SM2180</a>	28	30	34	35	39	43	52								
		<a href="#">SM2186</a>	20	30	34	35	39	43	52								
<b>Stillman Hall</b>												Building Number: 084					
		<a href="#">SH0100</a>	166	31	34	35	36	37	39	43	48	49	52				
		<a href="#">SH0131</a>	30	30	34	35	39	43	52								

## Room Characteristics List

30	Moveable Tablet Arm Chairs	31	Stationary Tablet Arm Chairs	32	Moveable Tables/Chairs	33	Stationary Tables/Chairs	34	Instructor Table/Chair
35	Air Conditioned	36	Carpeted	37	Sloped/Tiered Floors	38	Elevated Stage	39	Windows
40	No Windows	41	Black Out Shade	42	Variable Intensity Lighting	43	Chalkboards	44	Whiteboards
45	Vertical Sliding Chalkboards	46	Vertical Sliding Whiteboards	47	2+ LCD Projectors	48	Symposium	49	Document Camera
50	Video Conferencing Set-Up	51	Laptop Required	52	Computer Provided	53	Computer Lab	54	Innovative Space

Building	Lab	Facility ID	Capacity	Room Characteristics							Notes				
		<a href="#">SH0135</a>	30	30	34	35	36	39	44	52	54				
		<a href="#">SH0235</a>	49	30	34	35	36	39	44	52					
		<a href="#">SH0240</a>	32	30	34	35	39	43	52						
		<a href="#">SH0245</a>	36	30	34	35	39	43	52						
<b><a href="#">Sullivant Hall</a></b>												Building Number: 106			
		<a href="#">SU0220</a>	225	31	34	35	36	37	38	40	43	47	48	49	52
<b><a href="#">Townshend Hall</a></b>												Building Number: 087			
		<a href="#">TO0247</a>	49	30	34	35	36	39	43	49	52				
		<a href="#">TO0255</a>	63	30	34	35	36	39	43	49	52				
<b><a href="#">University Hall</a></b>												Building Number: 339			
		<a href="#">UH0014</a>	119	31	34	35	36	37	40	43	52				
		<a href="#">UH0024</a>	20	30	34	35	36	40	43	52					
		<a href="#">UH0028</a>	20	30	34	35	36	40	43	52					
		<a href="#">UH0038</a>	49	30	34	35	36	40	43	52					
		<a href="#">UH0043</a>	35	30	34	35	36	40	43	52					
		<a href="#">UH0047</a>	35	30	34	35	36	40	43	52					
		<a href="#">UH0051</a>	35	30	34	35	36	40	43	52					
		<a href="#">UH0056</a>	40	32	34	35	36	40	43	52					
		<a href="#">UH0066</a>	20	30	34	35	36	40	43	52					
		<a href="#">UH0074</a>	20	30	34	35	36	40	43	52					
		<a href="#">UH0082</a>	42	30	34	35	36	40	43	52					
		<a href="#">UH0086</a>	36	30	34	35	36	40	43	52					
		<a href="#">UH0090</a>	35	30	34	35	36	40	43	52					

## Room Characteristics List

30	Moveable Tablet Arm Chairs	31	Stationary Tablet Arm Chairs	32	Moveable Tables/Chairs	33	Stationary Tables/Chairs	34	Instructor Table/Chair
35	Air Conditioned	36	Carpeted	37	Sloped/Tiered Floors	38	Elevated Stage	39	Windows
40	No Windows	41	Black Out Shade	42	Variable Intensity Lighting	43	Chalkboards	44	Whiteboards
45	Vertical Sliding Chalkboards	46	Vertical Sliding Whiteboards	47	2+ LCD Projectors	48	Symposium	49	Document Camera
50	Video Conferencing Set-Up	51	Laptop Required	52	Computer Provided	53	Computer Lab	54	Innovative Space