

Autumn 2022

General Assignment Rooms

Building	Lab	Facility ID	Capacity	Room Characteristics										Notes	
<u>209 West Eighteenth Avenue</u>													Building Number: 004		
		EA0160	203	31	34	35	36	37	40	42	45	48	49	52	
		EA0170	140	31	34	35	36	37	40	42	45	48	49	52	
<u>Agricultural Administration</u>													Building Number: 003		
		AA0108	56	32	34	35	36	39	41	43		52			
		AA0246	49	30	34	35	36	39	41	44	49	52			
		AA0247	30	32	34	35	36	39	41	44	49	52			
<u>Agricultural Engineering Bldg</u>													Building Number: 298		
		AE0100	94	33	34	35	36	37	40	42	43	48	49	52	
		AE0103	48	32	34	35	36	40	42	43	49	52			
		AE0104	70	32	34	35	36	40	42	43	49	52			
<u>Animal Science Building</u>													Building Number: 156		
		AS0202	49	30	34	35	39	43		52					
		AS0210	50	30	34	35	39	43	47	49	50	52			
<u>Arps Hall</u>													Building Number: 011		
		AP0012	63	30	34	35	39	43		52					
		AP0386	20	30	34	35	39	43		52					
		AP0388	42	30	34	35	39	43		52					
<u>Baker Systems Engineering</u>													Building Number: 280		
		BE0120	98	33	34	35	36	37	40	42	43	49	52		
		BE0128	20	30	34	35	36	39	43		52				
		BE0130	32	30	34	35	36	40	43	49	52				
		BE0136	40	30	34	35	36	39	43	47	49	52			
		BE0140	40	30	34	35	36	39	43	47	49	52			
		BE0144	70	30	34	35	36	40	43	47	49	52			

Room Characteristics List

30	Moveable Tablet Arm Chairs	31	Stationary Tablet Arm Chairs	32	Moveable Tables/Chairs	33	Stationary Tables/Chairs	34	Instructor Table/Chair
35	Air Conditioned	36	Carpeted	37	Sloped/Tiered Floors	38	Elevated Stage	39	Windows
40	No Windows	41	Black Out Shade	42	Variable Intensity Lighting	43	Chalkboards	44	Whiteboards
45	Vertical Sliding Chalkboards	46	Vertical Sliding Whiteboards	47	2+ LCD Projectors	48	Symposium	49	Document Camera
50	Video Conferencing Set-Up	51	Laptop Required	52	Computer Provided	53	Computer Lab	54	Innovative Space

Building	Lab	Facility ID	Capacity	Room Characteristics						Notes			
		BE0148	38	32	34	35	36	43	52				
		BE0180	49	30	34	35	36	40	43	49	52		
		BE0184	30	30	34	35	36	40	43	49	52		
		BE0188	56	30	34	35	36	40	43	47	49	52	
		BE0198	49	30	34	35	36	40	43	49	52		
		BE0260	30	30	34	35	39	43	52				
		BE0272	20	30	34	35	39	43	52				
Computer Lab		BE0285	48	33	34	35	36	40	44	49	52	53	Computer Lab
		BE0394	30	32	34	35	39	43	52				

[Biological Sciences Building](#) Building Number: 276

		BI0668	38	30	34	35	39	43	49	52
		BI0676	35	30	34	35	39	43	49	52

[Bolz Hall](#) Building Number: 146

		BO0116	36	30	34	35	36	39	43	52	
		BO0118	45	30	34	35	36	39	43	52	
		BO0120	25	30	34	35	36	39	43	52	
		BO0124	35	30	34	35	36	39	43	52	
		BO0128	25	30	34	35	36	39	43	52	
		BO0311	34	32	34	35	36	39	43	52	
		BO0313	34	32	34	35	36	39	43	52	
		BO0314	36	32	34	35	36	39	43	52	
		BO0316	34	32	34	35	36	39	43	52	
		BO0317	34	32	34	35	36	39	43	49	52
		BO0318	34	32	34	35	36	39	43	52	

[Caldwell Laboratory](#) Building Number: 026

		CL0102	21	30	34	35	39	43	52
		CL0109	26	30	34	35	39	43	52
		CL0115	26	30	34	35	39	43	52
		CL0119	16	30	34	35	39	43	52
		CL0120	64	32	34	35	39	43	52
		CL0133	38	30	34	35	39	43	52
		CL0135	27	30	34	35	40	43	52
		CL0137	38	30	34	35	40	43	52

Room Characteristics List

30	Moveable Tablet Arm Chairs	31	Stationary Tablet Arm Chairs	32	Moveable Tables/Chairs	33	Stationary Tables/Chairs	34	Instructor Table/Chair
35	Air Conditioned	36	Carpeted	37	Sloped/Tiered Floors	38	Elevated Stage	39	Windows
40	No Windows	41	Black Out Shade	42	Variable Intensity Lighting	43	Chalkboards	44	Whiteboards
45	Vertical Sliding Chalkboards	46	Vertical Sliding Whiteboards	47	2+ LCD Projectors	48	Symposium	49	Document Camera
50	Video Conferencing Set-Up	51	Laptop Required	52	Computer Provided	53	Computer Lab	54	Innovative Space

Building	Lab	Facility ID	Capacity	Room Characteristics							Notes			
		CL0171	34	30	34	35	39	43	52					
		CL0177	41	30	34	35	39	43	52					
		CL0220	40	32	34	35	36	39	43	52				
		CL0277	30	32	34	35	36	39	43	52				
Campbell Hall										Building Number: 018				
		CM0100	65	30	34	35	36	39	42	44	49	52	54	
		CM0119	30	30	34	35	36	39	41	42	44	52		
		CM0200	295	31	34	35	36	37	38	40	43	52		
		CM0209	49	30	34	35	36	39	42	43	52			
		CM0213	40	30	34	35	36	39	41	42	43	52		
		CM0243	35	30	34	35	39	41	42	43	52			
		CM0251	42	32	34	35	39	41	43	52				
		CM0271	30	30	34	35	36	39	41	42	43	52		
		CM0309	49	30	34	35	36	39	41	42	43	52		
		CM0335	49	30	34	35	36	39	41	42	43	52		
Chem & Biomolecular Eng & Chem										Building Number: 248				
		CB0130	117	33	34	35	36	37	40	42	45	48	49	52
Cockins Hall										Building Number: 063				
		CH0218	47	30	34	35	39	43	49	52				
		CH0228	24	32	34	35	39	43	52					
		CH0232	40	32	34	35	39	43	52					
		CH0240	70	31	34	35	37	39	52					
		CH0312	49	30	34	35	39	43	49	52				
Cunz Hall										Building Number: 293				
		CZ0140	62	32	34	35	36	40	44	47	48	49	52	
		CZ0150	80	32	34	35	36	39	44	47	48	49	52	
		CZ0160	42	32	34	35	36	40	44	48	52			
		CZ0180	30	32	34	35	36	40	44	47	48	49	52	
Denney Hall										Building Number: 030				
		DE0202	24	30	34	35	36	39	43	52				
		DE0206	40	30	34	35	36	39	43	52				
		DE0207	24	32	34	35	36	39	43	52				
		DE0209	24	30	34	35	36	39	43	52				

Room Characteristics List

30	Moveable Tablet Arm Chairs	31	Stationary Tablet Arm Chairs	32	Moveable Tables/Chairs	33	Stationary Tables/Chairs	34	Instructor Table/Chair
35	Air Conditioned	36	Carpeted	37	Sloped/Tiered Floors	38	Elevated Stage	39	Windows
40	No Windows	41	Black Out Shade	42	Variable Intensity Lighting	43	Chalkboards	44	Whiteboards
45	Vertical Sliding Chalkboards	46	Vertical Sliding Whiteboards	47	2+ LCD Projectors	48	Symposium	49	Document Camera
50	Video Conferencing Set-Up	51	Laptop Required	52	Computer Provided	53	Computer Lab	54	Innovative Space

Building	Lab	Facility ID	Capacity	Room Characteristics							Notes
		DE0213	24	32	34	35	36	39	43	52	
		DE0214	50	30	34	35	36	39	43	49	52
		DE0238	50	30	34	35	36	39	43	52	
		DE0245	24	32	34	35	36	39	42	43	52
		DE0250	45	30	34	35	36	39	43	49	52
		DE0253	55	30	34	35	36	39	43	52	
		DE0262	24	32	34	35	36	39	43	52	
		DE0265	24	32	34	35	36	39	43	52	
		DE0268	24	30	34	35	36	39	43	52	

[Derby Hall](#) Building Number: 025

DB0024	22	30	34	35	39	43	52			
DB0029	42	32	34	35	36	40	44	47	52	54
DB0030	28	30	34	35	39	43	52			
DB0047	11	32	35	40	43	52				
DB0048	30	32	34	35	39	43	52			
DB0049	28	32	34	35	40	43	52			
DB0060	18	30	34	35	39	43	52			
DB0062	22	30	34	35	39	43	52			
DB0080	50	32	34	35	39	43	49	52		

[Dreese Laboratories](#) Building Number: 279

DL0113	180	33	34	35	37	38	40	42	45	48	49	52
DL0264	40	32	34	35	36	40	43	52				
DL0266	40	32	34	35	36	40	43	52				
DL0305	42	32	34	35	36	39	43	52				
DL0317	36	32	34	35	36	40	43	52				
DL0357	46	32	34	35	36	40	43	52				
DL0369	44	32	34	35	36	39	43	52				

[Dulles Hall](#) Building Number: 337

DU0012	25	30	34	35	36	40	43	52
DU0016	20	30	34	35	36	40	43	52
DU0020	22	30	34	35	36	40	43	52
DU0024	20	30	34	35	36	40	43	52
DU0027	24	30	34	35	36	40	43	52

Room Characteristics List

30	Moveable Tablet Arm Chairs	31	Stationary Tablet Arm Chairs	32	Moveable Tables/Chairs	33	Stationary Tables/Chairs	34	Instructor Table/Chair
35	Air Conditioned	36	Carpeted	37	Sloped/Tiered Floors	38	Elevated Stage	39	Windows
40	No Windows	41	Black Out Shade	42	Variable Intensity Lighting	43	Chalkboards	44	Whiteboards
45	Vertical Sliding Chalkboards	46	Vertical Sliding Whiteboards	47	2+ LCD Projectors	48	Symposium	49	Document Camera
50	Video Conferencing Set-Up	51	Laptop Required	52	Computer Provided	53	Computer Lab	54	Innovative Space

Building	Lab	Facility ID	Capacity	Room Characteristics	Notes
Enarson Classroom Building					Building Number: 072
		EC0014	30	32 34 35 36 40 42 44 49 52 54	
		EC0015	26	30 34 35 36 40 42 44 49 52	
		EC0017	26	30 34 35 36 40 42 44 52	
		EC0018	36	32 34 35 36 40 42 44 49 52 54	
		EC0202	25	30 34 35 39 43 52	
		EC0204	24	30 34 35 39 43 49 52	
		EC0206	25	30 34 35 39 43 52	
		EC0209	29	30 34 35 40 43 48 52	
		EC0211	29	30 34 35 40 44 52	
		EC0212	24	30 34 35 39 43 52	
		EC0214	25	30 34 35 39 43 49 52	
		EC0218	25	30 34 35 39 43 52	
		EC0222	34	30 34 35 39 43 52	
		EC0226	32	30 34 35 39 43 52	
		EC0230	30	30 34 35 39 43 52	
		EC0238	22	30 34 35 39 43 49 52	
		EC0240	25	30 34 35 39 43 52	
		EC0243	30	30 34 35 40 43 49 50 52	
		EC0245	30	30 34 35 40 43 49 50 52	
		EC0246	25	30 34 35 39 43 52	
		EC0248	22	30 34 35 39 43 52	
		EC0254	30	30 34 35 39 43 52	
		EC0258	32	30 34 35 39 43 52	
		EC0304	24	30 34 35 39 43 52	
		EC0306	23	30 34 35 39 43 52	
		EC0311	72	32 34 35 36 40 44 48 54	
		EC0312	25	30 34 35 39 43 52	
		EC0314	23	30 34 35 39 43 52	
		EC0318	23	30 34 35 39 43 52	
		EC0322	34	30 34 35 39 43 52	
		EC0326	32	30 34 35 39 43 52	
		EC0330	30	30 34 35 39 43 49 52	
		EC0338	14	33 35 39 44 52	Conference Style Classroom

Room Characteristics List

30	Moveable Tablet Arm Chairs	31	Stationary Tablet Arm Chairs	32	Moveable Tables/Chairs	33	Stationary Tables/Chairs	34	Instructor Table/Chair
35	Air Conditioned	36	Carpeted	37	Sloped/Tiered Floors	38	Elevated Stage	39	Windows
40	No Windows	41	Black Out Shade	42	Variable Intensity Lighting	43	Chalkboards	44	Whiteboards
45	Vertical Sliding Chalkboards	46	Vertical Sliding Whiteboards	47	2+ LCD Projectors	48	Symposium	49	Document Camera
50	Video Conferencing Set-Up	51	Laptop Required	52	Computer Provided	53	Computer Lab	54	Innovative Space

Building	Lab	Facility ID	Capacity	Room Characteristics						Notes			
		EC0340	25	30	34	35	39	43	52				
		EC0346	25	30	34	35	39	43	52				
		EC0348	14	33	35	39	44	52		Conference Style Classroom			
		EC0354	30	30	34	35	39	43	52				
		EC0358	32	30	34	35	39	43	52				
Evans Laboratory										Building Number: 150			
		EL1008	227	31	34	35	36	37	40	45	47	52	
		EL2001	35	30	34	35	40	43	52				
		EL2002	32	32	34	35	39	43	52				
		EL2003	35	30	34	35	40	43	52				
		EL2004	73	30	34	35	36	39	43	52			
Fontana Laboratories										Building Number: 1018			
		FL1000	150	33	34	35	44	52					
		FL2020	80	32	34	35	44	52					
		FL2040	80	32	34	35	44	52					
		FL2100	30	32	34	35	44	52					
		FL2110	30	32	34	35	44	52					
Hagerty Hall										Building Number: 037			
		HH0042	35	30	34	35	39	42	43	49	52		
		HH0045	20	30	34	35	40	42	43	49	52		
		HH0046	36	30	34	35	39	42	43	49	52		
		HH0050	40	30	34	35	39	42	43	49	52		
		HH0056	35	30	34	35	39	42	43	49	52		
		HH0062	35	30	34	35	39	42	43	49	52		
		HH0071	20	30	34	35	40	42	43	49	52		
		HH0159	30	30	34	35	36	40	43	52			
		HH0180	242	31	34	35	36	37	40	45	46	49	52
		HH0186	32	33	34	35	36	39	44	50	52		
		HH0251	32	30	34	35	40	42	43	49	52		
		HH0259	32	30	34	35	40	42	43	49	52		
		HH0351	32	30	34	35	40	42	43	49	52		
		HH0359	32	30	34	35	40	42	43	49	52		
Hayes Hall										Building Number: 039			

Room Characteristics List

30	Moveable Tablet Arm Chairs	31	Stationary Tablet Arm Chairs	32	Moveable Tables/Chairs	33	Stationary Tables/Chairs	34	Instructor Table/Chair
35	Air Conditioned	36	Carpeted	37	Sloped/Tiered Floors	38	Elevated Stage	39	Windows
40	No Windows	41	Black Out Shade	42	Variable Intensity Lighting	43	Chalkboards	44	Whiteboards
45	Vertical Sliding Chalkboards	46	Vertical Sliding Whiteboards	47	2+ LCD Projectors	48	Symposium	49	Document Camera
50	Video Conferencing Set-Up	51	Laptop Required	52	Computer Provided	53	Computer Lab	54	Innovative Space

Building	Lab	Facility ID	Capacity	Room Characteristics						Notes				
		HA0005	40	30	34	35	39	43	52					
		HA0006	40	30	34	35	39	43	52					
		HA0012	24	30	34	35	39	43	52					
		HA0024	42	30	34	35	39	43	52					
		HA0025	42	30	34	35	39	43	52					
Hitchcock Hall Building Number: 274														
		HI0030	37	30	34	35	40	43	52					
		HI0031	118	31	34	35	37	40	42	43	49	52		
		HI0035	118	31	34	35	37	40	42	43	49	52		
		HI0131	640	31	34	35	36	37	38	40	42	48	49	52
		HI0306	48	32	34	35	36	40	43	47	52			
		HI0324	126	32	34	35	36	40	43	47	52			
Hopkins Hall Building Number: 149														
		HC0246	46	30	34	35	39	42	43	52				
		HC0250	70	30	34	35	36	39	42	43	52			
Independence Hall Building Number: 338														
		IH0100	727	31	34	35	37	38	40	42	48	49	52	
Jennings Hall Building Number: 014														
		JE0001	250	31	34	35	36	37	39	42	43	49	52	
		JE0040	60	32	34	35	39	43	48	52				
		JE0050	35	30	34	35	36	39	44	52				
		JE0060	60	32	34	35	39	43	49	52				
		JE0136	35	30	34	35	39	43	49	52				
		JE0140	40	32	34	35	39	43	49	52				
		JE0155	151	31	34	35	36	37	40	42	43	49	52	
		JE0160	40	32	34	35	39	43	49	52				
		JE0164	35	30	34	35	39	43	49	52				
		JE0355	100	33	34	35	37	44	52					
Journalism Building Building Number: 046														
		JR0139	30	30	34	35	40	43	52					
		JR0143	28	30	34	35	40	43	52					
		JR0221	26	30	34	35	40	43	52					
		JR0239	54	30	34	35	40	43	52					

Room Characteristics List

30	Moveable Tablet Arm Chairs	31	Stationary Tablet Arm Chairs	32	Moveable Tables/Chairs	33	Stationary Tables/Chairs	34	Instructor Table/Chair
35	Air Conditioned	36	Carpeted	37	Sloped/Tiered Floors	38	Elevated Stage	39	Windows
40	No Windows	41	Black Out Shade	42	Variable Intensity Lighting	43	Chalkboards	44	Whiteboards
45	Vertical Sliding Chalkboards	46	Vertical Sliding Whiteboards	47	2+ LCD Projectors	48	Symposium	49	Document Camera
50	Video Conferencing Set-Up	51	Laptop Required	52	Computer Provided	53	Computer Lab	54	Innovative Space

Building	Lab	Facility ID	Capacity	Room Characteristics	Notes
		JR0251	91	30 34 35 39 43 47 52	
		JR0270	72	30 34 35 36 40 43 47 48 52	
		JR0274	35	30 34 35 36 40 44 52	
		JR0291	17	32 34 35 39 44 52	
		JR0295	18	32 34 35 39 43 52	
		JR0300	114	31 34 35 36 37 40 43 48 52	
		JR0304	39	30 34 35 40 43 52	
		JR0353	30	32 34 35 36 39 43 52	
		JR0360	120	31 34 35 37 40 44 52	
		JR0371	49	30 34 35 36 40 43 52	
		JR0375	40	30 34 35 40 43 52	
		JR0387	18	32 34 35 39 43 52	
Knowlton Hall					Building Number: 017
		KN0190	60	30 34 35 36 39 41 43 49 52	
		KN0195	48	30 34 35 36 39 41 43 49 52	
		KN0250	213	31 34 35 37 39 41 42 43 48 49 52	
Kottman Hall					Building Number: 340
		KH0102	48	33 34 35 36 37 40 43 49 52	
		KH0103	272	31 34 35 36 37 40 43 47 48 49 50 52	
		KH0104	71	31 34 35 36 37 40 43 49 52	
		KH0116	30	30 34 35 36 39 41 43 49 52	
Lazenby Hall					Building Number: 041
		LZ0001	28	30 34 35 39 43 52	
		LZ0002	60	30 34 35 39 43 52	
		LZ0018	14	32 34 35 39 43 52	
		LZ0021	198	31 34 35 36 37 39 43 47 48 49 52	
		LZ0034	54	30 34 35 39 43 52	
McPherson Chemical Lab					Building Number: 053
		MP1000	380	31 34 35 37 40 45 47 49 52	
		MP1005	30	30 34 35 39 43 49 52	
		MP1008	35	30 34 35 39 43 49 52	
		MP1015	100	31 34 35 37 40 45 48 52	
		MP1021	40	30 34 35 39 43 49 52	

Room Characteristics List

30	Moveable Tablet Arm Chairs	31	Stationary Tablet Arm Chairs	32	Moveable Tables/Chairs	33	Stationary Tables/Chairs	34	Instructor Table/Chair
35	Air Conditioned	36	Carpeted	37	Sloped/Tiered Floors	38	Elevated Stage	39	Windows
40	No Windows	41	Black Out Shade	42	Variable Intensity Lighting	43	Chalkboards	44	Whiteboards
45	Vertical Sliding Chalkboards	46	Vertical Sliding Whiteboards	47	2+ LCD Projectors	48	Symposium	49	Document Camera
50	Video Conferencing Set-Up	51	Laptop Required	52	Computer Provided	53	Computer Lab	54	Innovative Space

Building	Lab	Facility ID	Capacity	Room Characteristics								Notes		
		MP1035	46	30	34	35	39	43	49	52				
		MP1040	42	30	34	35	39	43	49	52				
		MP1041	45	30	34	35	39	43	49	52				
		MP1045	39	30	34	35	39	43	49	52				
		MP1046	42	30	34	35	39	43	49	52				
		MP2015	48	32	34	35	36	39	42	44	52			
		MP2017	49	30	34	35	36	39	44	52				
		MP2019	56	30	34	35	36	39	44	52				
<u>Mendenhall Laboratory</u>												Building Number: 054		
		ML0100	221	31	34	35	36	37	40	45	47	48	49	52
		ML0115	60	30	34	35	39	43	48	49	52			
		ML0125	45	30	34	35	39	43	52					
		ML0129	42	30	34	35	39	43	52					
		ML0131	42	30	34	35	39	43	52					
		ML0173	42	30	34	35	39	43	52					
		ML0174	36	30	34	35	40	43	52					
		ML0175	42	30	34	35	39	43	52					
		ML0185	45	30	34	35	39	43	52					
		ML0191	60	30	34	35	39	43	52					
<u>Orton Hall</u>												Building Number: 060		
		OR0110	70	32	34	35	39	43	52					
<u>Page Hall</u>												Building Number: 061		
		PA0010	90	33	34	35	37	39	41	42	43	49	52	
		PA0020	90	33	34	35	37	39	41	42	43	49	52	
		PA0060	48	30	34	35	39	41	43	49	52			
<u>Phys Activ & Educ Srvs Bldg</u>												Building Number: 245		
		PEA0103	30	32	34	35	39	43	52					
		PEA0105	30	32	34	35	39	43	52					
		PEA0109	36	32	34	35	39	43	52					
		PEA0111	34	32	34	35	39	43	52					
<u>Pomerene Hall</u>												Building Number: 067		
		PO0150	62	33	34	35	36	37	40	44	52			
		PO0160	160	31	34	35	36	37	39	44	52			

Room Characteristics List

30	Moveable Tablet Arm Chairs	31	Stationary Tablet Arm Chairs	32	Moveable Tables/Chairs	33	Stationary Tables/Chairs	34	Instructor Table/Chair
35	Air Conditioned	36	Carpeted	37	Sloped/Tiered Floors	38	Elevated Stage	39	Windows
40	No Windows	41	Black Out Shade	42	Variable Intensity Lighting	43	Chalkboards	44	Whiteboards
45	Vertical Sliding Chalkboards	46	Vertical Sliding Whiteboards	47	2+ LCD Projectors	48	Symposium	49	Document Camera
50	Video Conferencing Set-Up	51	Laptop Required	52	Computer Provided	53	Computer Lab	54	Innovative Space

Building	Lab	Facility ID	Capacity	Room Characteristics	Notes
		PO0250	58	33 34 35 36 37 40 44 52	
		PO0260	105	33 34 35 36 37 39 44 52	
		PO0280	84	32 34 35 39 44 52 54	
Psychology Building					Building Number: 144
		PS0006	120	31 34 35 36 37 39 43 49 52	
		PS0010	60	31 34 35 36 37 40 43 49 52	
		PS0014	60	31 34 35 36 37 40 43 49 52	
Ramseyer Hall					Building Number: 090
		RA0009	50	30 34 35 36 39 43 47 52	
		RA0059	120	30 34 35 36 39 43 47 49 52	
		RA0100	79	33 34 35 36 37 39 43 48 52	
		RA0110	49	30 34 35 39 43 52	
		RA0115	49	30 34 35 39 43 52	
		RA0166	32	30 34 35 39 43 49 52	
Schoenbaum Hall					Building Number: 251
		SB0105	268	31 34 35 36 37 40 42 44 46 52	
		SB0200	50	30 34 35 36 39 42 44 46 52	
		SB0205	50	33 34 35 36 37 39 42 44 46 52	
		SB0210	40	32 34 35 36 39 42 44 46 52	
		SB0215	50	33 34 35 36 37 39 42 44 46 52	
		SB0220	70	33 34 35 36 37 39 42 44 46 52	
		SB0230	70	33 34 35 36 37 39 42 44 46 52	
		SB0300	50	30 34 35 36 39 42 44 46 52	
		SB0305	50	33 34 35 36 37 39 42 44 46 52	
		SB0310	40	32 34 35 36 39 42 44 46 52	
		SB0315	50	33 34 35 36 37 39 42 44 46 52	
		SB0320	82	33 34 35 36 37 39 42 44 46 52	
		SB0330	82	33 34 35 36 37 39 42 44 46 52	
Scott Lab					Building Number: 148
		SOE0001	154	31 34 35 36 37 40 42 43 49 52	
		SOE0004	85	33 34 35 37 40 42 43 49 52	
		SOE0024	85	33 34 35 37 40 42 43 49 52	
		SOE0040	85	33 34 35 37 40 42 43 49 52	

Room Characteristics List

30	Moveable Tablet Arm Chairs	31	Stationary Tablet Arm Chairs	32	Moveable Tables/Chairs	33	Stationary Tables/Chairs	34	Instructor Table/Chair
35	Air Conditioned	36	Carpeted	37	Sloped/Tiered Floors	38	Elevated Stage	39	Windows
40	No Windows	41	Black Out Shade	42	Variable Intensity Lighting	43	Chalkboards	44	Whiteboards
45	Vertical Sliding Chalkboards	46	Vertical Sliding Whiteboards	47	2+ LCD Projectors	48	Symposium	49	Document Camera
50	Video Conferencing Set-Up	51	Laptop Required	52	Computer Provided	53	Computer Lab	54	Innovative Space

Building	Lab	Facility ID	Capacity	Room Characteristics	Notes
		SOE0103	30	32 34 35 40 42 43 49 52	
		SOE0105	30	32 34 35 40 42 43 49 52	
		SOE0125	72	33 34 35 37 40 42 43 52	
		SOE0241	28	32 34 35 40 43 49 52	
		SOE0245	30	32 34 35 39 43 49 52	
		SON0044	20	32 34 35 40 43 49 52	
		SON0048	50	33 34 35 37 40 42 43 49 52	
		SON0050	50	33 34 35 37 40 42 43 49 52	
		SON0054	50	33 34 35 37 40 42 43 49 52	
		SON0056	36	32 34 35 40 42 43 49 52	

Smith Laboratory

Building Number: 065

SM1005	100	31 34 35 37 40 45 47 52
SM1009	100	31 34 35 37 40 45 47 52
SM1042	28	32 34 35 39 43 44 52
SM1048	40	30 34 35 39 43 52
SM1064	30	32 34 35 39 43 52
SM1076	30	32 34 35 39 43 52
SM1138	35	30 34 35 39 43 52
SM1153	221	31 34 35 37 40 45 47 52
SM1180	30	32 34 35 36 39 43 52
SM2006	30	30 34 35 39 43 52
SM2144	32	32 34 35 39 43 52
SM2150	35	30 34 35 39 43 52
SM2180	28	30 34 35 39 43 52
SM2186	20	30 34 35 39 43 52

Stillman Hall

Building Number: 084

SH0100	221	31 34 35 36 37 39 43 48 49 52
SH0131	30	30 34 35 39 43 52
SH0135	30	30 34 35 36 39 44 52 54
SH0235	65	30 34 35 36 39 44 52
SH0240	32	30 34 35 39 43 52
SH0245	36	30 34 35 39 43 52

Sullivant Hall

Building Number: 106

Room Characteristics List

30 Moveable Tablet Arm Chairs	31 Stationary Tablet Arm Chairs	32 Moveable Tables/Chairs	33 Stationary Tables/Chairs	34 Instructor Table/Chair
35 Air Conditioned	36 Carpeted	37 Sloped/Tiered Floors	38 Elevated Stage	39 Windows
40 No Windows	41 Black Out Shade	42 Variable Intensity Lighting	43 Chalkboards	44 Whiteboards
45 Vertical Sliding Chalkboards	46 Vertical Sliding Whiteboards	47 2+ LCD Projectors	48 Symposium	49 Document Camera
50 Video Conferencing Set-Up	51 Laptop Required	52 Computer Provided	53 Computer Lab	54 Innovative Space

Building	Lab	Facility ID	Capacity	Room Characteristics											Notes	
		SU0220	300	31	34	35	36	37	38	40	43	47	48	49	52	
Townshend Hall																Building Number: 087
		TO0247	60	30	34	35	36	39	43	49	52					
		TO0255	84	30	34	35	36	39	43	49	52					
University Hall																Building Number: 339
		UH0014	159	31	34	35	36	37	40	43	52					
		UH0024	20	30	34	35	36	40	43	52						
		UH0028	20	30	34	35	36	40	43	52						
		UH0038	49	30	34	35	36	40	43	52						
		UH0043	35	30	34	35	36	40	43	52						
		UH0047	35	30	34	35	36	40	43	52						
		UH0051	35	30	34	35	36	40	43	52						
		UH0056	40	32	34	35	36	40	43	52						
		UH0066	20	30	34	35	36	40	43	52						
		UH0074	20	30	34	35	36	40	43	52						
		UH0082	42	30	34	35	36	40	43	52						
		UH0086	36	30	34	35	36	40	43	52						
		UH0090	35	30	34	35	36	40	43	52						

Room Characteristics List

30	Moveable Tablet Arm Chairs	31	Stationary Tablet Arm Chairs	32	Moveable Tables/Chairs	33	Stationary Tables/Chairs	34	Instructor Table/Chair
35	Air Conditioned	36	Carpeted	37	Sloped/Tiered Floors	38	Elevated Stage	39	Windows
40	No Windows	41	Black Out Shade	42	Variable Intensity Lighting	43	Chalkboards	44	Whiteboards
45	Vertical Sliding Chalkboards	46	Vertical Sliding Whiteboards	47	2+ LCD Projectors	48	Symposium	49	Document Camera
50	Video Conferencing Set-Up	51	Laptop Required	52	Computer Provided	53	Computer Lab	54	Innovative Space