

# Spring 2019

## General Assignment Rooms

Building	Lab	Facility ID	Capacity	Room Characteristics										Notes	
<a href="#">209 West Eighteenth Avenue</a>													Building Number: 004		
		<a href="#">EA0160</a>	203	31	34	35	36	37	40	42	45	48	49	52	
		<a href="#">EA0170</a>	140	31	34	35	36	37	40	42	45	48	49	52	
<a href="#">Agricultural Administration</a>													Building Number: 003		
		<a href="#">AA0108</a>	56	32	34	35	36	39	41	43		52			
		<a href="#">AA0246</a>	49	30	34	35	36	39	41	44	49	52			
		<a href="#">AA0247</a>	30	32	34	35	36	39	41	44	49	52			
<a href="#">Agricultural Engineering Bldg</a>													Building Number: 298		
		<a href="#">AE0100</a>	94	33	34	35	36	37	40	42	43	48	49	52	
		<a href="#">AE0103</a>	48	32	34	35	36	40	42	43	49	52			
		<a href="#">AE0104</a>	80	32	34	35	36	40	42	43	49	52			
<a href="#">Animal Science Building</a>													Building Number: 156		
		<a href="#">AS0202</a>	49	30	34	35	39	43		52					
		<a href="#">AS0210</a>	50	30	34	35	39	43	47	49	50	52			
<a href="#">Arps Hall</a>													Building Number: 011		
		<a href="#">AP0012</a>	63	30	34	35	39	43		52					
		<a href="#">AP0386</a>	20	30	34	35	39	43		52					
		<a href="#">AP0388</a>	42	30	34	35	39	43		52					
<a href="#">Baker Systems Engineering</a>													Building Number: 280		
		<a href="#">BE0120</a>	98	33	34	35	36	37	40	42	43	49	52		
		<a href="#">BE0128</a>	20	30	34	35	36	39	43		52				
		<a href="#">BE0130</a>	32	30	34	35	36	40	43	49	52				
		<a href="#">BE0136</a>	40	30	34	35	36	39	43	47	49	52			
		<a href="#">BE0140</a>	40	30	34	35	36	39	43	47	49	52			
		<a href="#">BE0144</a>	70	30	34	35	36	40	43	47	49	52			

### Room Characteristics List

30	Moveable Tablet Arm Chairs	31	Stationary Tablet Arm Chairs	32	Moveable Tables/Chairs	33	Stationary Tables/Chairs	34	Instructor Table/Chair
35	Air Conditioned	36	Carpeted	37	Sloped/Tiered Floors	38	Elevated Stage	39	Windows
40	No Windows	41	Black Out Shade	42	Variable Intensity Lighting	43	Chalkboards	44	Whiteboards
45	Vertical Sliding Chalkboards	46	Vertical Sliding Whiteboards	47	2+ LCD Projectors	48	Symposium	49	Document Camera
50	Video Conferencing Set-Up	51	Laptop Required	52	Computer Provided	53	Computer Lab	54	Innovative Space

Building	Lab	Facility ID	Capacity	Room Characteristics								Notes		
		<a href="#">BE0180</a>	49	30	34	35	36	40	43	49	52			
		<a href="#">BE0184</a>	30	30	34	35	36	40	43	49	52			
		<a href="#">BE0188</a>	56	30	34	35	36	40	43	47	49	52		
		<a href="#">BE0198</a>	49	30	34	35	36	40	43	49	52			
		<a href="#">BE0260</a>	30	30	34	35	39	43		52				
		<a href="#">BE0272</a>	20	30	34	35	39	43		52				
Computer Lab		<a href="#">BE0285</a>	48		33	34	35	36	40	44	49	52	53	Computer Lab
		<a href="#">BE0394</a>	30		32	34	35	39	43		52			

**Biological Sciences Building** Building Number: 276

		<a href="#">BI0668</a>	38	30	34	35	39	43	49	52	
		<a href="#">BI0676</a>	35	30	34	35	39	43	49	52	

**Bolz Hall** Building Number: 146

		<a href="#">BO0116</a>	36	30	34	35	36	39	43	52		
		<a href="#">BO0118</a>	45	30	34	35	36	39	43	52		
		<a href="#">BO0120</a>	25	30	34	35	36	39	43	52		
		<a href="#">BO0124</a>	35	30	34	35	36	39	43	52		
		<a href="#">BO0128</a>	25	30	34	35	36	39	43	52		
		<a href="#">BO0311</a>	34		32	34	35	36	39	43	52	
		<a href="#">BO0313</a>	34		32	34	35	36	39	43	52	
		<a href="#">BO0314</a>	36		32	34	35	36	39	43	52	
		<a href="#">BO0316</a>	34		32	34	35	36	39	43	52	
		<a href="#">BO0317</a>	34		32	34	35	36	39	43	49	52
		<a href="#">BO0318</a>	34		32	34	35	36	39	43	52	

**Caldwell Laboratory** Building Number: 026

		<a href="#">CL0102</a>	24	30	34	35	39	43	52		
		<a href="#">CL0109</a>	32	30	34	35	39	43	52		
		<a href="#">CL0115</a>	32	30	34	35	39	43	52		
		<a href="#">CL0119</a>	24	30	34	35	39	43	52		
		<a href="#">CL0120</a>	70		32	34	35	39	43	52	
		<a href="#">CL0133</a>	48	30	34	35	39	43	52		
		<a href="#">CL0135</a>	34	30	34	35	40	43	52		
		<a href="#">CL0137</a>	46	30	34	35	40	43	52		
		<a href="#">CL0171</a>	40	30	34	35	39	43	52		

## Room Characteristics List

30	Moveable Tablet Arm Chairs	31	Stationary Tablet Arm Chairs	32	Moveable Tables/Chairs	33	Stationary Tables/Chairs	34	Instructor Table/Chair
35	Air Conditioned	36	Carpeted	37	Sloped/Tiered Floors	38	Elevated Stage	39	Windows
40	No Windows	41	Black Out Shade	42	Variable Intensity Lighting	43	Chalkboards	44	Whiteboards
45	Vertical Sliding Chalkboards	46	Vertical Sliding Whiteboards	47	2+ LCD Projectors	48	Symposium	49	Document Camera
50	Video Conferencing Set-Up	51	Laptop Required	52	Computer Provided	53	Computer Lab	54	Innovative Space

Building	Lab	Facility ID	Capacity	Room Characteristics						Notes				
		<a href="#">CL0177</a>	48	30	34	35	39	43	52					
		<a href="#">CL0183</a>	15	30	34	35	39	43	52					
		<a href="#">CL0220</a>	40	32	34	35	36	39	43	52				
		<a href="#">CL0277</a>	30	32	34	35	36	39	43	52				
<b>Campbell Hall</b> <span style="float: right;">Building Number: 018</span>														
		<a href="#">CM0100</a>	65	30	34	35	36	39	42	44	49	52	54	
		<a href="#">CM0119</a>	30	30	34	35	36	39	44	52				
		<a href="#">CM0200</a>	280	31	34	35	36	37	38	40	43	52		
		<a href="#">CM0209</a>	49	30	34	35	36	39	43	52				
		<a href="#">CM0213</a>	40	30	34	35	36	39	43	52				
		<a href="#">CM0243</a>	35	30	34	35	39	43	52					
		<a href="#">CM0251</a>	42	32	34	35	39	43	52					
		<a href="#">CM0271</a>	30	30	34	35	36	39	43	52				
		<a href="#">CM0309</a>	49	30	34	35	36	39	43	52				
		<a href="#">CM0335</a>	49	30	34	35	36	39	43	52				
<b>Chem &amp; Biomolecular Eng &amp; Chem</b> <span style="float: right;">Building Number: 248</span>														
		<a href="#">CB0130</a>	117	33	34	35	36	37	40	42	45	48	49	52
<b>Cockins Hall</b> <span style="float: right;">Building Number: 063</span>														
		<a href="#">CH0218</a>	47	30	34	35	39	43	49	52				
		<a href="#">CH0228</a>	24	32	34	35	39	43	52					
		<a href="#">CH0232</a>	40	32	34	35	39	43	52					
		<a href="#">CH0312</a>	49	30	34	35	39	43	49	52				
<b>Cunz Hall</b> <span style="float: right;">Building Number: 293</span>														
		<a href="#">CZ0140</a>	62	32	34	35	36	40	44	47	48	49	52	
		<a href="#">CZ0150</a>	80	32	34	35	36	39	44	47	48	49	52	
		<a href="#">CZ0160</a>	42	32	34	35	36	40	44	48	52			
		<a href="#">CZ0180</a>	30	32	34	35	36	40	44	47	48	49	52	
<b>Denney Hall</b> <span style="float: right;">Building Number: 030</span>														
		<a href="#">DE0202</a>	24	30	34	35	36	39	43	52				
		<a href="#">DE0206</a>	40	30	34	35	36	39	43	52				
		<a href="#">DE0207</a>	24	32	34	35	36	39	43	52				
		<a href="#">DE0209</a>	24	30	34	35	36	39	43	52				
		<a href="#">DE0213</a>	24	32	34	35	36	39	43	52				

## Room Characteristics List

30	Moveable Tablet Arm Chairs	31	Stationary Tablet Arm Chairs	32	Moveable Tables/Chairs	33	Stationary Tables/Chairs	34	Instructor Table/Chair
35	Air Conditioned	36	Carpeted	37	Sloped/Tiered Floors	38	Elevated Stage	39	Windows
40	No Windows	41	Black Out Shade	42	Variable Intensity Lighting	43	Chalkboards	44	Whiteboards
45	Vertical Sliding Chalkboards	46	Vertical Sliding Whiteboards	47	2+ LCD Projectors	48	Symposium	49	Document Camera
50	Video Conferencing Set-Up	51	Laptop Required	52	Computer Provided	53	Computer Lab	54	Innovative Space

Building	Lab	Facility ID	Capacity	Room Characteristics								Notes
		<a href="#">DE0214</a>	50	30	34	35	36	39	43	49	52	
		<a href="#">DE0238</a>	50	30	34	35	36	39	43	52		
		<a href="#">DE0245</a>	24	32	34	35	36	39	42	43	52	
		<a href="#">DE0250</a>	45	30	34	35	36	39	43	49	52	
		<a href="#">DE0253</a>	55	30	34	35	36	39	43	52		
		<a href="#">DE0262</a>	24	32	34	35	36	39	43	52		
		<a href="#">DE0265</a>	24	32	34	35	36	39	43	52		
		<a href="#">DE0268</a>	24	30	34	35	36	39	43	52		

**Derby Hall** Building Number: 025

Computer Lab	<a href="#">DB0024</a>	22	30	34	35	39	43	52				
	<a href="#">DB0029</a>	34	33	34	35	36	40	44	47	52	53	Computer Lab
	<a href="#">DB0030</a>	28	30	34	35	39	43	52				
	<a href="#">DB0038</a>	12	32	34	35	36	40	43	52			
	<a href="#">DB0047</a>	11	32	35	40	43	52					
	<a href="#">DB0048</a>	30	32	34	35	39	43	52				
	<a href="#">DB0049</a>	28	32	34	35	40	43	52				
	<a href="#">DB0060</a>	18	30	34	35	39	43	52				
	<a href="#">DB0062</a>	23	30	34	35	39	43	52				
<a href="#">DB0080</a>	54	32	34	35	39	43	49	52				

**Dreese Laboratories** Building Number: 279

<a href="#">DL0113</a>	180	33	34	35	37	38	40	42	45	48	49	52
<a href="#">DL0264</a>	40	32	34	35	36	40	43	52				
<a href="#">DL0266</a>	40	32	34	35	36	40	43	52				
<a href="#">DL0305</a>	42	32	34	35	36	39	43	52				
<a href="#">DL0317</a>	36	32	34	35	36	40	43	52				
<a href="#">DL0357</a>	46	32	34	35	36	40	43	52				
<a href="#">DL0369</a>	44	32	34	35	36	39	43	52				

**Dulles Hall** Building Number: 337

<a href="#">DU0012</a>	25	30	34	35	36	40	43	52
<a href="#">DU0016</a>	20	30	34	35	36	40	43	52
<a href="#">DU0020</a>	22	30	34	35	36	40	43	52
<a href="#">DU0024</a>	20	30	34	35	36	40	43	52
<a href="#">DU0027</a>	24	30	34	35	36	40	43	52

## Room Characteristics List

30	Moveable Tablet Arm Chairs	31	Stationary Tablet Arm Chairs	32	Moveable Tables/Chairs	33	Stationary Tables/Chairs	34	Instructor Table/Chair
35	Air Conditioned	36	Carpeted	37	Sloped/Tiered Floors	38	Elevated Stage	39	Windows
40	No Windows	41	Black Out Shade	42	Variable Intensity Lighting	43	Chalkboards	44	Whiteboards
45	Vertical Sliding Chalkboards	46	Vertical Sliding Whiteboards	47	2+ LCD Projectors	48	Symposium	49	Document Camera
50	Video Conferencing Set-Up	51	Laptop Required	52	Computer Provided	53	Computer Lab	54	Innovative Space

Building	Lab	Facility ID	Capacity	Room Characteristics											Notes	
<b>Enarson Classroom Building</b>															Building Number: 072	
		<a href="#">EC0014</a>	30	32	34	35	36	40	42	44	49	52	54			
		<a href="#">EC0015</a>	26	30	34	35	36	40	42	44	49	52	54			
		<a href="#">EC0017</a>	26	30	34	35	36	40	42	44		52	54			
		<a href="#">EC0018</a>	36	32	34	35	36	40	42	44	49	52	54			
		<a href="#">EC0202</a>	25	30	34	35	39	43			52					
		<a href="#">EC0204</a>	24	30	34	35	39	43		49	52					
		<a href="#">EC0206</a>	25	30	34	35	39	43		52						
		<a href="#">EC0209</a>	29	30	34	35	40	43	48	52						
		<a href="#">EC0211</a>	29	30	34	35	40	44		52						
		<a href="#">EC0212</a>	24	30	34	35	39	43		52						
		<a href="#">EC0214</a>	25	30	34	35	39	43		49	52					
		<a href="#">EC0218</a>	25	30	34	35	39	43		52						
		<a href="#">EC0222</a>	34	30	34	35	39	43		52						
		<a href="#">EC0226</a>	32	30	34	35	39	43		52						
		<a href="#">EC0230</a>	30	30	34	35	39	43		52						
		<a href="#">EC0238</a>	22	30	34	35	39	43		49	52					
		<a href="#">EC0240</a>	25	30	34	35	39	43		52						
		<a href="#">EC0243</a>	30	30	34	35	40	43		49	50	52				
		<a href="#">EC0245</a>	30	30	34	35	40	43		49	50	52				
		<a href="#">EC0246</a>	25	30	34	35	39	43		52						
		<a href="#">EC0248</a>	22	30	34	35	39	43		52						
		<a href="#">EC0254</a>	30	30	34	35	39	43		52						
		<a href="#">EC0258</a>	32	30	34	35	39	43		52						
		<a href="#">EC0304</a>	24	30	34	35	39	43		52						
		<a href="#">EC0306</a>	23	30	34	35	39	43		52						
		<a href="#">EC0311</a>	72	32	34	35	36	40	44	48		54				
		<a href="#">EC0312</a>	25	30	34	35	39	43		52						
		<a href="#">EC0314</a>	23	30	34	35	39	43		52						
		<a href="#">EC0318</a>	23	30	34	35	39	43		52						
		<a href="#">EC0322</a>	34	30	34	35	39	43		52						
		<a href="#">EC0326</a>	32	30	34	35	39	43		52						
		<a href="#">EC0330</a>	30	30	34	35	39	43		49	52					
		<a href="#">EC0338</a>	14	33	35	39	44	52					Conference Style Classroom			

## Room Characteristics List

30	Moveable Tablet Arm Chairs	31	Stationary Tablet Arm Chairs	32	Moveable Tables/Chairs	33	Stationary Tables/Chairs	34	Instructor Table/Chair
35	Air Conditioned	36	Carpeted	37	Sloped/Tiered Floors	38	Elevated Stage	39	Windows
40	No Windows	41	Black Out Shade	42	Variable Intensity Lighting	43	Chalkboards	44	Whiteboards
45	Vertical Sliding Chalkboards	46	Vertical Sliding Whiteboards	47	2+ LCD Projectors	48	Symposium	49	Document Camera
50	Video Conferencing Set-Up	51	Laptop Required	52	Computer Provided	53	Computer Lab	54	Innovative Space

Building	Lab	Facility ID	Capacity	Room Characteristics						Notes			
		<a href="#">EC0340</a>	25	30	34	35	39	43	52				
		<a href="#">EC0346</a>	25	30	34	35	39	43	52				
		<a href="#">EC0348</a>	14	33	35	39	44	52		Conference Style Classroom			
		<a href="#">EC0354</a>	30	30	34	35	39	43	52				
		<a href="#">EC0358</a>	32	30	34	35	39	43	52				
<b>Evans Laboratory</b>										Building Number: 150			
		<a href="#">EL1008</a>	227	31	34	35	36	37	40	45	47	52	
		<a href="#">EL2001</a>	35	30	34	35	40	43	52				
		<a href="#">EL2002</a>	32	32	34	35	39	43	52				
		<a href="#">EL2003</a>	35	30	34	35	40	43	52				
		<a href="#">EL2004</a>	73	30	34	35	36	39	43	52			
<b>Gateway Film Center</b>										Building Number: 865			
		<a href="#">GW HOUSE 1</a>	207	31	35	36	37	40	42	52	Film Center		
		<a href="#">GW HOUSE 2</a>	94	31	35	36	37	40	42	52	Film Center		
<b>Hagerty Hall</b>										Building Number: 037			
		<a href="#">HH0042</a>	35	30	34	35	39	42	43	49	52		
		<a href="#">HH0045</a>	20	30	34	35	40	42	43	49	52		
		<a href="#">HH0046</a>	42	30	34	35	39	42	43	49	52		
		<a href="#">HH0050</a>	35	30	34	35	39	42	43	49	52		
		<a href="#">HH0056</a>	35	30	34	35	39	42	43	49	52		
		<a href="#">HH0062</a>	40	30	34	35	39	42	43	49	52		
		<a href="#">HH0071</a>	20	30	34	35	40	42	43	49	52		
		<a href="#">HH0180</a>	242	31	34	35	36	37	40	45	46	49	52
Computer Lab		<a href="#">HH0186</a>	24	33	34	35	36	39	44	50	52	53	Computer Lab
		<a href="#">HH0251</a>	32	30	34	35	40	42	43	49	52		
		<a href="#">HH0259</a>	32	30	34	35	40	42	43	49	52		
		<a href="#">HH0351</a>	32	30	34	35	40	42	43	49	52		
		<a href="#">HH0359</a>	32	30	34	35	40	42	43	49	52		
<b>Hayes Hall</b>										Building Number: 039			
		<a href="#">HA0005</a>	40	30	34	35	39	43	52				
		<a href="#">HA0006</a>	40	30	34	35	39	43	52				
		<a href="#">HA0012</a>	24	30	34	35	39	43	52				
		<a href="#">HA0024</a>	42	30	34	35	39	43	52				

## Room Characteristics List

30	Moveable Tablet Arm Chairs	31	Stationary Tablet Arm Chairs	32	Moveable Tables/Chairs	33	Stationary Tables/Chairs	34	Instructor Table/Chair
35	Air Conditioned	36	Carpeted	37	Sloped/Tiered Floors	38	Elevated Stage	39	Windows
40	No Windows	41	Black Out Shade	42	Variable Intensity Lighting	43	Chalkboards	44	Whiteboards
45	Vertical Sliding Chalkboards	46	Vertical Sliding Whiteboards	47	2+ LCD Projectors	48	Symposium	49	Document Camera
50	Video Conferencing Set-Up	51	Laptop Required	52	Computer Provided	53	Computer Lab	54	Innovative Space

Building	Lab	Facility ID	Capacity	Room Characteristics							Notes			
		<a href="#">HA0025</a>	42	30	34	35	39	43	52					
<b>Hitchcock Hall</b> <span style="float: right;">Building Number: 274</span>														
		<a href="#">HI0030</a>	37	30	34	35	40	43	52					
		<a href="#">HI0031</a>	118	31	34	35	37	40	42	43	49	52		
		<a href="#">HI0035</a>	118	31	34	35	37	40	42	43	49	52		
		<a href="#">HI0131</a>	640	31	34	35	36	37	38	40	42	48	49	52
		<a href="#">HI0306</a>	48	32	34	35	36	40	43	47	52			
		<a href="#">HI0324</a>	126	32	34	35	36	40	43	47	52			
<b>Hopkins Hall</b> <span style="float: right;">Building Number: 149</span>														
		<a href="#">HC0246</a>	46	30	34	35	39	42	43	52				
		<a href="#">HC0250</a>	70	30	34	35	36	39	42	43	52			
<b>Independence Hall</b> <span style="float: right;">Building Number: 338</span>														
		<a href="#">IH0100</a>	727	31	34	35	37	38	40	42	48	49	52	
<b>Jennings Hall</b> <span style="float: right;">Building Number: 014</span>														
		<a href="#">JE0001</a>	250	31	34	35	36	37	39	42	43	49	52	
		<a href="#">JE0040</a>	60	32	34	35	39	43	48	52				
		<a href="#">JE0050</a>	35	30	34	35	36	39	44	52				
		<a href="#">JE0060</a>	60	32	34	35	39	43	49	52				
		<a href="#">JE0136</a>	35	30	34	35	39	43	49	52				
		<a href="#">JE0140</a>	40	32	34	35	39	43	49	52				
		<a href="#">JE0155</a>	151	31	34	35	36	37	40	42	43	49	52	
		<a href="#">JE0160</a>	40	32	34	35	39	43	49	52				
		<a href="#">JE0164</a>	35	30	34	35	39	43	49	52				
<b>Journalism Building</b> <span style="float: right;">Building Number: 046</span>														
		<a href="#">JR0139</a>	30	30	34	35	40	43	52					
		<a href="#">JR0143</a>	28	32	34	35	40	43	52					
		<a href="#">JR0221</a>	26	30	34	35	40	43	52					
		<a href="#">JR0239</a>	54	30	34	35	40	43	52					
		<a href="#">JR0251</a>	91	30	34	35	39	43	47	52				
		<a href="#">JR0270</a>	72	30	34	35	36	40	43	47	48	52		
		<a href="#">JR0274</a>	35	30	34	35	36	40	44	52				
		<a href="#">JR0291</a>	17	32	34	35	39	44	52					
		<a href="#">JR0295</a>	18	32	34	35	39	43	52					

## Room Characteristics List

30	Moveable Tablet Arm Chairs	31	Stationary Tablet Arm Chairs	32	Moveable Tables/Chairs	33	Stationary Tables/Chairs	34	Instructor Table/Chair
35	Air Conditioned	36	Carpeted	37	Sloped/Tiered Floors	38	Elevated Stage	39	Windows
40	No Windows	41	Black Out Shade	42	Variable Intensity Lighting	43	Chalkboards	44	Whiteboards
45	Vertical Sliding Chalkboards	46	Vertical Sliding Whiteboards	47	2+ LCD Projectors	48	Symposium	49	Document Camera
50	Video Conferencing Set-Up	51	Laptop Required	52	Computer Provided	53	Computer Lab	54	Innovative Space

Building	Lab	Facility ID	Capacity	Room Characteristics								Notes				
		<a href="#">JR0300</a>	114	31	34	35	36	37	40	43	48	52				
		<a href="#">JR0304</a>	39	30	34	35	40	43	52							
		<a href="#">JR0353</a>	30	32	34	35	36	39	43	52						
		<a href="#">JR0371</a>	49	30	34	35	36	40	43	52						
		<a href="#">JR0375</a>	40	30	34	35	40	43	52							
		<a href="#">JR0387</a>	18	32	34	35	39	43	52							
<b>Knowlton Hall</b>											Building Number: 017					
		<a href="#">KN0190</a>	60	30	34	35	36	39	41	43	49	52				
		<a href="#">KN0195</a>	48	30	34	35	36	39	41	43	49	52				
		<a href="#">KN0250</a>	213	31	34	35	37	39	41	42	43	48	49	52		
<b>Kottman Hall</b>											Building Number: 340					
		<a href="#">KH0102</a>	48	33	34	35	36	37	40	43	49	52				
		<a href="#">KH0103</a>	272	31	34	35	36	37	40	43	47	48	49	50	52	
		<a href="#">KH0104</a>	71	31	34	35	36	37	40	43	49	52				
		<a href="#">KH0116</a>	30	30	34	35	36	39	41	43	49	52				
<b>Lazenby Hall</b>											Building Number: 041					
		<a href="#">LZ0001</a>	28	30	34	35	39	43	52							
		<a href="#">LZ0002</a>	60	30	34	35	39	43	52							
		<a href="#">LZ0018</a>	14	32	34	35	39	43	52							
		<a href="#">LZ0021</a>	198	31	34	35	36	37	39	43	47	48	49	52		
		<a href="#">LZ0034</a>	54	30	34	35	39	43	52							
<b>Macquigg Laboratory</b>											Building Number: 265					
		<a href="#">MQ0155</a>	25	30	34	35	39	43	52							
		<a href="#">MQ0159</a>	40	30	34	35	39	43	52							
		<a href="#">MQ0160</a>	60	30	34	35	36	39	43	52						
		<a href="#">MQ0161</a>	34	32	34	35	39	43	52							
		<a href="#">MQ0162</a>	42	30	34	35	39	43	52							
		<a href="#">MQ0264</a>	155	31	34	35	36	37	39	43	52					
<b>McPherson Chemical Lab</b>											Building Number: 053					
		<a href="#">MP1000</a>	380	31	34	35	37	40	45	47	49	52				
		<a href="#">MP1005</a>	30	30	34	35	39	43	49	52						
		<a href="#">MP1008</a>	35	30	34	35	39	43	49	52						
		<a href="#">MP1015</a>	100	31	34	35	37	40	45	48	52					

## Room Characteristics List

30	Moveable Tablet Arm Chairs	31	Stationary Tablet Arm Chairs	32	Moveable Tables/Chairs	33	Stationary Tables/Chairs	34	Instructor Table/Chair
35	Air Conditioned	36	Carpeted	37	Sloped/Tiered Floors	38	Elevated Stage	39	Windows
40	No Windows	41	Black Out Shade	42	Variable Intensity Lighting	43	Chalkboards	44	Whiteboards
45	Vertical Sliding Chalkboards	46	Vertical Sliding Whiteboards	47	2+ LCD Projectors	48	Symposium	49	Document Camera
50	Video Conferencing Set-Up	51	Laptop Required	52	Computer Provided	53	Computer Lab	54	Innovative Space



Building	Lab	Facility ID	Capacity	Room Characteristics							Notes
		<a href="#">MP1021</a>	40	30	34	35	39	43	49	52	
		<a href="#">MP1035</a>	46	30	34	35	39	43	49	52	
		<a href="#">MP1040</a>	42	30	34	35	39	43	49	52	
		<a href="#">MP1041</a>	45	30	34	35	39	43	49	52	
		<a href="#">MP1045</a>	39	30	34	35	39	43	49	52	
		<a href="#">MP1046</a>	42	30	34	35	39	43	49	52	
		<a href="#">MP2015</a>	48	32	34	35	36	39	42	44	52
		<a href="#">MP2017</a>	49	30	34	35	36	39	44	52	
		<a href="#">MP2019</a>	56	30	34	35	36	39	44	52	

### [Mendenhall Laboratory](#)

Building Number: 054

<a href="#">ML0100</a>	221	31	34	35	36	37	40	45	47	48	49	52
<a href="#">ML0115</a>	60	30	34	35	39	43	48	49	52			
<a href="#">ML0125</a>	45	30	34	35	39	43	52					
<a href="#">ML0129</a>	42	30	34	35	39	43	52					
<a href="#">ML0131</a>	42	30	34	35	39	43	52					
<a href="#">ML0173</a>	42	30	34	35	39	43	52					
<a href="#">ML0174</a>	36	30	34	35	40	43	52					
<a href="#">ML0175</a>	42	30	34	35	39	43	52					
<a href="#">ML0185</a>	45	30	34	35	39	43	52					
<a href="#">ML0191</a>	60	30	34	35	39	43	52					

### [Orton Hall](#)

Building Number: 060

<a href="#">OR0110</a>	70	32	34	35	39	43	52					
------------------------	----	----	----	----	----	----	----	--	--	--	--	--

### [Page Hall](#)

Building Number: 061

<a href="#">PA0010</a>	90	33	34	35	37	39	41	42	43	49	52
<a href="#">PA0020</a>	90	33	34	35	37	39	41	42	43	49	52
<a href="#">PA0060</a>	48	30	34	35	39	41	43	49	52		

### [Phys Activ & Educ Srvs Bldg](#)

Building Number: 245

<a href="#">PEA0103</a>	30	32	34	35	39	43	52				
<a href="#">PEA0105</a>	30	32	34	35	39	43	52				
<a href="#">PEA0109</a>	36	32	34	35	39	43	52				
<a href="#">PEA0111</a>	34	32	34	35	39	43	52				

### [Pomerene Hall](#)

Building Number: 067

<a href="#">PO0150</a>	62	33	34	35	36	37	40	44	52		
------------------------	----	----	----	----	----	----	----	----	----	--	--

## Room Characteristics List

30	Moveable Tablet Arm Chairs	31	Stationary Tablet Arm Chairs	32	Moveable Tables/Chairs	33	Stationary Tables/Chairs	34	Instructor Table/Chair
35	Air Conditioned	36	Carpeted	37	Sloped/Tiered Floors	38	Elevated Stage	39	Windows
40	No Windows	41	Black Out Shade	42	Variable Intensity Lighting	43	Chalkboards	44	Whiteboards
45	Vertical Sliding Chalkboards	46	Vertical Sliding Whiteboards	47	2+ LCD Projectors	48	Symposium	49	Document Camera
50	Video Conferencing Set-Up	51	Laptop Required	52	Computer Provided	53	Computer Lab	54	Innovative Space

Building	Lab	Facility ID	Capacity	Room Characteristics								Notes		
		<a href="#">PO0160</a>	160	31	34	35	36	37	39	44	52			
		<a href="#">PO0250</a>	58	33	34	35	36	37	40	44	52			
		<a href="#">PO0260</a>	105	33	34	35	36	37	39	44	52			
		<a href="#">PO0280</a>	84	32	34	35	39	44	52	54				
<b>Psychology Building</b>											Building Number: 144			
		<a href="#">PS0006</a>	120	31	34	35	36	37	39	43	49	52		
		<a href="#">PS0010</a>	60	31	34	35	36	37	40	43	49	52		
		<a href="#">PS0014</a>	60	31	34	35	36	37	40	43	49	52		
<b>Ramseyer Hall</b>											Building Number: 090			
		<a href="#">RA0009</a>	50	30	34	35	36	39	43	47	52			
		<a href="#">RA0059</a>	120	30	34	35	36	39	43	47	49	52		
		<a href="#">RA0100</a>	79	33	34	35	36	37	39	43	48	52		
		<a href="#">RA0110</a>	49	30	34	35	39	43	52					
		<a href="#">RA0115</a>	49	30	34	35	39	43	52					
		<a href="#">RA0166</a>	32	30	34	35	39	43	49	52				
<b>Schoenbaum Hall</b>											Building Number: 251			
		<a href="#">SB0105</a>	268	31	34	35	36	37	40	42	44	46	52	
		<a href="#">SB0200</a>	50	30	34	35	36	39	42	44	46	52		
		<a href="#">SB0205</a>	50	33	34	35	36	37	39	42	44	46	52	
		<a href="#">SB0210</a>	40	32	34	35	36	39	42	44	46	52		
		<a href="#">SB0215</a>	50	33	34	35	36	37	39	42	44	46	52	
		<a href="#">SB0220</a>	70	33	34	35	36	37	39	42	44	46	52	
		<a href="#">SB0230</a>	70	33	34	35	36	37	39	42	44	46	52	
		<a href="#">SB0300</a>	50	30	34	35	36	39	42	44	46	52		
		<a href="#">SB0305</a>	50	33	34	35	36	37	39	42	44	46	52	
		<a href="#">SB0310</a>	40	32	34	35	36	39	42	44	46	52		
		<a href="#">SB0315</a>	50	33	34	35	36	37	39	42	44	46	52	
		<a href="#">SB0320</a>	82	33	34	35	36	37	39	42	44	46	52	
		<a href="#">SB0330</a>	82	33	34	35	36	37	39	42	44	46	52	
<b>Scott Lab</b>											Building Number: 148			
		<a href="#">SOE0001</a>	154	31	34	35	36	37	40	42	43	49	52	
		<a href="#">SOE0004</a>	85	33	34	35	37	40	42	43	49	52		
		<a href="#">SOE0024</a>	85	33	34	35	37	40	42	43	49	52		

## Room Characteristics List

30	Moveable Tablet Arm Chairs	31	Stationary Tablet Arm Chairs	32	Moveable Tables/Chairs	33	Stationary Tables/Chairs	34	Instructor Table/Chair
35	Air Conditioned	36	Carpeted	37	Sloped/Tiered Floors	38	Elevated Stage	39	Windows
40	No Windows	41	Black Out Shade	42	Variable Intensity Lighting	43	Chalkboards	44	Whiteboards
45	Vertical Sliding Chalkboards	46	Vertical Sliding Whiteboards	47	2+ LCD Projectors	48	Symposium	49	Document Camera
50	Video Conferencing Set-Up	51	Laptop Required	52	Computer Provided	53	Computer Lab	54	Innovative Space

Building	Lab	Facility ID	Capacity	Room Characteristics	Notes
		<a href="#">SOE0040</a>	85	33 34 35 37 40 42 43 49 52	
		<a href="#">SOE0103</a>	30	32 34 35 40 42 43 49 52	
		<a href="#">SOE0105</a>	30	32 34 35 40 42 43 49 52	
		<a href="#">SOE0125</a>	72	33 34 35 37 40 42 43 52	
		<a href="#">SOE0241</a>	28	32 34 35 40 43 49 52	
		<a href="#">SOE0245</a>	30	32 34 35 39 43 49 52	
		<a href="#">SON0044</a>	18	32 34 35 40 43 49 52	
		<a href="#">SON0048</a>	50	33 34 35 37 40 42 43 49 52	
		<a href="#">SON0050</a>	50	33 34 35 37 40 42 43 49 52	
		<a href="#">SON0054</a>	50	33 34 35 37 40 42 43 49 52	
		<a href="#">SON0056</a>	36	32 34 35 40 42 43 49 52	

### [Smith Laboratory](#)

Building Number: 065

<a href="#">SM1005</a>	100	31 34 35 37 40 45 47 52
<a href="#">SM1009</a>	100	31 34 35 37 40 45 47 52
<a href="#">SM1042</a>	30	32 34 35 39 43 44 52
<a href="#">SM1048</a>	45	30 34 35 39 43 52
<a href="#">SM1064</a>	30	32 34 35 39 43 52
<a href="#">SM1076</a>	30	32 34 35 39 43 52
<a href="#">SM1138</a>	40	30 34 35 39 43 52
<a href="#">SM1149</a>	9	30 35 36 39 44 51
<a href="#">SM1150</a>	11	32 35 36 39 44 51
<a href="#">SM1153</a>	221	31 34 35 37 40 45 47 52
<a href="#">SM1180</a>	34	32 34 35 36 39 43 52
<a href="#">SM1186</a>	15	30 35 36 39 44 51
<a href="#">SM2006</a>	30	30 34 35 39 43 52
<a href="#">SM2144</a>	36	32 34 35 39 43 52
<a href="#">SM2150</a>	42	30 34 35 39 43 52
<a href="#">SM2180</a>	28	30 34 35 39 43 52
<a href="#">SM2186</a>	25	30 34 35 39 43 52

LearnLounge

LearnLounge

### [Stillman Hall](#)

Building Number: 084

<a href="#">SH0100</a>	221	31 34 35 36 37 39 43 48 49 52
<a href="#">SH0131</a>	30	30 34 35 39 43 52
<a href="#">SH0135</a>	30	30 34 35 36 39 44 52 54

## Room Characteristics List

30	Moveable Tablet Arm Chairs	31	Stationary Tablet Arm Chairs	32	Moveable Tables/Chairs	33	Stationary Tables/Chairs	34	Instructor Table/Chair
35	Air Conditioned	36	Carpeted	37	Sloped/Tiered Floors	38	Elevated Stage	39	Windows
40	No Windows	41	Black Out Shade	42	Variable Intensity Lighting	43	Chalkboards	44	Whiteboards
45	Vertical Sliding Chalkboards	46	Vertical Sliding Whiteboards	47	2+ LCD Projectors	48	Symposium	49	Document Camera
50	Video Conferencing Set-Up	51	Laptop Required	52	Computer Provided	53	Computer Lab	54	Innovative Space

Building	Lab	Facility ID	Capacity	Room Characteristics							Notes					
		<a href="#">SH0235</a>	65	30	34	35	36	39	44	52						
		<a href="#">SH0240</a>	32	30	34	35	39	43	52							
		<a href="#">SH0245</a>	36	30	34	35	39	43	52							
<b>Sullivant Hall</b>																
		<a href="#">SU0220</a>	300	31	34	35	36	37	38	40	43	47	48	49	52	Building Number: 106
<b>Townshend Hall</b>																
		<a href="#">TO0247</a>	60	30	34	35	36	39	43	49	52					Building Number: 087
		<a href="#">TO0255</a>	84	30	34	35	36	39	43	49	52					
<b>University Hall</b>																
		<a href="#">UH0014</a>	159	31	34	35	36	37	40	43	52					
		<a href="#">UH0024</a>	20	30	34	35	36	40	43	52						
		<a href="#">UH0028</a>	20	30	34	35	36	40	43	52						
		<a href="#">UH0038</a>	49	30	34	35	36	40	43	52						
		<a href="#">UH0043</a>	35	30	34	35	36	40	43	52						
		<a href="#">UH0047</a>	35	30	34	35	36	40	43	52						
		<a href="#">UH0051</a>	35	30	34	35	36	40	43	52						
		<a href="#">UH0056</a>	40	32	34	35	36	40	43	52						
		<a href="#">UH0066</a>	20	30	34	35	36	40	43	52						
		<a href="#">UH0074</a>	20	30	34	35	36	40	43	52						
		<a href="#">UH0082</a>	42	30	34	35	36	40	43	52						
		<a href="#">UH0086</a>	36	30	34	35	36	40	43	52						
		<a href="#">UH0090</a>	35	30	34	35	36	40	43	52						
<b>Watts Hall</b>																
		<a href="#">WA0379</a>	24	32	34	35	36	40	43	52						
		<a href="#">WA0389</a>	23	30	34	35	36	39	43	52						
		<a href="#">WA0395</a>	57	30	34	35	36	39	43	52						

## Room Characteristics List

30	Moveable Tablet Arm Chairs	31	Stationary Tablet Arm Chairs	32	Moveable Tables/Chairs	33	Stationary Tables/Chairs	34	Instructor Table/Chair
35	Air Conditioned	36	Carpeted	37	Sloped/Tiered Floors	38	Elevated Stage	39	Windows
40	No Windows	41	Black Out Shade	42	Variable Intensity Lighting	43	Chalkboards	44	Whiteboards
45	Vertical Sliding Chalkboards	46	Vertical Sliding Whiteboards	47	2+ LCD Projectors	48	Symposium	49	Document Camera
50	Video Conferencing Set-Up	51	Laptop Required	52	Computer Provided	53	Computer Lab	54	Innovative Space