

# Summer 2019

## General Assignment Rooms

Building	Lab	Facility ID	Capacity	Room Characteristics										Notes	
<a href="#">209 West Eighteenth Avenue</a>													Building Number: 004		
		<a href="#">EA0160</a>	203	31	34	35	36	37	40	42	45	48	49	52	
		<a href="#">EA0170</a>	140	31	34	35	36	37	40	42	45	48	49	52	
<a href="#">Agricultural Administration</a>													Building Number: 003		
		<a href="#">AA0108</a>	56	32	34	35	36	39	41	43		52			
		<a href="#">AA0246</a>	49	30	34	35	36	39	41	44	49	52			
		<a href="#">AA0247</a>	30	32	34	35	36	39	41	44	49	52			
<a href="#">Agricultural Engineering Bldg</a>													Building Number: 298		
		<a href="#">AE0100</a>	94	33	34	35	36	37	40	42	43	48	49	52	
		<a href="#">AE0103</a>	48	32	34	35	36	40	42	43	49	52			
		<a href="#">AE0104</a>	70	32	34	35	36	40	42	43	49	52			
<a href="#">Animal Science Building</a>													Building Number: 156		
		<a href="#">AS0202</a>	49	30	34	35	39	43		52					
		<a href="#">AS0210</a>	50	30	34	35	39	43	47	49	50	52			
<a href="#">Arps Hall</a>													Building Number: 011		
		<a href="#">AP0012</a>	63	30	34	35	39	43		52					
		<a href="#">AP0386</a>	20	30	34	35	39	43		52					
		<a href="#">AP0388</a>	42	30	34	35	39	43		52					
<a href="#">Baker Systems Engineering</a>													Building Number: 280		
		<a href="#">BE0120</a>	98	33	34	35	36	37	40	42	43	49	52		
		<a href="#">BE0128</a>	20	30	34	35	36	39	43		52				
		<a href="#">BE0130</a>	32	30	34	35	36	40	43	49	52				
		<a href="#">BE0136</a>	40	30	34	35	36	39	43	47	49	52			
		<a href="#">BE0140</a>	40	30	34	35	36	39	43	47	49	52			
		<a href="#">BE0144</a>	70	30	34	35	36	40	43	47	49	52			

### Room Characteristics List

30	Moveable Tablet Arm Chairs	31	Stationary Tablet Arm Chairs	32	Moveable Tables/Chairs	33	Stationary Tables/Chairs	34	Instructor Table/Chair
35	Air Conditioned	36	Carpeted	37	Sloped/Tiered Floors	38	Elevated Stage	39	Windows
40	No Windows	41	Black Out Shade	42	Variable Intensity Lighting	43	Chalkboards	44	Whiteboards
45	Vertical Sliding Chalkboards	46	Vertical Sliding Whiteboards	47	2+ LCD Projectors	48	Symposium	49	Document Camera
50	Video Conferencing Set-Up	51	Laptop Required	52	Computer Provided	53	Computer Lab	54	Innovative Space

Building	Lab	Facility ID	Capacity	Room Characteristics										Notes
		<a href="#">BE0180</a>	49	30	34	35	36	40	43	49	52			
		<a href="#">BE0184</a>	30	30	34	35	36	40	43	49	52			
		<a href="#">BE0188</a>	56	30	34	35	36	40	43	47	49	52		
		<a href="#">BE0198</a>	49	30	34	35	36	40	43	49	52			
		<a href="#">BE0260</a>	30	30	34	35	39	43		52				
		<a href="#">BE0272</a>	20	30	34	35	39	43		52				
Computer Lab		<a href="#">BE0285</a>	48	33	34	35	36	40	44	49	52	53	Computer Lab	
		<a href="#">BE0394</a>	30	32	34	35	39	43		52				

**Biological Sciences Building** Building Number: 276

		<a href="#">BI0668</a>	38	30	34	35	39	43	49	52		
		<a href="#">BI0676</a>	35	30	34	35	39	43	49	52		

**Bolz Hall** Building Number: 146

		<a href="#">BO0116</a>	36	30	34	35	36	39	43	52			
		<a href="#">BO0118</a>	45	30	34	35	36	39	43	52			
		<a href="#">BO0120</a>	25	30	34	35	36	39	43	52			
		<a href="#">BO0124</a>	35	30	34	35	36	39	43	52			
		<a href="#">BO0128</a>	25	30	34	35	36	39	43	52			
		<a href="#">BO0311</a>	34	32	34	35	36	39	43	52			
		<a href="#">BO0313</a>	34	32	34	35	36	39	43	52			
		<a href="#">BO0314</a>	36	32	34	35	36	39	43	52			
		<a href="#">BO0316</a>	34	32	34	35	36	39	43	52			
		<a href="#">BO0317</a>	34	32	34	35	36	39	43	49	52		
		<a href="#">BO0318</a>	34	32	34	35	36	39	43	52			

**Caldwell Laboratory** Building Number: 026

		<a href="#">CL0102</a>	24	30	34	35	39	43	52		
		<a href="#">CL0109</a>	32	30	34	35	39	43	52		
		<a href="#">CL0115</a>	32	30	34	35	39	43	52		
		<a href="#">CL0119</a>	24	30	34	35	39	43	52		
		<a href="#">CL0120</a>	70	32	34	35	39	43	52		
		<a href="#">CL0133</a>	48	30	34	35	39	43	52		
		<a href="#">CL0135</a>	34	30	34	35	40	43	52		
		<a href="#">CL0137</a>	46	30	34	35	40	43	52		
		<a href="#">CL0171</a>	40	30	34	35	39	43	52		

## Room Characteristics List

30	Moveable Tablet Arm Chairs	31	Stationary Tablet Arm Chairs	32	Moveable Tables/Chairs	33	Stationary Tables/Chairs	34	Instructor Table/Chair
35	Air Conditioned	36	Carpeted	37	Sloped/Tiered Floors	38	Elevated Stage	39	Windows
40	No Windows	41	Black Out Shade	42	Variable Intensity Lighting	43	Chalkboards	44	Whiteboards
45	Vertical Sliding Chalkboards	46	Vertical Sliding Whiteboards	47	2+ LCD Projectors	48	Symposium	49	Document Camera
50	Video Conferencing Set-Up	51	Laptop Required	52	Computer Provided	53	Computer Lab	54	Innovative Space

Building	Lab	Facility ID	Capacity	Room Characteristics							Notes			
		<a href="#">CL0177</a>	48	30	34	35	39	43	52					
		<a href="#">CL0183</a>	15	30	34	35	39	43	52					
		<a href="#">CL0220</a>	40	32	34	35	36	39	43	52				
		<a href="#">CL0277</a>	30	32	34	35	36	39	43	52				
<b>Campbell Hall</b>										Building Number: 018				
		<a href="#">CM0100</a>	65	30	34	35	36	39	42	44	49	52	54	
		<a href="#">CM0119</a>	30	30	34	35	36	39	44	52				
		<a href="#">CM0200</a>	280	31	34	35	36	37	38	40	43	52		
		<a href="#">CM0209</a>	49	30	34	35	36	39	43	52				
		<a href="#">CM0213</a>	40	30	34	35	36	39	43	52				
		<a href="#">CM0243</a>	35	30	34	35	39	43	52					
		<a href="#">CM0251</a>	42	32	34	35	39	43	52					
		<a href="#">CM0271</a>	30	30	34	35	36	39	43	52				
		<a href="#">CM0309</a>	49	30	34	35	36	39	43	52				
		<a href="#">CM0335</a>	49	30	34	35	36	39	43	52				
<b>Chem &amp; Biomolecular Eng &amp; Chem</b>										Building Number: 248				
		<a href="#">CB0130</a>	117	33	34	35	36	37	40	42	45	48	49	52
<b>Cockins Hall</b>										Building Number: 063				
		<a href="#">CH0218</a>	47	30	34	35	39	43	49	52				
		<a href="#">CH0228</a>	24	32	34	35	39	43	52					
		<a href="#">CH0232</a>	40	32	34	35	39	43	52					
		<a href="#">CH0312</a>	49	30	34	35	39	43	49	52				
<b>Cunz Hall</b>										Building Number: 293				
		<a href="#">CZ0140</a>	62	32	34	35	36	40	44	47	48	49	52	
		<a href="#">CZ0150</a>	80	32	34	35	36	39	44	47	48	49	52	
		<a href="#">CZ0160</a>	42	32	34	35	36	40	44	48	52			
		<a href="#">CZ0180</a>	30	32	34	35	36	40	44	47	48	49	52	
<b>Denney Hall</b>										Building Number: 030				
		<a href="#">DE0202</a>	24	30	34	35	36	39	43	52				
		<a href="#">DE0206</a>	40	30	34	35	36	39	43	52				
		<a href="#">DE0207</a>	24	32	34	35	36	39	43	52				
		<a href="#">DE0209</a>	24	30	34	35	36	39	43	52				
		<a href="#">DE0213</a>	24	32	34	35	36	39	43	52				

## Room Characteristics List

30	Moveable Tablet Arm Chairs	31	Stationary Tablet Arm Chairs	32	Moveable Tables/Chairs	33	Stationary Tables/Chairs	34	Instructor Table/Chair
35	Air Conditioned	36	Carpeted	37	Sloped/Tiered Floors	38	Elevated Stage	39	Windows
40	No Windows	41	Black Out Shade	42	Variable Intensity Lighting	43	Chalkboards	44	Whiteboards
45	Vertical Sliding Chalkboards	46	Vertical Sliding Whiteboards	47	2+ LCD Projectors	48	Symposium	49	Document Camera
50	Video Conferencing Set-Up	51	Laptop Required	52	Computer Provided	53	Computer Lab	54	Innovative Space

Building	Lab	Facility ID	Capacity	Room Characteristics								Notes
		<a href="#">DE0214</a>	50	30	34	35	36	39	43	49	52	
		<a href="#">DE0238</a>	50	30	34	35	36	39	43	52		
		<a href="#">DE0245</a>	24	32	34	35	36	39	42	43	52	
		<a href="#">DE0250</a>	45	30	34	35	36	39	43	49	52	
		<a href="#">DE0253</a>	55	30	34	35	36	39	43	52		
		<a href="#">DE0262</a>	24	32	34	35	36	39	43	52		
		<a href="#">DE0265</a>	24	32	34	35	36	39	43	52		
		<a href="#">DE0268</a>	24	30	34	35	36	39	43	52		

**Derby Hall** Building Number: 025

Computer Lab	<a href="#">DB0024</a>	22	30	34	35	39	43	52				
	<a href="#">DB0029</a>	34	33	34	35	36	40	44	47	52	53	Computer Lab
	<a href="#">DB0030</a>	28	30	34	35	39	43	52				
	<a href="#">DB0047</a>	11	32	35	40	43	52					
	<a href="#">DB0048</a>	30	32	34	35	39	43	52				
	<a href="#">DB0049</a>	28	32	34	35	40	43	52				
	<a href="#">DB0060</a>	18	30	34	35	39	43	52				
	<a href="#">DB0062</a>	23	30	34	35	39	43	52				
	<a href="#">DB0080</a>	50	32	34	35	39	43	49	52			

**Dreese Laboratories** Building Number: 279

<a href="#">DL0113</a>	180	33	34	35	37	38	40	42	45	48	49	52
<a href="#">DL0264</a>	40	32	34	35	36	40	43	52				
<a href="#">DL0266</a>	40	32	34	35	36	40	43	52				
<a href="#">DL0305</a>	42	32	34	35	36	39	43	52				
<a href="#">DL0317</a>	36	32	34	35	36	40	43	52				
<a href="#">DL0357</a>	46	32	34	35	36	40	43	52				
<a href="#">DL0369</a>	44	32	34	35	36	39	43	52				

**Dulles Hall** Building Number: 337

<a href="#">DU0012</a>	25	30	34	35	36	40	43	52		
<a href="#">DU0016</a>	20	30	34	35	36	40	43	52		
<a href="#">DU0020</a>	22	30	34	35	36	40	43	52		
<a href="#">DU0024</a>	20	30	34	35	36	40	43	52		
<a href="#">DU0027</a>	24	30	34	35	36	40	43	52		

**Enarson Classroom Building** Building Number: 072

## Room Characteristics List

30	Moveable Tablet Arm Chairs	31	Stationary Tablet Arm Chairs	32	Moveable Tables/Chairs	33	Stationary Tables/Chairs	34	Instructor Table/Chair
35	Air Conditioned	36	Carpeted	37	Sloped/Tiered Floors	38	Elevated Stage	39	Windows
40	No Windows	41	Black Out Shade	42	Variable Intensity Lighting	43	Chalkboards	44	Whiteboards
45	Vertical Sliding Chalkboards	46	Vertical Sliding Whiteboards	47	2+ LCD Projectors	48	Symposium	49	Document Camera
50	Video Conferencing Set-Up	51	Laptop Required	52	Computer Provided	53	Computer Lab	54	Innovative Space

Building	Lab	Facility ID	Capacity	Room Characteristics											Notes
		<a href="#">EC0014</a>	30	32	34	35	36	40	42	44	49	52	54		
		<a href="#">EC0015</a>	26	30	34	35	36	40	42	44	49	52	54		
		<a href="#">EC0017</a>	26	30	34	35	36	40	42	44		52	54		
		<a href="#">EC0018</a>	36	32	34	35	36	40	42	44	49	52	54		
		<a href="#">EC0202</a>	25	30	34	35	39	43			52				
		<a href="#">EC0204</a>	24	30	34	35	39	43			49	52			
		<a href="#">EC0206</a>	25	30	34	35	39	43			52				
		<a href="#">EC0209</a>	29	30	34	35	40	43			48	52			
		<a href="#">EC0211</a>	29	30	34	35	40	44			52				
		<a href="#">EC0212</a>	24	30	34	35	39	43			52				
		<a href="#">EC0214</a>	25	30	34	35	39	43			49	52			
		<a href="#">EC0218</a>	25	30	34	35	39	43			52				
		<a href="#">EC0222</a>	34	30	34	35	39	43			52				
		<a href="#">EC0226</a>	32	30	34	35	39	43			52				
		<a href="#">EC0230</a>	30	30	34	35	39	43			52				
		<a href="#">EC0238</a>	22	30	34	35	39	43			49	52			
		<a href="#">EC0240</a>	25	30	34	35	39	43			52				
		<a href="#">EC0243</a>	30	30	34	35	40	43			49	50	52		
		<a href="#">EC0245</a>	30	30	34	35	40	43			49	50	52		
		<a href="#">EC0246</a>	25	30	34	35	39	43			52				
		<a href="#">EC0248</a>	22	30	34	35	39	43			52				
		<a href="#">EC0254</a>	30	30	34	35	39	43			52				
		<a href="#">EC0258</a>	32	30	34	35	39	43			52				
		<a href="#">EC0304</a>	24	30	34	35	39	43			52				
		<a href="#">EC0306</a>	23	30	34	35	39	43			52				
		<a href="#">EC0311</a>	72	32	34	35	36	40	44		48	54			
		<a href="#">EC0312</a>	25	30	34	35	39	43			52				
		<a href="#">EC0314</a>	23	30	34	35	39	43			52				
		<a href="#">EC0318</a>	23	30	34	35	39	43			52				
		<a href="#">EC0322</a>	34	30	34	35	39	43			52				
		<a href="#">EC0326</a>	32	30	34	35	39	43			52				
		<a href="#">EC0330</a>	30	30	34	35	39	43			49	52			
		<a href="#">EC0338</a>	14		33	35	39	44			52				Conference Style Classroom
		<a href="#">EC0340</a>	25	30	34	35	39	43			52				

## Room Characteristics List

30	Moveable Tablet Arm Chairs	31	Stationary Tablet Arm Chairs	32	Moveable Tables/Chairs	33	Stationary Tables/Chairs	34	Instructor Table/Chair
35	Air Conditioned	36	Carpeted	37	Sloped/Tiered Floors	38	Elevated Stage	39	Windows
40	No Windows	41	Black Out Shade	42	Variable Intensity Lighting	43	Chalkboards	44	Whiteboards
45	Vertical Sliding Chalkboards	46	Vertical Sliding Whiteboards	47	2+ LCD Projectors	48	Symposium	49	Document Camera
50	Video Conferencing Set-Up	51	Laptop Required	52	Computer Provided	53	Computer Lab	54	Innovative Space

Building	Lab	Facility ID	Capacity	Room Characteristics						Notes			
		<a href="#">EC0346</a>	25	30	34	35	39	43	52				
		<a href="#">EC0348</a>	14	33	35	39	44	52		Conference Style Classroom			
		<a href="#">EC0354</a>	30	30	34	35	39	43	52				
		<a href="#">EC0358</a>	32	30	34	35	39	43	52				
<b>Evans Laboratory</b>										Building Number: 150			
		<a href="#">EL1008</a>	227	31	34	35	36	37	40	45	47	52	
		<a href="#">EL2001</a>	35	30	34	35	40	43	52				
		<a href="#">EL2002</a>	32	32	34	35	39	43	52				
		<a href="#">EL2003</a>	35	30	34	35	40	43	52				
		<a href="#">EL2004</a>	73	30	34	35	36	39	43	52			
<b>Hagerty Hall</b>										Building Number: 037			
		<a href="#">HH0042</a>	35	30	34	35	39	42	43	49	52		
		<a href="#">HH0045</a>	20	30	34	35	40	42	43	49	52		
		<a href="#">HH0046</a>	42	30	34	35	39	42	43	49	52		
		<a href="#">HH0050</a>	35	30	34	35	39	42	43	49	52		
		<a href="#">HH0056</a>	35	30	34	35	39	42	43	49	52		
		<a href="#">HH0062</a>	40	30	34	35	39	42	43	49	52		
		<a href="#">HH0071</a>	20	30	34	35	40	42	43	49	52		
		<a href="#">HH0180</a>	242	31	34	35	36	37	40	45	46	49	52
Computer Lab		<a href="#">HH0186</a>	24	33	34	35	36	39	44	50	52	53	
		<a href="#">HH0251</a>	32	30	34	35	40	42	43	49	52		
		<a href="#">HH0259</a>	32	30	34	35	40	42	43	49	52		
		<a href="#">HH0351</a>	32	30	34	35	40	42	43	49	52		
		<a href="#">HH0359</a>	32	30	34	35	40	42	43	49	52		
<b>Hayes Hall</b>										Building Number: 039			
		<a href="#">HA0005</a>	40	30	34	35	39	43	52				
		<a href="#">HA0006</a>	40	30	34	35	39	43	52				
		<a href="#">HA0012</a>	24	30	34	35	39	43	52				
		<a href="#">HA0024</a>	42	30	34	35	39	43	52				
		<a href="#">HA0025</a>	42	30	34	35	39	43	52				
<b>Hitchcock Hall</b>										Building Number: 274			
		<a href="#">HI0030</a>	37	30	34	35	40	43	52				
		<a href="#">HI0031</a>	118	31	34	35	37	40	42	43	49	52	

## Room Characteristics List

30	Moveable Tablet Arm Chairs	31	Stationary Tablet Arm Chairs	32	Moveable Tables/Chairs	33	Stationary Tables/Chairs	34	Instructor Table/Chair
35	Air Conditioned	36	Carpeted	37	Sloped/Tiered Floors	38	Elevated Stage	39	Windows
40	No Windows	41	Black Out Shade	42	Variable Intensity Lighting	43	Chalkboards	44	Whiteboards
45	Vertical Sliding Chalkboards	46	Vertical Sliding Whiteboards	47	2+ LCD Projectors	48	Symposium	49	Document Camera
50	Video Conferencing Set-Up	51	Laptop Required	52	Computer Provided	53	Computer Lab	54	Innovative Space

Building	Lab	Facility ID	Capacity	Room Characteristics	Notes
		<a href="#">HI0035</a>	118	31 34 35 37 40 42 43 49 52	
		<a href="#">HI0131</a>	640	31 34 35 36 37 38 40 42 48 49 52	
		<a href="#">HI0306</a>	48	32 34 35 36 40 43 47 52	
		<a href="#">HI0324</a>	126	32 34 35 36 40 43 47 52	
<b>Hopkins Hall</b> Building Number: 149					
		<a href="#">HC0246</a>	46	30 34 35 39 42 43 52	
		<a href="#">HC0250</a>	70	30 34 35 36 39 42 43 52	
<b>Independence Hall</b> Building Number: 338					
		<a href="#">IH0100</a>	727	31 34 35 37 38 40 42 48 49 52	
<b>Jennings Hall</b> Building Number: 014					
		<a href="#">JE0001</a>	250	31 34 35 36 37 39 42 43 49 52	
		<a href="#">JE0040</a>	60	32 34 35 39 43 48 52	
		<a href="#">JE0050</a>	35	30 34 35 36 39 44 52	
		<a href="#">JE0060</a>	60	32 34 35 39 43 49 52	
		<a href="#">JE0136</a>	35	30 34 35 39 43 49 52	
		<a href="#">JE0140</a>	40	32 34 35 39 43 49 52	
		<a href="#">JE0155</a>	151	31 34 35 36 37 40 42 43 49 52	
		<a href="#">JE0160</a>	40	32 34 35 39 43 49 52	
		<a href="#">JE0164</a>	35	30 34 35 39 43 49 52	
<b>Journalism Building</b> Building Number: 046					
		<a href="#">JR0139</a>	30	30 34 35 40 43 52	
		<a href="#">JR0143</a>	28	32 34 35 40 43 52	
		<a href="#">JR0221</a>	26	30 34 35 40 43 52	
		<a href="#">JR0239</a>	54	30 34 35 40 43 52	
		<a href="#">JR0251</a>	91	30 34 35 39 43 47 52	
		<a href="#">JR0270</a>	72	30 34 35 36 40 43 47 48 52	
		<a href="#">JR0274</a>	35	30 34 35 36 40 44 52	
		<a href="#">JR0291</a>	17	32 34 35 39 44 52	
		<a href="#">JR0295</a>	18	32 34 35 39 43 52	
		<a href="#">JR0300</a>	114	31 34 35 36 37 40 43 48 52	
		<a href="#">JR0304</a>	39	30 34 35 40 43 52	
		<a href="#">JR0353</a>	30	32 34 35 36 39 43 52	
		<a href="#">JR0371</a>	49	30 34 35 36 40 43 52	

## Room Characteristics List

30	Moveable Tablet Arm Chairs	31	Stationary Tablet Arm Chairs	32	Moveable Tables/Chairs	33	Stationary Tables/Chairs	34	Instructor Table/Chair
35	Air Conditioned	36	Carpeted	37	Sloped/Tiered Floors	38	Elevated Stage	39	Windows
40	No Windows	41	Black Out Shade	42	Variable Intensity Lighting	43	Chalkboards	44	Whiteboards
45	Vertical Sliding Chalkboards	46	Vertical Sliding Whiteboards	47	2+ LCD Projectors	48	Symposium	49	Document Camera
50	Video Conferencing Set-Up	51	Laptop Required	52	Computer Provided	53	Computer Lab	54	Innovative Space

Building	Lab	Facility ID	Capacity	Room Characteristics						Notes					
		<a href="#">JR0375</a>	40	30	34	35	40	43	52						
		<a href="#">JR0387</a>	18	32	34	35	39	43	52						
<b>Knowlton Hall</b> <span style="float: right;">Building Number: 017</span>															
		<a href="#">KN0190</a>	60	30	34	35	36	39	41	43	49	52			
		<a href="#">KN0195</a>	48	30	34	35	36	39	41	43	49	52			
		<a href="#">KN0250</a>	213	31	34	35	37	39	41	42	43	48	49	52	
<b>Kottman Hall</b> <span style="float: right;">Building Number: 340</span>															
		<a href="#">KH0102</a>	48	33	34	35	36	37	40	43	49	52			
		<a href="#">KH0103</a>	272	31	34	35	36	37	40	43	47	48	49	50	52
		<a href="#">KH0104</a>	71	31	34	35	36	37	40	43	49	52			
		<a href="#">KH0116</a>	30	30	34	35	36	39	41	43	49	52			
<b>Lazenby Hall</b> <span style="float: right;">Building Number: 041</span>															
		<a href="#">LZ0001</a>	28	30	34	35	39	43	52						
		<a href="#">LZ0002</a>	60	30	34	35	39	43	52						
		<a href="#">LZ0018</a>	14	32	34	35	39	43	52						
		<a href="#">LZ0021</a>	198	31	34	35	36	37	39	43	47	48	49	52	
		<a href="#">LZ0034</a>	54	30	34	35	39	43	52						
<b>Macquigg Laboratory</b> <span style="float: right;">Building Number: 265</span>															
		<a href="#">MQ0155</a>	25	30	34	35	39	43	52						
		<a href="#">MQ0159</a>	40	30	34	35	39	43	52						
		<a href="#">MQ0160</a>	60	30	34	35	36	39	43	52					
		<a href="#">MQ0161</a>	34	32	34	35	39	43	52						
		<a href="#">MQ0162</a>	42	30	34	35	39	43	52						
		<a href="#">MQ0264</a>	155	31	34	35	36	37	39	43	52				
<b>McPherson Chemical Lab</b> <span style="float: right;">Building Number: 053</span>															
		<a href="#">MP1000</a>	380	31	34	35	37	40	45	47	49	52			
		<a href="#">MP1005</a>	30	30	34	35	39	43	49	52					
		<a href="#">MP1008</a>	35	30	34	35	39	43	49	52					
		<a href="#">MP1015</a>	100	31	34	35	37	40	45	48	52				
		<a href="#">MP1021</a>	40	30	34	35	39	43	49	52					
		<a href="#">MP1035</a>	46	30	34	35	39	43	49	52					
		<a href="#">MP1040</a>	42	30	34	35	39	43	49	52					
		<a href="#">MP1041</a>	45	30	34	35	39	43	49	52					

## Room Characteristics List

30	Moveable Tablet Arm Chairs	31	Stationary Tablet Arm Chairs	32	Moveable Tables/Chairs	33	Stationary Tables/Chairs	34	Instructor Table/Chair
35	Air Conditioned	36	Carpeted	37	Sloped/Tiered Floors	38	Elevated Stage	39	Windows
40	No Windows	41	Black Out Shade	42	Variable Intensity Lighting	43	Chalkboards	44	Whiteboards
45	Vertical Sliding Chalkboards	46	Vertical Sliding Whiteboards	47	2+ LCD Projectors	48	Symposium	49	Document Camera
50	Video Conferencing Set-Up	51	Laptop Required	52	Computer Provided	53	Computer Lab	54	Innovative Space



Building	Lab	Facility ID	Capacity	Room Characteristics								Notes		
		<a href="#">MP1045</a>	39	30	34	35	39	43	49	52				
		<a href="#">MP1046</a>	42	30	34	35	39	43	49	52				
		<a href="#">MP2015</a>	48	32	34	35	36	39	42	44	52			
		<a href="#">MP2017</a>	49	30	34	35	36	39	44	52				
		<a href="#">MP2019</a>	56	30	34	35	36	39	44	52				
<b><u>Mendenhall Laboratory</u></b>												Building Number: 054		
		<a href="#">ML0100</a>	221	31	34	35	36	37	40	45	47	48	49	52
		<a href="#">ML0115</a>	60	30	34	35	39	43	48	49	52			
		<a href="#">ML0125</a>	45	30	34	35	39	43	52					
		<a href="#">ML0129</a>	42	30	34	35	39	43	52					
		<a href="#">ML0131</a>	42	30	34	35	39	43	52					
		<a href="#">ML0173</a>	42	30	34	35	39	43	52					
		<a href="#">ML0174</a>	36	30	34	35	40	43	52					
		<a href="#">ML0175</a>	42	30	34	35	39	43	52					
		<a href="#">ML0185</a>	45	30	34	35	39	43	52					
		<a href="#">ML0191</a>	60	30	34	35	39	43	52					
<b><u>Orton Hall</u></b>												Building Number: 060		
		<a href="#">OR0110</a>	70	32	34	35	39	43	52					
<b><u>Page Hall</u></b>												Building Number: 061		
		<a href="#">PA0010</a>	90	33	34	35	37	39	41	42	43	49	52	
		<a href="#">PA0020</a>	90	33	34	35	37	39	41	42	43	49	52	
		<a href="#">PA0060</a>	48	30	34	35	39	41	43	49	52			
<b><u>Phys Activ &amp; Educ Srvs Bldg</u></b>												Building Number: 245		
		<a href="#">PEA0103</a>	30	32	34	35	39	43	52					
		<a href="#">PEA0105</a>	30	32	34	35	39	43	52					
		<a href="#">PEA0109</a>	36	32	34	35	39	43	52					
		<a href="#">PEA0111</a>	34	32	34	35	39	43	52					
<b><u>Pomerene Hall</u></b>												Building Number: 067		
		<a href="#">PO0150</a>	62	33	34	35	36	37	40	44	52			
		<a href="#">PO0160</a>	160	31	34	35	36	37	39	44	52			
		<a href="#">PO0250</a>	58	33	34	35	36	37	40	44	52			
		<a href="#">PO0260</a>	105	33	34	35	36	37	39	44	52			
		<a href="#">PO0280</a>	84	32	34	35	39	44	52	54				

## Room Characteristics List

30	Moveable Tablet Arm Chairs	31	Stationary Tablet Arm Chairs	32	Moveable Tables/Chairs	33	Stationary Tables/Chairs	34	Instructor Table/Chair
35	Air Conditioned	36	Carpeted	37	Sloped/Tiered Floors	38	Elevated Stage	39	Windows
40	No Windows	41	Black Out Shade	42	Variable Intensity Lighting	43	Chalkboards	44	Whiteboards
45	Vertical Sliding Chalkboards	46	Vertical Sliding Whiteboards	47	2+ LCD Projectors	48	Symposium	49	Document Camera
50	Video Conferencing Set-Up	51	Laptop Required	52	Computer Provided	53	Computer Lab	54	Innovative Space

Building	Lab	Facility ID	Capacity	Room Characteristics										Notes
<b>Psychology Building</b>													Building Number: 144	
		<a href="#">PS0006</a>	120	31	34	35	36	37	39	43	49	52		
		<a href="#">PS0010</a>	60	31	34	35	36	37	40	43	49	52		
		<a href="#">PS0014</a>	60	31	34	35	36	37	40	43	49	52		
<b>Ramseyer Hall</b>													Building Number: 090	
		<a href="#">RA0009</a>	50	30	34	35	36	39	43	47	52			
		<a href="#">RA0059</a>	120	30	34	35	36	39	43	47	49	52		
		<a href="#">RA0100</a>	79	33	34	35	36	37	39	43	48	52		
		<a href="#">RA0110</a>	49	30	34	35	39	43	52					
		<a href="#">RA0115</a>	49	30	34	35	39	43	52					
		<a href="#">RA0166</a>	32	30	34	35	39	43	49	52				
<b>Schoenbaum Hall</b>													Building Number: 251	
		<a href="#">SB0105</a>	268	31	34	35	36	37	40	42	44	46	52	
		<a href="#">SB0200</a>	50	30	34	35	36	39	42	44	46	52		
		<a href="#">SB0205</a>	50	33	34	35	36	37	39	42	44	46	52	
		<a href="#">SB0210</a>	40	32	34	35	36	39	42	44	46	52		
		<a href="#">SB0215</a>	50	33	34	35	36	37	39	42	44	46	52	
		<a href="#">SB0220</a>	70	33	34	35	36	37	39	42	44	46	52	
		<a href="#">SB0230</a>	70	33	34	35	36	37	39	42	44	46	52	
		<a href="#">SB0300</a>	50	30	34	35	36	39	42	44	46	52		
		<a href="#">SB0305</a>	50	33	34	35	36	37	39	42	44	46	52	
		<a href="#">SB0310</a>	40	32	34	35	36	39	42	44	46	52		
		<a href="#">SB0315</a>	50	33	34	35	36	37	39	42	44	46	52	
		<a href="#">SB0320</a>	82	33	34	35	36	37	39	42	44	46	52	
		<a href="#">SB0330</a>	82	33	34	35	36	37	39	42	44	46	52	
<b>Scott Lab</b>													Building Number: 148	
		<a href="#">SOE0001</a>	154	31	34	35	36	37	40	42	43	49	52	
		<a href="#">SOE0004</a>	85	33	34	35	37	40	42	43	49	52		
		<a href="#">SOE0024</a>	85	33	34	35	37	40	42	43	49	52		
		<a href="#">SOE0040</a>	85	33	34	35	37	40	42	43	49	52		
		<a href="#">SOE0103</a>	30	32	34	35	40	42	43	49	52			
		<a href="#">SOE0105</a>	30	32	34	35	40	42	43	49	52			
		<a href="#">SOE0125</a>	72	33	34	35	37	40	42	43	52			

## Room Characteristics List

30	Moveable Tablet Arm Chairs	31	Stationary Tablet Arm Chairs	32	Moveable Tables/Chairs	33	Stationary Tables/Chairs	34	Instructor Table/Chair
35	Air Conditioned	36	Carpeted	37	Sloped/Tiered Floors	38	Elevated Stage	39	Windows
40	No Windows	41	Black Out Shade	42	Variable Intensity Lighting	43	Chalkboards	44	Whiteboards
45	Vertical Sliding Chalkboards	46	Vertical Sliding Whiteboards	47	2+ LCD Projectors	48	Symposium	49	Document Camera
50	Video Conferencing Set-Up	51	Laptop Required	52	Computer Provided	53	Computer Lab	54	Innovative Space

Building	Lab	Facility ID	Capacity	Room Characteristics								Notes	
		<a href="#">SOE0241</a>	28	32	34	35	40	43	49	52			
		<a href="#">SOE0245</a>	30	32	34	35	39	43	49	52			
		<a href="#">SON0044</a>	18	32	34	35	40	43	49	52			
		<a href="#">SON0048</a>	50	33	34	35	37	40	42	43	49	52	
		<a href="#">SON0050</a>	50	33	34	35	37	40	42	43	49	52	
		<a href="#">SON0054</a>	50	33	34	35	37	40	42	43	49	52	
		<a href="#">SON0056</a>	36	32	34	35	40	42	43	49	52		

### [Smith Laboratory](#)

Building Number: 065

<a href="#">SM1005</a>	100	31	34	35	37	40	45	47	52
<a href="#">SM1009</a>	100	31	34	35	37	40	45	47	52
<a href="#">SM1042</a>	30	32	34	35	39	43	44	52	
<a href="#">SM1048</a>	45	30	34	35	39	43	52		
<a href="#">SM1064</a>	30	32	34	35	39	43	52		
<a href="#">SM1076</a>	30	32	34	35	39	43	52		
<a href="#">SM1138</a>	40	30	34	35	39	43	52		
<a href="#">SM1149</a>	9	30	35	36	39	44	51		
<a href="#">SM1150</a>	11	32	35	36	39	44	51		
<a href="#">SM1153</a>	221	31	34	35	37	40	45	47	52
<a href="#">SM1180</a>	34	32	34	35	36	39	43	52	
<a href="#">SM1186</a>	15	30	35	36	39	44	51		
<a href="#">SM2006</a>	30	30	34	35	39	43	52		
<a href="#">SM2144</a>	36	32	34	35	39	43	52		
<a href="#">SM2150</a>	42	30	34	35	39	43	52		
<a href="#">SM2180</a>	28	30	34	35	39	43	52		
<a href="#">SM2186</a>	25	30	34	35	39	43	52		

LearnLounge

LearnLounge

### [Stillman Hall](#)

Building Number: 084

<a href="#">SH0100</a>	221	31	34	35	36	37	39	43	48	49	52
<a href="#">SH0131</a>	30	30	34	35	39	43	52				
<a href="#">SH0135</a>	30	30	34	35	36	39	44	52	54		
<a href="#">SH0235</a>	65	30	34	35	36	39	44	52			
<a href="#">SH0240</a>	32	30	34	35	39	43	52				
<a href="#">SH0245</a>	36	30	34	35	39	43	52				

### [Sullivant Hall](#)

Building Number: 106

## Room Characteristics List

30	Moveable Tablet Arm Chairs	31	Stationary Tablet Arm Chairs	32	Moveable Tables/Chairs	33	Stationary Tables/Chairs	34	Instructor Table/Chair
35	Air Conditioned	36	Carpeted	37	Sloped/Tiered Floors	38	Elevated Stage	39	Windows
40	No Windows	41	Black Out Shade	42	Variable Intensity Lighting	43	Chalkboards	44	Whiteboards
45	Vertical Sliding Chalkboards	46	Vertical Sliding Whiteboards	47	2+ LCD Projectors	48	Symposium	49	Document Camera
50	Video Conferencing Set-Up	51	Laptop Required	52	Computer Provided	53	Computer Lab	54	Innovative Space

Building	Lab	Facility ID	Capacity	Room Characteristics											Notes	
		<a href="#">SU0220</a>	300	31	34	35	36	37	38	40	43	47	48	49	52	
<b>Townshend Hall</b>																Building Number: 087
		<a href="#">TO0247</a>	60	30	34	35	36	39	43	49	52					
		<a href="#">TO0255</a>	84	30	34	35	36	39	43	49	52					
<b>University Hall</b>																Building Number: 339
		<a href="#">UH0014</a>	159	31	34	35	36	37	40	43	52					
		<a href="#">UH0024</a>	20	30	34	35	36	40	43	52						
		<a href="#">UH0028</a>	20	30	34	35	36	40	43	52						
		<a href="#">UH0038</a>	49	30	34	35	36	40	43	52						
		<a href="#">UH0043</a>	35	30	34	35	36	40	43	52						
		<a href="#">UH0047</a>	35	30	34	35	36	40	43	52						
		<a href="#">UH0051</a>	35	30	34	35	36	40	43	52						
		<a href="#">UH0056</a>	40	32	34	35	36	40	43	52						
		<a href="#">UH0066</a>	20	30	34	35	36	40	43	52						
		<a href="#">UH0074</a>	20	30	34	35	36	40	43	52						
		<a href="#">UH0082</a>	42	30	34	35	36	40	43	52						
		<a href="#">UH0086</a>	36	30	34	35	36	40	43	52						
		<a href="#">UH0090</a>	35	30	34	35	36	40	43	52						
<b>Watts Hall</b>																Building Number: 107
		<a href="#">WA0379</a>	24	32	34	35	36	40	43	52						
		<a href="#">WA0389</a>	23	30	34	35	36	39	43	52						
		<a href="#">WA0395</a>	57	30	34	35	36	39	43	52						

## Room Characteristics List

30	Moveable Tablet Arm Chairs	31	Stationary Tablet Arm Chairs	32	Moveable Tables/Chairs	33	Stationary Tables/Chairs	34	Instructor Table/Chair
35	Air Conditioned	36	Carpeted	37	Sloped/Tiered Floors	38	Elevated Stage	39	Windows
40	No Windows	41	Black Out Shade	42	Variable Intensity Lighting	43	Chalkboards	44	Whiteboards
45	Vertical Sliding Chalkboards	46	Vertical Sliding Whiteboards	47	2+ LCD Projectors	48	Symposium	49	Document Camera
50	Video Conferencing Set-Up	51	Laptop Required	52	Computer Provided	53	Computer Lab	54	Innovative Space